

# **FP** **FIXINGS** **PLUS**



## CATALOGUE

# **FIXINGS PLUS**

TRUSTED SPECIALIST DISTRIBUTOR TO THE CONSTRUCTION INDUSTRY FOR OVER **20 YEARS**.

Established in 2004, Fixings Plus is a leading name supplying top tier products and outstanding service in the construction industry. Beyond transactions, we take pride in fostering lasting relationships, offering advice, technical support, and on-site backup services. As your construction partners, we provide testing, training, and invaluable insights for success.

Stocking cutting-edge systems from ITW, Spit, Paslode, Soudal, Fischer and Ejot to name a few, our central Birmingham warehouse is a hub of innovation. We're more than products; we're a comprehensive resource for hand tools, power tools, and accessories, redefining efficiency.

**VISIT OUR INVITING TRADE COUNTER, WHERE OUR EXPERT TEAM DEMONSTRATES PRODUCTS AND PROVIDES INDUSTRY INSIGHTS.** EXPERIENCE THE FIXINGS PLUS DIFFERENCE FIRSTHAND – A COMMITMENT TO EXCELLENCE THAT ELEVATES YOUR CONSTRUCTION JOURNEY.

## LOCAL DELIVERIES

Situated in Central Birmingham, Fixings plus are ideally placed to make deliveries within a 50 mile radius, regularly making drops into Birmingham City Centre throughout the day. Our experienced team of drivers are totally aware of issues that can arise when it comes to site deliveries, we often liaise directly with customers and contractors in order to get deliveries made quickly, safely and accurately.\*

## NATIONAL DELIVERIES

Working closely with our carriers enables us to offer a Next Day delivery service nationwide. This will be provided free of charge for orders over £50.00\*. For those more urgent requirements we can offer the following services for an additional cost.

- Pre 10.30 AM Delivery
- Pre 12.00 Noon Delivery
- Saturday Delivery

\* Additional charges may apply if delivery includes any Toll Zones. Sundays and Bank Holidays are excluded from delivery services.

SOME OF OUR KEY PARTNERS INCLUDE

**fischer**

**SOUDAL**

**EJOT**

 **DART**  
Your tool, but better.

**evolution**

**heller**  
get a bit more

**OX**

 **BOSCH**

**JCP**  
Toolbox for Professionals

**bond it**

 **armorgard**

**Milwaukee**

**RAWL**  
FIXINGS

**STANLEY**

**GFI**



**FIXINGS PLUS ARE APPROVED  
BY THE CFA.** FIXINGS PLUS ARE  
PROUD TO BE AN APPROVED  
TESTER AND DISTRIBUTOR  
OF THE CONSTRUCTION &  
FIXINGS ASSOCIATION.

## APPLY FOR AN ACCOUNT

To apply for a trade account with Fixings Plus please visit [www.fixingsplus.co.uk/account-application.html](http://www.fixingsplus.co.uk/account-application.html) to download an application form, fill in your details and send it back to the address on the form.

## PAYMENT



We also accept debit card and cash payments.

## QUALITY ASSURANCE

Achieving both ISO 9001 and ISO 14001 certifications is a testament to our robust Environmental and Quality Management Systems. These certifications demonstrate our commitment to minimising environmental impact, protecting our workforce's well-being, and continuously improving our sustainability, safety, and quality performance. Meeting international standards for both environmental responsibility and quality management enhances customer satisfaction, operational efficiency, and overall business performance. This reflects our dedication to consistently delivering high-quality products and services, fostering trust, reliability, and sustainability with our customers.

## DISCLAIMER

All information provided in this publication is accurate to the best of our knowledge at the time of printing. However, specifications, availability are subject to change without notice. We recommend verifying details with our team prior to purchase. If you notice any errors please email us at [sales@fixingsplus.co.uk](mailto:sales@fixingsplus.co.uk)

**STAY UP TO DATE WITH  
OUR LATEST NEWS**  
BY FOLLOWING US ON  
X AND LINKEDIN, OR BY  
SUBSCRIBING TO OUR  
NEWSLETTER.





|            |                                   |
|------------|-----------------------------------|
| <b>7</b>   | FIXINGS & SCREWS                  |
| <b>49</b>  | FASTENINGS                        |
| <b>75</b>  | SILICONES & ADHESIVES             |
| <b>97</b>  | CHANNEL                           |
| <b>123</b> | BRICK CHANNEL                     |
| <b>133</b> | TECHNOLOGIES, TOOLS & ACCESSORIES |
| <b>153</b> | POWER TOOL ACCESSORIES            |
| <b>187</b> | HAND TOOLS                        |
| <b>227</b> | SITE EQUIPMENT                    |
| <b>265</b> | TAPES, PROTECTION, JANITORIAL     |
| <b>279</b> | P.P.E. AND SIGNAGE                |
| <b>318</b> | INDEX                             |
| <b>329</b> | TERMS & CONDITIONS OF SALE        |



**FP** FIXINGS  
PLUS





## CONTENTS

|           |                                          |
|-----------|------------------------------------------|
| <b>8</b>  | TEK SCREWS                               |
| <b>15</b> | SUPERTEK® SCREWS                         |
| <b>17</b> | HIGH PERFORMANCE ANCHORS                 |
| <b>24</b> | CHEMICAL STUDS & ACCESSORIES             |
| <b>25</b> | CHEMICAL RESIN                           |
| <b>27</b> | CHEMICAL RESIN TOOLS                     |
| <b>28</b> | CONCRETE SCREWS                          |
| <b>33</b> | NYLON FRAME FIXINGS                      |
| <b>35</b> | INSULATION ANCHORS                       |
| <b>40</b> | INSULATION WASHERS                       |
| <b>41</b> | TEKS SCREW WASHERS & CAPS                |
| <b>43</b> | PTS INSULATION FIXINGS – FIRE PROTECTION |
| <b>44</b> | CAVITY FIXINGS                           |
| <b>46</b> | HAMMER FIXINGS                           |
| <b>48</b> | PARTITIONING ACCESSORIES                 |

# **TEK SCREWS**

## HEX HEAD FINE THREAD

For fixing profiled roofing or cladding sheets into hot rolled steel 5.0 to 12.5mm.



| Part No. | Thread size (mm) | Drilling Capacity (mm) | Min/Max Fixture (mm) | Screw Length (mm) |
|----------|------------------|------------------------|----------------------|-------------------|
| HF55025  | 5.5              | 5.0 - 12.5             | –                    | 25                |
| HF55032  | 5.5              | 5.0 - 12.5             | 5.0 - 10             | 32                |
| HF55038  | 5.5              | 5.0 - 12.5             | 5.0 - 16             | 38                |
| HF55050  | 5.5              | 5.0 - 12.5             | 5.0 - 28             | 50                |
| HF55065  | 5.5              | 5.0 - 12.5             | 5.0 - 43             | 65                |
| HF55075  | 5.5              | 5.0 - 12.5             | 30 - 53              | 75                |
| HF55080  | 5.5              | 5.0 - 12.5             | 35 - 58              | 80                |
| HF55100  | 5.5              | 5.0 - 12.5             | 55 - 78              | 100               |
| HF55115  | 5.5              | 5.0 - 12.5             | 70 - 93              | 115               |
| HF55130  | 5.5              | 5.0 - 12.5             | 85 - 108             | 130               |
| HF55150  | 5.5              | 5.0 - 12.5             | 105 - 128            | 150               |

## HEX HEAD FINE THREAD – STAINLESS STEEL

Fastening when a stainless steel product is required. To prevent the occurrence of bimetallic reaction when used with aluminium/stainless steel sheeting, profiles and brackets.



| Part No.  | Thread size (mm) | Drilling Capacity (mm) | Min/Max Fixture (mm) | Screw Length (mm) |
|-----------|------------------|------------------------|----------------------|-------------------|
| A2HF55038 | 5.5              | 5.0 - 12.5             | 5.0 - 16             | 38                |
| A2HF55050 | 5.5              | 5.0 - 12.5             | 5.0 - 28             | 50                |
| A2HF55065 | 5.5              | 5.0 - 12.5             | 5.0 - 43             | 65                |
| A2HF55075 | 5.5              | 5.0 - 12.5             | 5.0 - 53             | 75                |
| A2HF55080 | 5.5              | 5.0 - 12.5             | 5.0 - 58             | 80                |
| A2HF55100 | 5.5              | 5.0 - 12.5             | 5.0 - 78             | 100               |

## HEX HEAD FINE THREAD – c/w BONDED WASHER



| Part No. | Thread size (mm) | Drilling Capacity (mm) | Min/Max Fixture (mm) | Screw Length (mm) |
|----------|------------------|------------------------|----------------------|-------------------|
| HFW55025 | 5.5              | 5.0 - 12.5             | –                    | 25                |
| HFW55032 | 5.5              | 5.0 - 12.5             | 5.0 - 8              | 32                |
| HFW55038 | 5.5              | 5.0 - 12.5             | 5.0 - 14             | 38                |
| HFW55050 | 5.5              | 5.0 - 12.5             | 5.0 - 26             | 50                |
| HFW55065 | 5.5              | 5.0 - 12.5             | 5.0 - 41             | 65                |
| HFW55075 | 5.5              | 5.0 - 12.5             | 28 - 51              | 75                |
| HFW55080 | 5.5              | 5.0 - 12.5             | 33 - 56              | 80                |
| HFW55100 | 5.5              | 5.0 - 12.5             | 53 - 76              | 100               |
| HFW55115 | 5.5              | 5.0 - 12.5             | 68 - 91              | 115               |
| HFW55130 | 5.5              | 5.0 - 12.5             | 83 - 106             | 130               |
| HFW55150 | 5.5              | 5.0 - 12.5             | 103 - 126            | 150               |

## HEX HEAD FINE THREAD – c/w BONDED WASHER – STAINLESS STEEL




| Part No.   | Thread size (mm) | Drilling Capacity (mm) | Min/Max Fixture (mm) | Screw Length (mm) |
|------------|------------------|------------------------|----------------------|-------------------|
| A2HFW55038 | 5.5              | 5.0 - 12.5             | 5.0 - 14             | 38                |
| A2HFW55050 | 5.5              | 5.0 - 12.5             | 5.0 - 26             | 50                |
| A2HFW55065 | 5.5              | 5.0 - 12.5             | 5.0 - 41             | 65                |
| A2HFW55075 | 5.5              | 5.0 - 12.5             | 5.0 - 51             | 75                |
| A2HFW55080 | 5.5              | 5.0 - 12.5             | 5.0 - 56             | 80                |
| A2HFW55100 | 5.5              | 5.0 - 12.5             | 5.0 - 76             | 100               |



## HEX HEAD COARSE THREAD


For fixing profiled cladding sheets into cold rolled rails and purlins 1.2 – 5.3mm.



| Part No. | Thread size (mm) | Drilling Capacity (mm) | Min/Max Fixture (mm) | Screw Length (mm) |
|----------|------------------|------------------------|----------------------|-------------------|
| HC42013  | 4.2              | 1.0 - 4.0              | 1.0 - 2              | 13                |
| HC42019  | 4.2              | 1.0 - 4.0              | 1.0 - 7              | 19                |
| HC48016  | 4.8              | 1.0 - 4.0              | 1.0 - 5              | 16                |
| HC48019  | 4.8              | 1.0 - 4.0              | 1.0 - 7              | 19                |
| HC55019  | 5.5              | 1.0 - 4.0              | 1.2 - 4              | 19                |
| HC55025  | 5.5              | 1.0 - 4.0              | 1.2 - 10             | 25                |
| HC55032  | 5.5              | 1.0 - 4.0              | 1.2 - 17             | 32                |
| HC55038  | 5.5              | 1.0 - 4.0              | 1.2 - 23             | 38                |
| HC55043  | 5.5              | 1.0 - 4.0              | 1.2 - 28             | 43                |
| HC55050  | 5.5              | 1.0 - 4.0              | 1.2 - 35             | 50                |
| HC55070  | 5.5              | 1.0 - 4.0              | 26 - 55              | 70                |
| HC55100  | 5.5              | 1.0 - 4.0              | 50 - 85              | 100               |
| HC55130  | 5.5              | 1.0 - 4.0              | 80 - 115             | 130               |
| HC55160  | 5.5              | 1.0 - 4.0              | 110 - 145            | 160               |


## HEX HEAD COARSE THREAD STAINLESS STEEL

Fastening when a stainless steel product is required. To prevent the occurrence of bimetallic reaction when used with aluminium/stainless steel sheeting, profiles and brackets.



| Part No.  | Thread size (mm) | Drilling Capacity (mm) | Min/Max Fixture (mm) | Screw Length (mm) |
|-----------|------------------|------------------------|----------------------|-------------------|
| A2HC42019 | 4.2              | 1.0 - 4.0              | 1 - 7                | 19                |
| A2HC48016 | 4.8              | 1.0 - 4.0              | 1 - 5                | 16                |
| A2HC48019 | 4.8              | 1.0 - 4.0              | 1 - 7                | 19                |
| A2HC55019 | 5.5              | 1.0 - 4.0              | 1.2 - 4              | 19                |
| A2HC55025 | 5.5              | 1.0 - 4.0              | 1.2 - 10             | 25                |
| A2HC55032 | 5.5              | 1.0 - 4.0              | 1.2 - 17             | 32                |
| A2HC55038 | 5.5              | 1.0 - 4.0              | 1.2 - 23             | 38                |
| A2HC55043 | 5.5              | 1.0 - 4.0              | 1.2 - 28             | 43                |
| A2HC55050 | 5.5              | 1.0 - 4.0              | 1.2 - 35             | 50                |
| A2HC55070 | 5.5              | 1.0 - 4.0              | 20 - 55              | 70                |
| A2HC55100 | 5.5              | 1.0 - 4.0              | 50 - 85              | 100               |
| A2HC55130 | 5.5              | 1.0 - 4.0              | 80 - 115             | 130               |
| A2HC55160 | 5.5              | 1.0 - 4.0              | 110 - 145            | 160               |

## HEX HEAD COARSE THREAD – c/w BONDED WASHER



| Part No. | Thread size (mm) | Drilling Capacity (mm) | Min/Max Fixture (mm) | Screw Length (mm) |
|----------|------------------|------------------------|----------------------|-------------------|
| HCW42013 | 4.2              | 1.0 - 4.0              | 1.0 - 1.0            | 13                |
| HCW42019 | 4.2              | 1.0 - 4.0              | 1.0 - 5              | 19                |
| HCW48016 | 4.8              | 1.0 - 4.0              | 1.0 - 3              | 16                |
| HCW48019 | 4.8              | 1.0 - 4.0              | 1.0 - 5              | 19                |
| HCW55019 | 5.5              | 1.0 - 4.0              | 1.2 - 2              | 19                |
| HCW55025 | 5.5              | 1.0 - 4.0              | 1.2 - 8              | 25                |
| HCW55032 | 5.5              | 1.0 - 4.0              | 1.2 - 15             | 32                |
| HCW55038 | 5.5              | 1.0 - 4.0              | 1.2 - 21             | 38                |
| HCW55043 | 5.5              | 1.0 - 4.0              | 1.2 - 26             | 43                |
| HCW55050 | 5.5              | 1.0 - 4.0              | 1.2 - 33             | 50                |
| HCW55070 | 5.5              | 1.0 - 4.0              | 18 - 53              | 70                |
| HCW55100 | 5.5              | 1.0 - 4.0              | 48 - 83              | 100               |
| HCW55130 | 5.5              | 1.0 - 4.0              | 78 - 113             | 130               |
| HCW55160 | 5.5              | 1.0 - 4.0              | 108 - 143            | 160               |

## HEX HEAD COARSE THREAD STAINLESS STEEL – c/w BONDED WASHER



| Part No.   | Thread size (mm) | Drilling Capacity (mm) | Min/Max Fixture (mm) | Screw Length (mm) |
|------------|------------------|------------------------|----------------------|-------------------|
| A2HCW42013 | 4.2              | 1.0 - 4.0              | 1.0 - 1.0            | 13                |
| A2HCW42019 | 4.2              | 1.0 - 4.0              | 1.0 - 5              | 19                |
| A2HCW48016 | 4.8              | 1.0 - 4.0              | 1.0 - 3              | 16                |
| A2HCW48019 | 4.8              | 1.0 - 4.0              | 1.0 - 5              | 19                |
| A2HCW55019 | 5.5              | 1.0 - 4.0              | 1.2 - 2              | 19                |
| A2HCW55025 | 5.5              | 1.0 - 4.0              | 1.2 - 8              | 25                |
| A2HCW55032 | 5.5              | 1.0 - 4.0              | 1.2 - 15             | 32                |
| A2HCW55038 | 5.5              | 1.0 - 4.0              | 1.2 - 21             | 38                |
| A2HCW55043 | 5.5              | 1.0 - 4.0              | 1.2 - 26             | 43                |
| A2HCW55050 | 5.5              | 1.0 - 4.0              | 1.2 - 33             | 50                |
| A2HCW55070 | 5.5              | 1.0 - 4.0              | 18 - 53              | 70                |
| A2HCW55100 | 5.5              | 1.0 - 4.0              | 48 - 83              | 100               |
| A2HCW55130 | 5.5              | 1.0 - 4.0              | 78 - 113             | 130               |
| A2HCW55160 | 5.5              | 1.0 - 4.0              | 108 - 143            | 160               |

# **TEK SCREWS**

## HEX FINE HIGH THREAD

The most effective method for fixing composite panels and cladding sheets through insulation. The under head high thread offers maximum support and prevents compression to the outer sheet.



| Part No. | Thread size (mm) | Drilling Capacity (mm) | Min/Max Fixture (mm) | Screw Length (mm) |
|----------|------------------|------------------------|----------------------|-------------------|
| HTF55085 | 5.5              | 5.0 - 12.5             | 36 - 44              | 85                |
| HTF55105 | 5.5              | 5.0 - 12.5             | 36 - 62              | 105               |
| HTF55130 | 5.5              | 5.0 - 12.5             | 59 - 88              | 130               |
| HTF55150 | 5.5              | 5.0 - 12.5             | 59 - 108             | 150               |
| HTF55185 | 5.5              | 5.0 - 12.5             | 98 - 148             | 185               |
| HTF55210 | 5.5              | 5.0 - 12.5             | 128 - 178            | 210               |
| HTF55240 | 5.5              | 5.0 - 12.5             | 150 - 198            | 240               |

## HEX FINE HIGH THREAD – STAINLESS STEEL

Fastening when a stainless steel product is required. To prevent the occurrence of bimetallic reaction when used with aluminium/stainless steel sheeting, profiles and brackets.



| Part No.    | Thread size (mm) | Drilling Capacity (mm) | Min/Max Fixture (mm) | Screw Length (mm) |
|-------------|------------------|------------------------|----------------------|-------------------|
| A2HTF55095  | 5.5              | 5.0 - 14.0             | 26 - 53              | 95                |
| A2HTF55125  | 5.5              | 5.0 - 14.0             | 56 - 83              | 125               |
| A2HTF55150  | 5.5              | 5.0 - 14.0             | 81 - 108             | 150               |
| A2HTF55165  | 5.5              | 5.0 - 14.0             | 96 - 123             | 165               |
| A2HTF55185  | 5.5              | 5.0 - 14.0             | 111 - 143            | 185               |
| A2HTF55200  | 5.5              | 5.0 - 14.0             | 135 - 168            | 200               |
| A2HTFW55240 | 5.5              | 5.0 - 14.0             | 168 - 198            | 240               |

## HEX HEAD HIGH THREAD FINE THREAD – c/w BONDED WASHER



| Part No.  | Thread size (mm) | Drilling Capacity (mm) | Min/Max Fixture (mm) | Screw Length (mm) |
|-----------|------------------|------------------------|----------------------|-------------------|
| HTFW55085 | 5.5              | 5.0 - 12.5             | 38 - 46              | 85                |
| HTFW55105 | 5.5              | 5.0 - 12.5             | 38 - 64              | 105               |
| HTFW55130 | 5.5              | 5.0 - 12.5             | 61 - 90              | 130               |
| HTFW55150 | 5.5              | 5.0 - 12.5             | 61 - 110             | 150               |
| HTFW55185 | 5.5              | 5.0 - 12.5             | 100 - 150            | 185               |
| HTFW55210 | 5.5              | 5.0 - 12.5             | 130 - 180            | 210               |
| HTFW55240 | 5.5              | 5.0 - 12.5             | 152 - 200            | 240               |

## HEX HEAD HIGH THREAD FINE THREAD – c/w BONDED WASHER – STAINLESS STEEL



| Part No.    | Thread size (mm) | Drilling Capacity (mm) | Min/Max Fixture (mm) | Screw Length (mm) |
|-------------|------------------|------------------------|----------------------|-------------------|
| A2HTFW55095 | 5.5              | 5.0 - 14.0             | 28 - 55              | 95                |
| A2HTFW55125 | 5.5              | 5.0 - 14.0             | 58 - 85              | 125               |
| A2HTFW55150 | 5.5              | 5.0 - 14.0             | 83 - 110             | 150               |
| A2HTFW55165 | 5.5              | 5.0 - 14.0             | 98 - 125             | 165               |
| A2HTFW55185 | 5.5              | 5.0 - 14.0             | 113 - 145            | 185               |
| A2HTFW55200 | 5.5              | 5.0 - 14.0             | 138 - 170            | 200               |
| A2HTFW55240 | 5.5              | 5.0 - 14.0             | 168 - 200            | 240               |

## HEX HEAD HIGH THREAD COARSE THREAD

The most effective method for fixing composite panels, cladding sheets and channelling through insulation into cold rolled steel and timber. The under head high thread offers maximum support and prevents compression to the outer sheet.



| Part No. | Thread size (mm) | Drilling Capacity (mm) | Min/Max Fixture (mm) | Screw Length (mm) |
|----------|------------------|------------------------|----------------------|-------------------|
| HTC55085 | 5.5              | 1.2 - 4.0              | 38 - 58              | 85                |
| HTC55100 | 5.5              | 1.2 - 4.0              | 48 - 76              | 100               |
| HTC55120 | 5.5              | 1.2 - 4.0              | 58 - 98              | 120               |
| HTC55130 | 5.5              | 1.2 - 4.0              | 68 - 108             | 130               |
| HTC55150 | 5.5              | 1.2 - 4.0              | 68 - 128             | 150               |
| HTC55180 | 5.5              | 1.2 - 4.0              | 98 - 158             | 180               |
| HTC55200 | 5.5              | 1.2 - 4.0              | 118 - 178            | 200               |
| HTC55230 | 5.5              | 1.2 - 4.0              | 148 - 208            | 230               |

## HEX HEAD HIGH THREAD COARSE THREAD c/w BONDED WASHER

Self drilling fastener for fixing composite panels and cladding sheets, through insulation into hot rolled steel, 5.0 - 12.5mm thick.



| Part No.  | Thread size (mm) | Drilling Capacity (mm) | Min/Max Fixture (mm) | Screw Length (mm) |
|-----------|------------------|------------------------|----------------------|-------------------|
| HTCW55085 | 5.5              | 1.2 - 4.0              | 40 - 60              | 85                |
| HTCW55100 | 5.5              | 1.2 - 4.0              | 50 - 78              | 100               |
| HTCW55120 | 5.5              | 1.2 - 4.0              | 60 - 100             | 120               |
| HTCW55130 | 5.5              | 1.2 - 4.0              | 70 - 110             | 130               |
| HTCW55150 | 5.5              | 1.2 - 4.0              | 70 - 130             | 150               |
| HTCW55180 | 5.5              | 1.2 - 4.0              | 100 - 160            | 180               |
| HTCW55200 | 5.5              | 1.2 - 4.0              | 120 - 180            | 200               |
| HTCW55230 | 5.5              | 1.2 - 4.0              | 150 - 210            | 230               |

## HEX HEAD HIGH THREAD COARSE THREAD – STAINLESS STEEL

Fastening when a stainless steel product is required.



| Part No.   | Thread size (mm) | Drilling Capacity (mm) | Min/Max Fixture (mm) | Screw Length (mm) |
|------------|------------------|------------------------|----------------------|-------------------|
| A2HTC55085 | 5.5              | 1.2 - 4.0              | 30 - 60              | 85                |
| A2HTC55100 | 5.5              | 1.2 - 4.0              | 40 - 70              | 100               |
| A2HTC55120 | 5.5              | 1.2 - 4.0              | 55 - 85              | 120               |
| A2HTC55130 | 5.5              | 1.2 - 4.0              | 75 - 105             | 130               |
| A2HTC55150 | 5.5              | 1.2 - 4.0              | 97 - 125             | 150               |
| A2HTC55180 | 5.5              | 1.2 - 4.0              | 125 - 155            | 180               |
| A2HTC55200 | 5.5              | 1.2 - 4.0              | 146 - 175            | 200               |
| A2HTC55230 | 5.5              | 1.2 - 4.0              | 176 - 205            | 230               |

## HEX HEAD HIGH THREAD COARSE THREAD c/w BONDED WASHER – STAINLESS STEEL



| Part No.    | Thread size (mm) | Drilling Capacity (mm) | Min/Max Fixture (mm) | Screw Length (mm) |
|-------------|------------------|------------------------|----------------------|-------------------|
| A2HTCW55085 | 5.5              | 1.2 - 4.0              | 32 - 62              | 85                |
| A2HTCW55100 | 5.5              | 1.2 - 4.0              | 42 - 72              | 100               |
| A2HTCW55120 | 5.5              | 1.2 - 4.0              | 57 - 87              | 120               |
| A2HTCW55130 | 5.5              | 1.2 - 4.0              | 77 - 107             | 130               |
| A2HTCW55150 | 5.5              | 1.2 - 4.0              | 99 - 127             | 150               |
| A2HTCW55180 | 5.5              | 1.2 - 4.0              | 127 - 157            | 180               |
| A2HTCW55200 | 5.5              | 1.2 - 4.0              | 148 - 177            | 200               |
| A2HTCW55230 | 5.5              | 1.2 - 4.0              | 178 - 207            | 230               |

ENQUIRE WITH [SALES@FIXINGSPLUS.CO.UK](mailto:SALES@FIXINGSPLUS.CO.UK) FOR BRICK CHANNEL REQUIREMENTS



# **TEK SCREWS**


## **HEX HEAD STITCHING SCREW c/w BONDED WASHER**

Designed for fixing two thin gauge sheets together and general construction applications.



| Part No.  | Thread size (mm) | Drilling Capacity (mm) | Min/Max Fixture (mm) | Screw Length (mm) |
|-----------|------------------|------------------------|----------------------|-------------------|
| HCSW63022 | 6.3              | 2 x 1mm sheets         | 1.0 - 10             | 22                |
| HCSW65050 | 6.5              | 2 x 1mm sheets         | 1.0 - 40             | 50                |
| HCSW78025 | 7.8              | 2 x 1mm sheets         | 1.0 - 15             | 25                |

## **HEX HEAD STITCHING SCREW c/w BONDED WASHER – STAINLESS STEEL**



| Part No.    | Thread size (mm) | Drilling Capacity (mm) | Min/Max Fixture (mm) | Screw Length (mm) |
|-------------|------------------|------------------------|----------------------|-------------------|
| A2HCSW55022 | 5.5              | 2 x 1mm sheets         | 1.0 - 12             | 22                |
| A2HCSW63025 | 6.3              | 2 x 1mm sheets         | 1.0 - 15             | 25                |

## **HEX HEAD SELF TAPPER GASH POINT c/w BONDED WASHER**

Recommended for sheet to timber applications.



| Part No.   | Thread size (mm) | Drilling Capacity (mm) | Min/Max Fixture (mm) | Screw Length (mm) |
|------------|------------------|------------------------|----------------------|-------------------|
| ABHSW63025 | 6.3              | 0.0 - 0.7              | 1 - 14               | 25                |
| ABHSW63032 | 6.3              | 0.0 - 0.7              | 1 - 21               | 32                |
| ABHSW63045 | 6.3              | 0.0 - 0.7              | 1 - 34               | 45                |
| ABHSW63050 | 6.3              | 0.0 - 0.7              | 1 - 39               | 50                |
| ABHSW63075 | 6.3              | 0.0 - 0.7              | 25 - 64              | 75                |
| ABHSW63100 | 6.3              | 0.0 - 0.7              | 50 - 89              | 100               |

## **LOW PROFILE HEAD FINE THREAD**

For fixing profiled roofing or cladding sheets into hot rolled steel 5.0 to 12mm. Low profile head to prevent interference.



| Part No. | Thread size (mm) | Drilling Capacity (mm) | Min/Max Fixture (mm) | Screw Length (mm) |
|----------|------------------|------------------------|----------------------|-------------------|
| LPF55032 | 5.5              | 4.0 - 12.5             | 5.0 - 10             | 32                |
| LPF55038 | 5.5              | 4.0 - 12.5             | 5.0 - 16             | 38                |

## **LOW PROFILE HEAD COARSE THREAD**

For fixing into thin gauge steel. Low profile head to prevent interference.



| Part No. | Thread size (mm) | Drilling Capacity (mm) | Min/Max Fixture (mm) | Screw Length (mm) |
|----------|------------------|------------------------|----------------------|-------------------|
| LPC48016 | 4.8              | 0.9 - 2.0              | 0.9 - 6              | 16                |
| LPC48022 | 4.8              | 0.9 - 2.0              | 0.9 - 12             | 22                |
| LPC55019 | 5.5              | 1.2 - 3.0              | 1.2 - 15             | 19                |
| LPC55025 | 5.5              | 1.2 - 3.0              | 1.2 - 21             | 25                |

## **LOW PROFILE HEAD COARSE THREAD c/w BONDED WASHER – STAINLESS STEEL**

Available with colour coded head.



| Part No.  | Thread size (mm) | Drilling Capacity (mm) | Min/Max Fixture (mm) | Screw Length (mm) |
|-----------|------------------|------------------------|----------------------|-------------------|
| ASF006S12 | 5.5              | 1.2 - 3.5              | 1.2 - 15             | 25                |
| ASF0082   | 5.5              | 1.2 - 3.5              | 1.2 - 20             | 38                |
| ASF009    | 5.5              | 1.2 - 3.5              | 1.2 - 35             | 50                |

## **LOW PROFILE HEAD COARSE THREAD - "S" POINT c/w BONDED WASHER – STAINLESS STEEL**

Available with colour coded head.



| Part No.   | Thread size (mm) | Screw Length (mm) |
|------------|------------------|-------------------|
| ASF0018S12 | 4.8              | 38                |

## COUNTERSUNK FINE THREAD

Fixing all grades of timber and composites to hot rolled steel 5.0 - 12.5mm.




| Part No. | Thread size (mm) | Drilling Capacity (mm) | Screw Length (mm) |
|----------|------------------|------------------------|-------------------|
| CF55045  | 5.5              | 5.0 - 12.5             | 45                |
| CF55060  | 5.5              | 5.0 - 12.5             | 60                |
| CF55080  | 5.5              | 5.0 - 12.5             | 80                |
| CF55110  | 5.5              | 5.0 - 12.5             | 110               |
| CF55130  | 5.5              | 5.0 - 12.5             | 130               |
| CF55150  | 5.5              | 5.0 - 12.5             | 150               |

Longer lengths may not be fully threaded

## COUNTERSUNK COARSE THREAD

Fixing all grades of timber and composites to steel 1.2 - 4.0mm.



| Part No. | Thread size (mm) | Drilling Capacity (mm) | Screw Length (mm) |
|----------|------------------|------------------------|-------------------|
| CC48025  | 4.8              | 1.2 - 4.0              | 25                |
| CC48038  | 4.8              | 1.2 - 4.0              | 38                |
| CC48045  | 4.8              | 1.2 - 4.0              | 45                |
| CC48050  | 4.8              | 1.2 - 4.0              | 50                |
| CC55038  | 5.5              | 1.2 - 4.0              | 38                |
| CC55050  | 5.5              | 1.2 - 4.0              | 50                |
| CC55060  | 5.5              | 1.2 - 4.0              | 60                |
| CC55080  | 5.5              | 1.2 - 4.0              | 80                |
| CC55100  | 5.5              | 1.2 - 4.0              | 100               |
| CC55110  | 5.5              | 1.2 - 4.0              | 110               |
| CC55120  | 5.5              | 1.2 - 4.0              | 120               |
| CC55130  | 5.5              | 1.2 - 4.0              | 130               |
| CC55150  | 5.5              | 1.2 - 4.0              | 150               |

## COUNTERSUNK FINE THREAD STAINLESS STEEL

Fixing all grades of timber when a stainless steel product is required.




| Part No.  | Thread size (mm) | Drilling Capacity (mm) | Screw Length (mm) |
|-----------|------------------|------------------------|-------------------|
| A2CF55045 | 5.5              | 5.0 - 12.5             | 45                |
| A2CF55060 | 5.5              | 5.0 - 12.5             | 60                |
| A2CF55080 | 5.5              | 5.0 - 12.5             | 80                |
| A2CF55110 | 5.5              | 5.0 - 12.5             | 110               |
| A2CF55130 | 5.5              | 5.0 - 12.5             | 130               |
| A2CF55150 | 5.5              | 5.0 - 12.5             | 150               |

Longer lengths may not be fully threaded

## COUNTERSUNK COARSE THREAD STAINLESS STEEL

Fixing all grades of timber and composites to steel and aluminium 1.2 - 4.0mm. When a stainless steel product is required.



| Part No.  | Thread size (mm) | Drilling Capacity (mm) | Screw Length (mm) |
|-----------|------------------|------------------------|-------------------|
| A2CC48025 | 4.8              | 1.2 - 4.0              | 25                |
| A2CC48038 | 4.8              | 1.2 - 4.0              | 38                |
| A2CC48045 | 4.8              | 1.2 - 4.0              | 45                |
| A2CC48050 | 4.8              | 1.2 - 4.0              | 50                |
| A2CC55038 | 5.5              | 1.2 - 4.0              | 38                |
| A2CC55050 | 5.5              | 1.2 - 4.0              | 50                |
| A2CC55060 | 5.5              | 1.2 - 4.0              | 60                |
| A2CC55080 | 5.5              | 1.2 - 4.0              | 80                |
| A2CC55100 | 5.5              | 1.2 - 4.0              | 100               |
| A2CC55110 | 5.5              | 1.2 - 4.0              | 110               |
| A2CC55120 | 5.5              | 1.2 - 4.0              | 120               |
| A2CC55130 | 5.5              | 1.2 - 4.0              | 130               |

## **+ TEK SCREWS**

### ROCK ON SCREWS – HEAVY GAUGE



Fixing cement particle board into thin gauge steel 0.6 – 2.5mm.



| Part No. | Thread size (mm) | Drilling Capacity (mm) | Min/Max Fixture (mm) | Screw Length (mm) |
|----------|------------------|------------------------|----------------------|-------------------|
| RKC41    | 4.2              | 0.6 - 2.5              | 10 - 31              | 41                |

### ROCK ON SCREWS – LIGHT GAUGE



Fixing cement particle board into timber and thin gauge steel 0.5 – 0.9mm.



| Part No. | Thread size (mm) | Drilling Capacity (mm) | Min/Max Fixture (mm) | Screw Length (mm) |
|----------|------------------|------------------------|----------------------|-------------------|
| RKW41    | 4.2              | 0.5 - 0.9              | 10 - 35              | 41                |

### LOW PROFILE HEAD COARSE THREAD



| Part No. | Thread size (mm) | Drilling Capacity (mm) | Min/Max Fixture (mm) | Screw Length (mm) |
|----------|------------------|------------------------|----------------------|-------------------|
| CFC16    | 4.8              | 0.9 - 3.0              | 1.0 - 10             | 16                |
| CFC24    | 4.8              | 0.9 - 3.0              | 1.0 - 15             | 25                |
| CFC26    | 5.5              | 1.2 - 5.0              | 1.5 - 13             | 32                |

### EVOLUTION UNIVERSAL BOARD SCREWS



| Part No. | Thread size (mm) | Screw Length (mm) | Drilling Capacity (mm) |
|----------|------------------|-------------------|------------------------|
| WHX32    | 4.2              | 32                | 0.6 - 2.5              |
| WHX42    | 4.2              | 42                | 0.6 - 2.5              |
| WHX60    | 4.2              | 60                | 0.6 - 2.5              |
| WHX80    | 4.2              | 80                | 0.6 - 2.5              |
| WHX100   | 4.2              | 100               | 0.6 - 2.5              |

**FIXINGS PLUS**

**REVIEW US ON**



## SUPERTEK® 6 – HEX HEAD TEK® 6 evolution



| Part No.     | Thread size (mm) | Drilling Capacity (mm) | Screw Length (mm) | Thread length (mm) |
|--------------|------------------|------------------------|-------------------|--------------------|
| TSBW5.5-38-6 | 5.5              | 4.0 - 16.0             | 38                | Full               |

## SUPERTEK® 7 – HEX HEAD TEK® 7 evolution



| Part No.        | Thread size (mm) | Drilling Capacity (mm) | Screw Length (mm) | Thread length (mm) |
|-----------------|------------------|------------------------|-------------------|--------------------|
| TSBW5.5-50-7    | 5.5              | 3.5 - 18.5             | 50                | Full               |
| TSHW5.5-50-7    | 5.5              | 3.5 - 18.5             | 50                | Full               |
| TSHW5.5-75-7    | 5.5              | 3.5 - 18.5             | 75                | Full               |
| TSHW5.5-100-7   | 5.5              | 3.5 - 18.5             | 100               | 50                 |
| TSHW5.5-125-7   | 5.5              | 3.5 - 18.5             | 125               | 50                 |
| TSHW5.5-150-7   | 5.5              | 3.5 - 18.5             | 150               | 50                 |
| TSBWHT5.5-150-7 | 5.5              | 3.5 - 18.5             | 150               | 50                 |

## SUPERTEK® 7 WING DRILL – COUNTERSUNK TEK® 7 evolution



| Part No.      | Thread size (mm) | Drilling Capacity (mm) | Screw Length (mm) | Thread length (mm) |
|---------------|------------------|------------------------|-------------------|--------------------|
| TSTF5.5-73-7  | 5.5              | 4.0 - 18.0             | 73                | Full               |
| TSTF5.5-93-7  | 5.5              | 4.0 - 18.0             | 93                | 50.0               |
| TSTF5.5-118-7 | 5.5              | 4.0 - 18.0             | 118               | 50.0               |
| TSTF5.5-143-7 | 5.5              | 4.0 - 18.0             | 143               | 65.0               |

## SUPERTEK® 8 – HEX HEAD TEK® 8 evolution



| Part No.      | Thread size (mm) | Drilling Capacity (mm) | Screw Length (mm) | Thread length (mm) |
|---------------|------------------|------------------------|-------------------|--------------------|
| TSHW6.3-60-8  | 6.3              | 4.0 - 22.0             | 60                | Full               |
| TSHW6.3-100-8 | 6.3              | 4.0 - 22.0             | 100               | Full               |


## Q10 SUPERTEK® X – HEX HEAD TEK® X evolution



| Part No.      | Thread size (mm) | Drilling Capacity (mm) | Screw Length (mm) | Thread length (mm) |
|---------------|------------------|------------------------|-------------------|--------------------|
| TSHW6.3-85-X  | 6.3              | 4.0 - 35.0             | 85                | Full               |
| TSHW6.3-135-X | 6.3              | 4.0 - 35.0             | 135               | 65.0               |

# FP FIXINGS PLUS

Stockists and Distributors of  
EJOT Fastening Products



# EJOT®

Bringing it together.

## JCP HEAVY DUTY ANCHORS

A high performance torque controlled anchor suitable for use in concrete over C20/25.



| Part No.         | Thread size (mm) | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|------------------|------------------|----------------|--------------------|-----------------------|
| <b>Bolt head</b> |                  |                |                    |                       |
| HDB0610          | 6                | 10             | 75                 | 10                    |
| HDB0625          | 6                | 10             | 95                 | 30                    |
| HDB0650          | 6                | 10             | 115                | 50                    |
| HDB0810          | 8                | 12             | 87                 | 10                    |
| HDB0825          | 8                | 12             | 107                | 30                    |
| HDB0850          | 8                | 12             | 127                | 50                    |
| HDB1010          | 10               | 15             | 108                | 15                    |
| HDB1025          | 10               | 15             | 118                | 25                    |
| HDB1050          | 10               | 15             | 138                | 45                    |
| HDB1210          | 12               | 18             | 117                | 10                    |
| HDB1220          | 12               | 18             | 127                | 20                    |
| HDB1240          | 12               | 18             | 147                | 40                    |
| HDB1270          | 12               | 18             | 177                | 70                    |
| HDB1610          | 16               | 24             | 132                | 10                    |
| HDB1625          | 16               | 24             | 152                | 20                    |
| HDB1650          | 16               | 24             | 182                | 50                    |
| HDB2025          | 20               | 28             | 192                | 30                    |
| HDB2050          | 20               | 28             | 222                | 60                    |



| Part No.                | Thread size (mm) | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|-------------------------|------------------|----------------|--------------------|-----------------------|
| <b>Countersunk head</b> |                  |                |                    |                       |
| HDC0610                 | 6                | 10             | 70                 | 10                    |
| HDC0625                 | 6                | 10             | 85                 | 25                    |
| HDC0650                 | 6                | 10             | 105                | 45                    |
| HDC0810                 | 8                | 12             | 80                 | 10                    |
| HDC0825                 | 8                | 12             | 95                 | 25                    |
| HDC0850                 | 8                | 12             | 120                | 50                    |
| HDC1010                 | 10               | 15             | 95                 | 10                    |
| HDC1025                 | 10               | 15             | 110                | 25                    |
| HDC1050                 | 10               | 15             | 135                | 50                    |
| HDC1215                 | 12               | 18             | 115                | 20                    |
| HDC1240                 | 12               | 18             | 135                | 40                    |



| Part No.         | Thread size (mm) | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|------------------|------------------|----------------|--------------------|-----------------------|
| <b>Loose nut</b> |                  |                |                    |                       |
| HDN0810          | 8                | 12             | 90                 | 10                    |
| HDN0830          | 8                | 12             | 110                | 30                    |
| HDN0850          | 8                | 12             | 130                | 50                    |
| HDN1015          | 10               | 15             | 111                | 15                    |
| HDN1025          | 10               | 15             | 121                | 25                    |
| HDN1045          | 10               | 15             | 141                | 45                    |
| HDN1210          | 12               | 18             | 122                | 10                    |
| HDN1220          | 12               | 18             | 132                | 20                    |
| HDN1240          | 12               | 18             | 152                | 40                    |
| HDN1270          | 12               | 18             | 182                | 70                    |
| HDN1620          | 16               | 24             | 157                | 20                    |
| HDN1650          | 16               | 24             | 187                | 50                    |



# + HIGH PERFORMANCE ANCHORS

## FISCHER FAZ II BZP



A high performance anchor suitable for use in cracked and non-cracked concrete.



| Part No.   | Thread size (mm) | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|------------|------------------|----------------|--------------------|-----------------------|
| FAZII08010 | 8                | 8              | 75                 | 10                    |
| FAZII08030 | 8                | 8              | 95                 | 30                    |
| FAZII08050 | 8                | 8              | 115                | 50                    |
| FAZII08100 | 8                | 8              | 165                | 100                   |
| FAZII10010 | 10               | 10             | 95                 | 10                    |
| FAZII10030 | 10               | 10             | 115                | 30                    |
| FAZII10050 | 10               | 10             | 135                | 50                    |
| FAZII10080 | 10               | 10             | 165                | 80                    |
| FAZII10100 | 10               | 10             | 185                | 100                   |
| FAZII10160 | 10               | 10             | 245                | 160                   |
| FAZII12010 | 12               | 12             | 110                | 10                    |
| FAZII12030 | 12               | 12             | 130                | 30                    |
| FAZII12050 | 12               | 12             | 150                | 50                    |
| FAZII12080 | 12               | 12             | 180                | 80                    |
| FAZII12100 | 12               | 12             | 200                | 100                   |
| FAZII12160 | 12               | 12             | 260                | 160                   |
| FAZII12200 | 12               | 12             | 300                | 200                   |
| FAZII16025 | 16               | 16             | 148                | 25                    |
| FAZII16050 | 16               | 16             | 173                | 50                    |
| FAZII16100 | 16               | 16             | 223                | 100                   |
| FAZII16160 | 16               | 16             | 283                | 160                   |
| FAZII16200 | 16               | 16             | 323                | 200                   |
| FAZII20030 | 20               | 20             | 172                | 30                    |
| FAZII20060 | 20               | 20             | 202                | 60                    |
| FAZII20160 | 20               | 20             | 302                | 160                   |
| FAZII24030 | 24               | 24             | 205                | 30                    |
| FAZII24060 | 24               | 24             | 235                | 60                    |

## FISCHER FAZ II STAINLESS STEEL A4



| Part No.     | Thread size (mm) | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|--------------|------------------|----------------|--------------------|-----------------------|
| A4FAZII08010 | 8                | 8              | 75                 | 10                    |
| A4FAZII08030 | 8                | 8              | 95                 | 30                    |
| A4FAZII08050 | 8                | 8              | 115                | 50                    |
| A4FAZII10010 | 10               | 10             | 95                 | 10                    |
| A4FAZII10020 | 10               | 10             | 105                | 20                    |
| A4FAZII10030 | 10               | 10             | 115                | 30                    |
| A4FAZII10050 | 10               | 10             | 135                | 50                    |
| A4FAZII10070 | 10               | 10             | 155                | 70                    |
| A4FAZII10100 | 10               | 10             | 185                | 100                   |
| A4FAZII10160 | 10               | 10             | 245                | 160                   |
| A4FAZII12010 | 12               | 12             | 110                | 10                    |
| A4FAZII12020 | 12               | 12             | 120                | 20                    |
| A4FAZII12030 | 12               | 12             | 130                | 30                    |
| A4FAZII12060 | 12               | 12             | 160                | 60                    |
| A4FAZII12100 | 12               | 12             | 200                | 100                   |
| A4FAZII12160 | 12               | 12             | 260                | 160                   |
| A4FAZII16025 | 16               | 16             | 148                | 25                    |
| A4FAZII16050 | 16               | 16             | 173                | 50                    |
| A4FAZII16100 | 16               | 16             | 223                | 100                   |
| A4FAZII20030 | 20               | 20             | 172                | 30                    |
| A4FAZII20060 | 20               | 20             | 202                | 60                    |
| A4FAZII24030 | 24               | 24             | 230                | 30                    |
| A4FAZII24060 | 24               | 24             | 235                | 60                    |



OPTION 1

# + HIGH PERFORMANCE ANCHORS



## FISCHER FBN II BZP



A self expanding stud anchor which offers high performance loading. The long thread allows stand-off installations and variable useable lengths.



| Part No. | Thread size (mm) | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|----------|------------------|----------------|--------------------|-----------------------|
| FBN06050 | 6                | 6              | 50                 | 5                     |
| FBN06055 | 6                | 6              | 55                 | 10                    |
| FBN06075 | 6                | 6              | 75                 | 30                    |
| FBN08065 | 8                | 8              | 65                 | 15                    |
| FBN08070 | 8                | 8              | 70                 | 20                    |
| FBN08080 | 8                | 8              | 80                 | 30                    |
| FBN08090 | 8                | 8              | 90                 | 40                    |
| FBN08110 | 8                | 8              | 110                | 60                    |
| FBN08130 | 8                | 8              | 130                | 80                    |
| FBN08160 | 8                | 8              | 160                | 110                   |
| FBN10072 | 10               | 10             | 70                 | 20                    |
| FBN10095 | 10               | 10             | 95                 | 30                    |
| FBN10105 | 10               | 10             | 105                | 40                    |
| FBN10125 | 10               | 10             | 125                | 60                    |
| FBN10145 | 10               | 10             | 145                | 80                    |
| FBN10175 | 10               | 10             | 175                | 110                   |
| FBN10215 | 10               | 10             | 215                | 150                   |
| FBN10235 | 10               | 10             | 235                | 170                   |
| FBN12105 | 12               | 12             | 105                | 25                    |
| FBN12115 | 12               | 12             | 115                | 35                    |
| FBN12125 | 12               | 12             | 125                | 45                    |
| FBN12145 | 12               | 12             | 145                | 65                    |
| FBN12175 | 12               | 12             | 175                | 95                    |
| FBN12195 | 12               | 12             | 195                | 115                   |
| FBN12215 | 12               | 12             | 215                | 135                   |
| FBN12235 | 12               | 12             | 235                | 155                   |
| FBN12255 | 12               | 12             | 255                | 175                   |
| FBN16145 | 16               | 16             | 145                | 40                    |
| FBN16170 | 16               | 16             | 170                | 65                    |
| FBN16200 | 16               | 16             | 200                | 95                    |
| FBN16260 | 16               | 16             | 260                | 155                   |
| FBN16280 | 16               | 16             | 280                | 175                   |
| FBN20185 | 20               | 20             | 185                | 55                    |
| FBN20235 | 20               | 20             | 235                | 105                   |
| FBN20275 | 20               | 20             | 275                | 145                   |

## FISCHER FBN II STAINLESS STEEL A4

A self expanding stud anchor which offers high performance loading. The long thread allows stand-off installations and variable useable lengths.



| Part No.   | Thread size (mm) | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|------------|------------------|----------------|--------------------|-----------------------|
| A4FBN06075 | 6                | 6              | 75                 | 30                    |
| A4FBN08070 | 8                | 8              | 70                 | 20                    |
| A4FBN08090 | 8                | 8              | 90                 | 40                    |
| A4FBN08110 | 8                | 8              | 110                | 60                    |
| A4FBN10085 | 10               | 10             | 85                 | 20                    |
| A4FBN10090 | 10               | 10             | 90                 | 30                    |
| A4FBN10125 | 10               | 10             | 125                | 60                    |
| A4FBN10175 | 10               | 10             | 175                | 110                   |
| A4FBN12105 | 12               | 12             | 105                | 25                    |
| A4FBN12115 | 12               | 12             | 115                | 35                    |
| A4FBN12125 | 12               | 12             | 125                | 45                    |
| A4FBN12145 | 12               | 12             | 145                | 65                    |
| A4FBN12195 | 12               | 12             | 195                | 115                   |
| A4FBN16145 | 16               | 16             | 145                | 40                    |
| A4FBN16170 | 16               | 16             | 170                | 65                    |
| A4FBN20185 | 20               | 20             | 185                | 55                    |
| A4FBN20215 | 20               | 20             | 215                | 85                    |




OPTION 1

# + HIGH PERFORMANCE ANCHORS

## THROUGH FIXINGS BZP



A self expanding stud anchor which offers medium performance loading that can be used in concrete and solid stone.



| Part No. | Thread size (mm) | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|----------|------------------|----------------|--------------------|-----------------------|
| TF08055  | 8                | 8              | 55                 | 5                     |
| TF08070  | 8                | 8              | 70                 | 7                     |
| TF08090  | 8                | 8              | 90                 | 27                    |
| TF08110  | 8                | 8              | 110                | 47                    |
| TF08130  | 8                | 8              | 130                | 67                    |
| TF08155  | 8                | 8              | 155                | 92                    |
| TF10075  | 10               | 10             | 75                 | 5                     |
| TF10095  | 10               | 10             | 95                 | 26                    |
| TF10120  | 10               | 10             | 120                | 50                    |
| TF10140  | 10               | 10             | 140                | 70                    |
| TF10170  | 10               | 10             | 170                | 110                   |
| TF12080  | 12               | 12             | 80                 | 5                     |
| TF12100  | 12               | 12             | 100                | 8                     |
| TF12115  | 12               | 12             | 115                | 23                    |
| TF12140  | 12               | 12             | 140                | 48                    |
| TF12160  | 12               | 12             | 160                | 68                    |
| TF12180  | 12               | 12             | 180                | 88                    |
| TF12220  | 12               | 12             | 220                | 128                   |
| TF16100  | 16               | 16             | 100                | 5                     |
| TF16125  | 16               | 16             | 125                | 8                     |
| TF16150  | 16               | 16             | 150                | 33                    |
| TF16170  | 16               | 16             | 170                | 53                    |
| TF16220  | 16               | 16             | 220                | 103                   |
| TF20170  | 20               | 20             | 170                | 35                    |
| TF20220  | 20               | 20             | 220                | 85                    |

## THROUGH FIXINGS STAINLESS STEEL A4



A self expanding stud anchor which offers medium performance loading that can be used in concrete and solid stone.



| Part No.  | Thread size (mm) | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|-----------|------------------|----------------|--------------------|-----------------------|
| A4TF06040 | 6                | 6              | 40                 | 5                     |
| A4TF06067 | 6                | 6              | 67                 | 10                    |
| A4TF08050 | 8                | 8              | 50                 | 5                     |
| A4TF08075 | 8                | 8              | 75                 | 10                    |
| A4TF08095 | 8                | 8              | 95                 | 30                    |
| A4TF08120 | 8                | 8              | 120                | 55                    |
| A4TF10060 | 10               | 10             | 60                 | 5                     |
| A4TF10085 | 10               | 10             | 85                 | 10                    |
| A4TF10105 | 10               | 10             | 105                | 30                    |
| A4TF10125 | 10               | 10             | 125                | 50                    |
| A4TF10175 | 10               | 10             | 175                | 100                   |
| A4TF10215 | 10               | 10             | 215                | 140                   |
| A4TF12095 | 12               | 12             | 95                 | 5                     |
| A4TF12105 | 12               | 12             | 105                | 10                    |
| A4TF12115 | 12               | 12             | 115                | 20                    |
| A4TF12145 | 12               | 12             | 145                | 50                    |
| A4TF12200 | 12               | 12             | 200                | 105                   |
| A4TF16110 | 16               | 16             | 110                | 5                     |
| A4TF16125 | 16               | 16             | 125                | 10                    |
| A4TF16150 | 16               | 16             | 150                | 30                    |
| A4TF16180 | 16               | 16             | 180                | 60                    |
| A4TF20180 | 20               | 20             | 180                | 35                    |
| A4TF20240 | 20               | 20             | 240                | 95                    |

Also available in galvanised.

## SHIELD ANCHORS

A versatile expansion anchor offering exceptional performance in concrete and brick.



| Part No.          | Thread size (mm) | Hole Dia. (mm) | Thickness to fix (mm) |
|-------------------|------------------|----------------|-----------------------|
| <b>Loose bolt</b> |                  |                |                       |
| LB0610            | 6                | 10             | 10                    |
| LB0625            | 6                | 10             | 25                    |
| LB0640            | 6                | 10             | 40                    |
| LB0810            | 8                | 14             | 10                    |
| LB0825            | 8                | 14             | 25                    |
| LB0840            | 8                | 14             | 40                    |
| LB1010            | 10               | 16             | 10                    |
| LB1025            | 10               | 16             | 25                    |
| LB1050            | 10               | 16             | 50                    |
| LB1075            | 10               | 16             | 75                    |
| LB1210            | 12               | 20             | 10                    |
| LB1225            | 12               | 20             | 25                    |
| LB1240            | 12               | 20             | 40                    |
| LB1260            | 12               | 20             | 60                    |



| Part No.           | Thread size (mm) | Hole Dia. (mm) | Thickness to fix (mm) |
|--------------------|------------------|----------------|-----------------------|
| <b>Shield only</b> |                  |                |                       |
| SS06               | 6                | 10             | -                     |
| SS08               | 8                | 14             | -                     |
| SS10               | 10               | 16             | -                     |
| SS12               | 12               | 20             | -                     |
| SS16               | 16               | 25             | -                     |



| Part No.               | Thread size (mm) | Hole Dia. (mm) | Thickness to fix (mm) |
|------------------------|------------------|----------------|-----------------------|
| <b>Projecting bolt</b> |                  |                |                       |
| PB0610                 | 6                | 10             | 10                    |
| PB0625                 | 6                | 10             | 25                    |
| PB0815                 | 8                | 14             | 15                    |
| PB0840                 | 8                | 14             | 40                    |
| PB0880                 | 8                | 14             | 80                    |
| PB1010                 | 10               | 16             | 10                    |
| PB1030                 | 10               | 16             | 30                    |
| PB1050                 | 10               | 16             | 50                    |
| PB1070                 | 10               | 16             | 70                    |
| PB1215                 | 12               | 20             | 15                    |
| PB1225                 | 12               | 20             | 25                    |
| PB1250                 | 12               | 20             | 50                    |
| PB1270                 | 12               | 20             | 70                    |



| Part No.                      | Thread size (mm) | Hole Dia. (mm) | Thickness to fix (mm) |
|-------------------------------|------------------|----------------|-----------------------|
| <b>Shield anchor eye bolt</b> |                  |                |                       |
| SE06                          | 6                | 12             | -                     |
| SE08                          | 8                | 14             | -                     |
| SE10                          | 10               | 16             | -                     |
| SE12                          | 12               | 20             | -                     |

**FP FIXINGS PLUS**

FOLLOW US ON [Linked in](#)



# + HIGH PERFORMANCE ANCHORS

## DROP IN ANCHORS BZP



| Part No.   | Thread size (mm) | Hole Dia. (mm) | Anchor Length (mm) |
|------------|------------------|----------------|--------------------|
| <b>BZP</b> |                  |                |                    |
| DIA06      | 6                | 8              | 30                 |
| DIA08      | 8                | 10             | 30                 |
| DIA10      | 10               | 12             | 40                 |
| DIA12      | 12               | 15             | 50                 |
| DIA16      | 16               | 20             | 65                 |
| DIA20      | 20               | 25             | 80                 |

## DROP IN ANCHORS FLANGED BZP



| Part No.           | Thread size (mm) | Hole Dia. (mm) | Anchor Length (mm) |
|--------------------|------------------|----------------|--------------------|
| <b>Flanged BZP</b> |                  |                |                    |
| DIA06F             | 6                | 8              | 30                 |
| DIA08F             | 8                | 10             | 30                 |
| DIA10F             | 10               | 12             | 30                 |
| DIA12F             | 12               | 15             | 50                 |
| DIA16F             | 16               | 20             | 65                 |

## DROP IN ANCHORS A4 STAINLESS STEEL



| Part No.               | Thread size (mm) | Hole Dia. (mm) | Anchor Length (mm) |
|------------------------|------------------|----------------|--------------------|
| <b>Stainless steel</b> |                  |                |                    |
| A4DIA06                | 6                | 8              | 30                 |
| A4DIA08                | 8                | 10             | 30                 |
| A4DIA10                | 10               | 12             | 40                 |
| A4DIA12                | 12               | 15             | 50                 |
| A4DIA16                | 16               | 20             | 65                 |

## DROP IN ANCHOR SETTING TOOLS

Female internally threaded, pre-set, flush fitting hammer set anchor. Provides a permanent threaded socket. Ideal for threaded rod.



| Part No. | Description                     |
|----------|---------------------------------|
| DIA06ST  | M6 Drop in anchor setting tool  |
| DIA08ST  | M8 Drop in anchor setting tool  |
| DIA10ST  | M10 Drop in anchor setting tool |
| DIA12ST  | M12 Drop in anchor setting tool |
| DIA16ST  | M16 Drop in anchor setting tool |
| DIA20ST  | M20 Drop in anchor setting tool |

## SCAFFOLD RING BOLT



| Part No. | Thread size (mm) | Eye Dia (mm) | Anchor Length (mm) |
|----------|------------------|--------------|--------------------|
| SRB      | 16               | 53           | 210                |

## FISCHER SCAFFOLD EYE BOLT & PLUG

**fischer®**



| Part No. | Thread size (mm) | Eye Dia (mm) | Anchor Length (mm) |
|----------|------------------|--------------|--------------------|
| GS10160  | 10               | 30           | 160                |



| Part No. | Thread size (mm) | Plug Length (mm) |
|----------|------------------|------------------|
| S12R100  | 12               | 100              |

## SLEEVE ANCHORS

A thin walled expansion anchor suitable for use in concrete and masonry.



| Part No.             | Thread size (mm) | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|----------------------|------------------|----------------|--------------------|-----------------------|
| <b>Loose nut BZP</b> |                  |                |                    |                       |
| SLN06040             | 4                | 6              | 40                 | 8                     |
| SLN08040             | 6                | 8              | 40                 | 8                     |
| SLN08065             | 6                | 8              | 65                 | 30                    |
| SLN08085             | 6                | 8              | 85                 | 50                    |
| SLN10040             | 8                | 10             | 40                 | 6                     |
| SLN10050             | 8                | 10             | 50                 | 8                     |
| SLN10075             | 8                | 10             | 75                 | 35                    |
| SLN10100             | 8                | 10             | 100                | 60                    |
| SLN10125             | 8                | 10             | 125                | 85                    |
| SLN12060             | 10               | 12             | 60                 | 10                    |
| SLN12075             | 10               | 12             | 75                 | 20                    |
| SLN12100             | 10               | 12             | 100                | 45                    |
| SLN12125             | 10               | 12             | 125                | 75                    |
| SLN16065             | 12               | 16             | 65                 | 12                    |
| SLN16110             | 12               | 16             | 110                | 50                    |
| SLN16150             | 12               | 16             | 150                | 90                    |
| SLN20080             | 16               | 20             | 80                 | 15                    |
| SLN20110             | 16               | 20             | 110                | 50                    |
| SLN20150             | 16               | 20             | 150                | 90                    |



| Part No.              | Thread size (mm) | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|-----------------------|------------------|----------------|--------------------|-----------------------|
| <b>Loose bolt BZP</b> |                  |                |                    |                       |
| SLB08045              | 6                | 8              | 45                 | 8                     |
| SLB08070              | 6                | 8              | 70                 | 30                    |
| SLB08090              | 6                | 8              | 90                 | 50                    |
| SLB10055              | 8                | 10             | 55                 | 8                     |
| SLB10080              | 8                | 10             | 80                 | 35                    |
| SLB10100              | 8                | 10             | 100                | 60                    |
| SLB12065              | 10               | 12             | 65                 | 12                    |
| SLB12075              | 10               | 12             | 75                 | 18                    |
| SLB12100              | 10               | 12             | 100                | 40                    |
| SLB16075              | 12               | 16             | 75                 | 15                    |
| SLB16110              | 12               | 16             | 110                | 50                    |



| Part No.                            | Thread size (mm) | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|-------------------------------------|------------------|----------------|--------------------|-----------------------|
| <b>Loose nut stainless steel A4</b> |                  |                |                    |                       |
| A4SLN06060                          | 4                | 6              | 60                 | 25                    |
| A4SLN08040                          | 6                | 8              | 40                 | 8                     |
| A4SLN08065                          | 6                | 8              | 65                 | 30                    |
| A4SLN10050                          | 8                | 10             | 50                 | 8                     |
| A4SLN10075                          | 8                | 10             | 75                 | 35                    |
| A4SLN10100                          | 8                | 10             | 100                | 60                    |
| A4SLN12060                          | 10               | 12             | 60                 | 10                    |
| A4SLN12075                          | 10               | 12             | 75                 | 22                    |
| A4SLN12100                          | 10               | 12             | 100                | 45                    |



| Part No.                    | Thread size (mm) | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|-----------------------------|------------------|----------------|--------------------|-----------------------|
| <b>Countersunk head BZP</b> |                  |                |                    |                       |
| SLC08060                    | 6                | 8              | 60                 | 25                    |
| SLC08085                    | 6                | 8              | 85                 | 50                    |
| SLC10075                    | 8                | 10             | 75                 | 35                    |
| SLC10100                    | 8                | 10             | 100                | 60                    |

# + CHEMICAL STUDS & ACCESSORIES

## CHEMICAL STUDS

Range of threaded studs to be used with respective resin systems.  
(Also available in HT 8.8)



| Part No. | Description                 |
|----------|-----------------------------|
| CS08     | M8 x 110 Chemical stud BZP  |
| CS10     | M10 x 130 Chemical stud BZP |
| CS12     | M12 x 160 Chemical stud BZP |
| CS16     | M16 x 190 Chemical stud BZP |
| CS20     | M20 x 260 Chemical stud BZP |
| CS24     | M24 x 300 Chemical stud BZP |
| CS30     | M30 x 380 Chemical stud BZP |



| Part No. | Description                                |
|----------|--------------------------------------------|
| A2CS08   | M8 x 110 Chemical stud A2 stainless steel  |
| A2CS10   | M10 x 130 Chemical stud A2 stainless steel |
| A2CS12   | M12 x 160 Chemical stud A2 stainless steel |
| A2CS16   | M16 x 190 Chemical stud A2 stainless steel |
| A2CS20   | M20 x 260 Chemical stud A2 stainless steel |

## INTERNALLY THREADED SOCKETS



| Part No. | Description                        |
|----------|------------------------------------|
| ITS08    | M8 Internally threaded socket BZP  |
| ITS10    | M10 Internally threaded socket BZP |
| ITS12    | M12 Internally threaded socket BZP |
| ITS16    | M16 Internally threaded socket BZP |



| Part No. | Description                                       |
|----------|---------------------------------------------------|
| A4ITS08  | M8 Internally threaded socket A4 stainless steel  |
| A4ITS10  | M10 Internally threaded socket A4 stainless steel |
| A4ITS12  | M12 Internally threaded socket A4 stainless steel |
| A4ITS16  | M16 Internally threaded socket A4 stainless steel |

## CHEMICAL ACCESSORIES

Sleeves, brushes and pumps to facilitate the correct installation of chemical anchors.



| Part No. | Description   |
|----------|---------------|
| BOP      | Blow out pump |



| Part No. | Description  |
|----------|--------------|
| RN       | Resin nozzle |



| Part No. | Description            |
|----------|------------------------|
| RNE      | Resin nozzle extension |



| Part No. | Description            | Length |
|----------|------------------------|--------|
| RSN16    | Resin nylon sleeve M16 | 85mm   |
| RSN20    | Resin nylon sleeve M20 | 85mm   |



| Part No. | Description           | Length |
|----------|-----------------------|--------|
| RSW12    | Resin wire sleeve M12 | 1000mm |
| RSW16    | Resin wire sleeve M16 | 1000mm |
| RSW20    | Resin wire sleeve M20 | 1000mm |
| RSW22    | Resin wire sleeve M22 | 1000mm |



| Part No. | Description             |
|----------|-------------------------|
| HCB08    | Hole cleaning brush M8  |
| HCB10    | Hole cleaning brush M10 |
| HCB12    | Hole cleaning brush M12 |
| HCB16    | Hole cleaning brush M16 |
| HCB20    | Hole cleaning brush M20 |

## FISCHER FIS EM PLUS

**fischer®**

A high performance epoxy resin formulated for rebar and stud applications. Fischer EM achieves high loads in cracked and non-cracked concrete and can also be used in underwater applications.



| Part No.   | Description                  |
|------------|------------------------------|
| FISEM390S+ | Fischer EM epoxy resin 390ml |
| FISEM585S+ | Fischer EM epoxy resin 585ml |

## FISCHER FIS VL

**fischer®**

A vinylester resin for anchoring in non-cracked concrete and masonry.



| Part No.  | Description                               |
|-----------|-------------------------------------------|
| FISVL300T | Fischer vinylester injection mortar 300ml |
| FISVL410C | Fischer vinylester injection mortar 410ml |

## FISCHER FIS SB

**fischer®**

Superbond is a bonded anchor system based on a vinylester hybrid with silane technology. Suitable for cracked and non-cracked concrete.



| Part No.  | Description                   |
|-----------|-------------------------------|
| FISSB390S | Fischer Superbond resin 390ml |
| FISSB585S | Fischer Superbond resin 585ml |

## FISCHER FIP

**fischer®**

A polyester resin for anchoring in masonry.



| Part No. | Description                                 |
|----------|---------------------------------------------|
| FISP300C | Fischer polyester hybrid mortar resin 300ml |
| FISP380C | Fischer polyester hybrid mortar resin 380ml |

## FISCHER FIS V PLUS

**fischer®**

A hybrid vinylester resin for anchoring in non-cracked concrete and masonry.




| Part No.  | Description                    |
|-----------|--------------------------------|
| FISV360S+ | Fischer injection mortar 360ml |

# FP FIXINGS PLUS

IF YOU CAN'T FIND WHAT  
YOU'RE LOOKING FOR  
CONTACT OUR SALES OFFICE

t 0121 333 7288

e sales@fixingsplus.co.uk





# **+ CHEMICAL RESIN**

## **SPIT EPCON C8 XTREM**



An extreme performance styrene free epoxy resin, specifically formulated for extreme rebar and stud applications. Epcon C8 is odour free, easy to inject at low temperatures and is approved for use in wet applications, brick, block and cracked and non-cracked concrete.



OPTION 1  
TR 029



TR 023



| Part No. | Description                  |
|----------|------------------------------|
| REE450   | Spit Epcon Xtrem resin 450ml |

## **SPIT VIPER XTREM**



High performance multi application chemical mortar for cracked concrete and seismic conditions.



TR 023



| Part No. | Description                              |
|----------|------------------------------------------|
| RV280    | Spit Viper Extrem vinylester resin 280ml |
| RV410    | Spit Viper Extrem vinylester resin 410ml |

## **SPIT MULTI-MAX**



Methacrylate styrene free versatile resin for multiple applications.



TR 023



| Part No. | Description                             |
|----------|-----------------------------------------|
| RM280    | Spit Multi-Max methacrylate resin 280ml |
| RM300    | Spit Multi-Max methacrylate resin 300ml |
| RM410    | Spit Multi-Max methacrylate resin 410ml |

## **SPIT C-MIX PLUS**



A medium performance styrene free polyester resin, for fixing into concrete, solid and hollow brick, solid and hollow block, and aerated concrete.



| Part No. | Description                      |
|----------|----------------------------------|
| RP300    | Spit C-Mix polyester resin 300ml |
| RP380    | Spit C-Mix polyester resin 380ml |

## **SPIT MAXIMA**



A high performance, spin-in resin capsule giving faster installation into concrete, stone, solid brick and solid block.



OPTION 7




| Part No. | Description               |
|----------|---------------------------|
| CC08     | Spit M 8 chemical capsule |
| CC10     | Spit M10 chemical capsule |
| CC12     | Spit M12 chemical capsule |
| CC16     | Spit M16 chemical capsule |
| CC20     | Spit M20 chemical capsule |
| CC24     | Spit M24 chemical capsule |
| CC30     | Spit M30 chemical capsule |

## RESIN TOOLS



| Part No. | Description      | Resin               |
|----------|------------------|---------------------|
| RT450    | Resin tool 450ml | Spit Epcon C8 Xtrem |

| Part No. | Description          | Resin                                                                        |
|----------|----------------------|------------------------------------------------------------------------------|
| RT410    | Resin tool 380/410ml | Spit Epobar/Epomax/<br>Multi-Max/C-Mix Plus Fischer<br>FIS VL410 & FIS PC700 |



| Part No. | Description      | Resin                                            |
|----------|------------------|--------------------------------------------------|
| RTAM     | Resin tool 360ml | Fischer FIS EM 390 S/FIS SB<br>390 S/FIS V 360 S |

| Part No. | Description           | Resin                                      |
|----------|-----------------------|--------------------------------------------|
| AT400    | Applicator tool 400ml | Spit C-Mix Plus 300ml<br>Fischer FIP C 300 |

**FP** FIXINGS  
PLUS

**YOUR OPINION  
MATTERS TO US**  
HOW ARE WE DOING?

REVIEW US ON  
**Google**  
★★★★★



# + CONCRETE SCREWS

## SCREWBOLTS

A high performance self tapping anchor providing a secure fixing in concrete, masonry, and pre-cast concrete beams.



| Part No.                            | Thread size (mm) | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|-------------------------------------|------------------|----------------|--------------------|-----------------------|
| <b>Excalibur screwbolt hex head</b> |                  |                |                    |                       |
| SBHX06050E                          | 6                | 6              | 50                 | 20                    |
| SBHX06075E                          | 6                | 6              | 75                 | 45                    |
| SBHX06100E                          | 6                | 6              | 100                | 55                    |
| SBHX08050E                          | 8                | 8              | 50                 | 20                    |
| SBHX08075E                          | 8                | 8              | 75                 | 35                    |
| SBHX08100E                          | 8                | 8              | 100                | 60                    |
| SBHX10060E                          | 10               | 10             | 60                 | 10                    |
| SBHX10075E                          | 10               | 10             | 75                 | 25                    |
| SBHX10100E                          | 10               | 10             | 100                | 50                    |
| SBHX10120E                          | 10               | 10             | 120                | 70                    |
| SBHX10150E                          | 10               | 10             | 150                | 100                   |
| SBHX12075E                          | 12               | 12             | 75                 | 15                    |
| SBHX12100E                          | 12               | 12             | 100                | 40                    |
| SBHX12150E                          | 12               | 12             | 150                | 90                    |
| SBHX16100E                          | 16               | 16             | 100                | 20                    |
| SBHX16150E                          | 16               | 16             | 150                | 70                    |
| SBHX16200E                          | 16               | 16             | 200                | 120                   |
| SBHX20100E                          | 20               | 20             | 100                | 20                    |
| SBHX20150E                          | 20               | 20             | 150                | 70                    |
| SBHX20200E                          | 20               | 20             | 200                | 120                   |



| Part No.                          | Thread size (mm) | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|-----------------------------------|------------------|----------------|--------------------|-----------------------|
| <b>Serbolt screwbolt hex head</b> |                  |                |                    |                       |
| SBHX08060S                        | 8                | 8              | 60                 | 20                    |
| SBHX08075S                        | 8                | 8              | 75                 | 35                    |
| SBHX08100S                        | 8                | 8              | 100                | 60                    |
| SBHX08130S                        | 8                | 8              | 130                | 90                    |
| SBHX08150S                        | 8                | 8              | 150                | 110                   |
| SBHX10060S                        | 10               | 10             | 60                 | 10                    |
| SBHX10075S                        | 10               | 10             | 75                 | 25                    |
| SBHX10100S                        | 10               | 10             | 100                | 50                    |
| SBHX10130S                        | 10               | 10             | 130                | 80                    |
| SBHX10150S                        | 10               | 10             | 150                | 100                   |
| SBHX12075S                        | 12               | 12             | 75                 | 15                    |
| SBHX12100S                        | 12               | 12             | 100                | 40                    |
| SBHX12130S                        | 12               | 12             | 130                | 70                    |
| SBHX12150S                        | 12               | 12             | 150                | 90                    |
| SBHX12200S                        | 12               | 12             | 200                | 140                   |

## CONCRETE SCREWS

A self tapping screw suitable for fixing into concrete, concrete block and masonry. Other sizes available on request.



| Part No. | Thread size (mm) | Hole Dia. (mm) | Screw Length (mm) | Thickness to fix (mm) |
|----------|------------------|----------------|-------------------|-----------------------|
| CS75040  | 7.5              | 6              | 40                | 5                     |
| CS75050  | 7.5              | 6              | 50                | 15                    |
| CS75060  | 7.5              | 6              | 60                | 25                    |
| CS75080  | 7.5              | 6              | 80                | 35                    |
| CS75100  | 7.5              | 6              | 100               | 50                    |
| CS75120  | 7.5              | 6              | 120               | 70                    |
| CS75150  | 7.5              | 6              | 150               | 100                   |
| CS75180  | 7.5              | 6              | 180               | 130                   |
| CS75212  | 7.5              | 6              | 212               | 170                   |
| CS75252  | 7.5              | 6              | 252               | 210                   |
| CS75302  | 7.5              | 6              | 302               | 260                   |



# + CONCRETE SCREWS



## TAPCON BLUE – HEXAGON HEAD



High performance concrete anchor that cuts its own thread. Hex head self tapping screw for fastening into concrete, bricks and blocks.



| Part No. | Thread size (mm) | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|----------|------------------|----------------|--------------------|-----------------------|
| TH48032B | 4.8              | 4              | 32                 | 7                     |
| TH48045B | 4.8              | 4              | 45                 | 20                    |
| TH48057B | 4.8              | 4              | 57                 | 32                    |
| TH63032B | 6.3              | 5              | 32                 | 7                     |
| TH63045B | 6.3              | 5              | 45                 | 20                    |
| TH63057B | 6.3              | 5              | 57                 | 32                    |
| TH63070B | 6.3              | 5              | 70                 | 45                    |
| TH63082B | 6.3              | 5              | 82                 | 57                    |
| TH63100B | 6.3              | 5              | 100                | 75                    |

## TAPCON BLUE – COUNTERSUNK HEAD



| Part No. | Thread size (mm) | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|----------|------------------|----------------|--------------------|-----------------------|
| TC48032B | 4.8              | 4              | 32                 | 7                     |
| TC48045B | 4.8              | 4              | 45                 | 20                    |
| TC48057B | 4.8              | 4              | 57                 | 32                    |
| TC48070B | 4.8              | 4              | 70                 | 45                    |
| TC48082B | 4.8              | 4              | 82                 | 57                    |
| TC63032B | 6.3              | 5              | 32                 | 7                     |
| TC63045B | 6.3              | 5              | 45                 | 20                    |
| TC63057B | 6.3              | 5              | 57                 | 32                    |
| TC63070B | 6.3              | 5              | 70                 | 45                    |
| TC63082B | 6.3              | 5              | 82                 | 57                    |
| TC63100B | 6.3              | 5              | 100                | 75                    |
| TC63125B | 6.3              | 5              | 125                | 100                   |

## TAPCON DOME



High performance low profile concrete screw anchor ideal for installing channel systems. Steel self tapping screw with dome head for fastening into cracked non cracked concrete.



| Part No. | Thread size (mm) | Hole Dia. (mm) | Screw Length (mm) | Thickness to fix (mm) |
|----------|------------------|----------------|-------------------|-----------------------|
| TD06040  | 7.5              | 6              | 40                | 5                     |
| TD06060  | 7.5              | 6              | 60                | 25                    |

## TAPCON ROD HANGER



Self-tapping screw with female threaded head for fastening into cracked & non-cracked concrete. ETA Approved, fire rated concrete anchor, ideal for installing support systems and services.



| Part No. | Thread size (mm) | Hole Dia. (mm) | Screw Length (mm) | Thickness to fix (mm) |
|----------|------------------|----------------|-------------------|-----------------------|
| TRH06040 | 7.5              | 6              | 40                | 8 & 10                |
| TRH06060 | 7.5              | 6              | 60                | 8 & 10                |

## FISCHER FBS CONCRETE SCREWS



Self tapping, removable screws for fixing into concrete, concrete block and masonry.



| Part No.       | Thread size (mm) | Hole Dia. (mm) | Screw Length (mm) | Thickness to fix (mm) |
|----------------|------------------|----------------|-------------------|-----------------------|
| <b>Panhead</b> |                  |                |                   |                       |
| FBSII06040P    | 7.5              | 6              | 40                | 5                     |
| FBSII06060P    | 7.5              | 6              | 60                | 10                    |
| FBS1106080P    | 7.5              | 6              | 80                | 25                    |



| Part No.          | Thread size (mm) | Hole Dia. (mm) | Screw Length (mm) | Stud Dia (mm) |
|-------------------|------------------|----------------|-------------------|---------------|
| <b>Rod hanger</b> |                  |                |                   |               |
| FBS635M8M10       | 7.5              | 6              | 35                | 10            |
| FBS655M8M10       | 7.5              | 6              | 55                | 10            |



# + CONCRETE SCREWS

## MASONRY SCREWS

A self tapping, removable anchor suitable for concrete, masonry and pre-cast concrete beams.

### MASONRY SCREWS HEX HEAD



| Part No. | Thread size (mm) | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|----------|------------------|----------------|--------------------|-----------------------|
| TH48032  | 4.8              | 4              | 32                 | 7                     |
| TH48045  | 4.8              | 4              | 45                 | 20                    |
| TH48057  | 4.8              | 4              | 57                 | 32                    |
| TH63032  | 6.3              | 5              | 32                 | 7                     |
| TH63045  | 6.3              | 5              | 45                 | 20                    |
| TH63057  | 6.3              | 5              | 57                 | 32                    |
| TH63070  | 6.3              | 5              | 70                 | 45                    |
| TH63082  | 6.3              | 5              | 82                 | 57                    |
| TH63100  | 6.3              | 5              | 100                | 75                    |
| TH63125  | 6.3              | 5              | 125                | 75                    |
| TH63140  | 6.3              | 5              | 140                | 80                    |
| TH63160  | 6.3              | 5              | 160                | 100                   |
| TH63180  | 6.3              | 5              | 180                | 120                   |
| TH63200  | 6.3              | 5              | 200                | 140                   |
| TH63254  | 6.3              | 5              | 254                | 190                   |

### MASONRY SCREWS HEX HEAD ST / STEEL A4



| Part No.   | Thread size (mm) | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|------------|------------------|----------------|--------------------|-----------------------|
| A4TH63032  | 6.3              | 5              | 32                 | 7                     |
| A4TH63045  | 6.3              | 5              | 45                 | 20                    |
| A4TH63057  | 6.3              | 5              | 57                 | 20                    |
| A4TH63070  | 6.3              | 5              | 70                 | 20                    |
| A4TH63082  | 6.3              | 5              | 82                 | 20                    |
| A4TH630100 | 6.3              | 5              | 100                | 20                    |
| A4TH630125 | 6.3              | 5              | 125                | 20                    |
| A4TH630140 | 6.3              | 5              | 140                | 20                    |
| A4TH630140 | 6.3              | 5              | 160                | 20                    |
| A4TH630180 | 6.3              | 5              | 180                | 20                    |
| A4TH630200 | 6.3              | 5              | 200                | 20                    |
| A4TH630250 | 6.3              | 5              | 250                | 20                    |

### MASONRY SCREWS COUNTERSUNK HEAD



| Part No. | Thread size (mm) | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|----------|------------------|----------------|--------------------|-----------------------|
| TC48032  | 4.8              | 4              | 32                 | 7                     |
| TC48045  | 4.8              | 4              | 45                 | 20                    |
| TC48057  | 4.8              | 4              | 57                 | 32                    |
| TC48070  | 4.8              | 4              | 70                 | 45                    |
| TC48082  | 4.8              | 4              | 82                 | 57                    |
| TC48100  | 4.8              | 4              | 100                | 75                    |
| TC63032  | 6.3              | 5              | 32                 | 7                     |
| TC63045  | 6.3              | 5              | 45                 | 20                    |
| TC63057  | 6.3              | 5              | 57                 | 32                    |
| TC63070  | 6.3              | 5              | 70                 | 45                    |
| TC63082  | 6.3              | 5              | 82                 | 57                    |
| TC63100  | 6.3              | 5              | 100                | 75                    |
| TC63125  | 6.3              | 5              | 125                | 100                   |
| TC63150  | 6.3              | 5              | 150                | 125                   |

### MASONRY SCREW A4 COUNTERSUNK



| Part No.   | Thread size (mm) | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|------------|------------------|----------------|--------------------|-----------------------|
| A4MSC63045 | 6.3              | 5              | 45                 | 20                    |
| A4MSC63057 | 6.3              | 5              | 57                 | 32                    |
| A4MSC63075 | 6.3              | 5              | 75                 | 45                    |
| A4MSC63082 | 6.3              | 5              | 82                 | 57                    |
| A4MSC63100 | 6.3              | 5              | 100                | 75                    |

## BI-METAL<sup>®</sup> RANGE

Cutting-edge range that offers remarkable benefits. This range combines the strength of two distinct metals, ensuring enhanced performance and durability. By blending the qualities of different metals, these fasteners exhibit exceptional resistance to corrosion, increased tensile strength, and improved longevity.

Available in Grades A2, A4, and A5.



## CARBON STEEL RANGE

Crafted with precision from high-quality carbon steel, these screws offer exceptional strength and durability, covering many applications, from metal framing to brick tie channels. Plus extra piece of mind with our trademarked fastener coating Evohield<sup>®</sup>. Developed to attain optimum performance in the various pollutive and atmospheric conditions that cause corrosion.



## MASONRY RANGE

These screws are specifically designed to provide a secure and hassle-free installation process, eliminating the need for plugs or anchors. The unique thread design and hardened steel construction ensure exceptional grip and stability in challenging materials, enhancing safety and longevity.



## LOW PROFILE RANGE

These screws are designed with a focus on precision and efficiency, ensuring a secure and reliable fastening solution.

The low profile design not only provides a sleek and unobtrusive appearance but also contributes to enhanced performance. These screws boast exceptional grip and durability, maintaining their integrity even in challenging environments, thanks to both carbon steel and stainless steel options.





## INSULATION RANGE

Meticulously designed to securely attach insulation materials. With innovative features like sharp points and specialized thread patterns, these fasteners ensure effortless and accurate installations, reducing the risk of thermal bridging. The range's compatibility with various insulation types and substrates enhances its versatility, catering to a wide range of applications.

## DRYWALL RANGE

These fasteners are expertly crafted to streamline the installation of drywall panels, ensuring quick and secure attachments. With features like fine threads and self-drilling capabilities, they eliminate the need for pre-drilling, saving time and effort. The range's sturdy construction guarantees a reliable hold, reducing the risk of sagging or loosening over time.



## WOODMASTER<sup>®</sup> RANGE

Our woodscrews are meticulously designed with precision threads and high-quality materials, ensuring exceptional grip and durability when working with wood. The Woodmaster<sup>®</sup> range includes a variety of sizes and finishes to suit different applications, making them versatile for a wide array of woodworking tasks. The self-countersinking design prevents splitting and delivers a clean and professional finish.

# WE HAVE THE SOLUTION.

MORE AT

[www.evofas.com](http://www.evofas.com)



# + NYLON FRAME FIXINGS



## FISCHER SXR-F US



An all round economical solution for solid and hollow substrates. Manufactured with a hexagon safety screw with moulded-on washer.



| Part No.    | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|-------------|----------------|--------------------|-----------------------|
| SXR10060FUS | 10             | 60                 | 10                    |
| SXR10080FUS | 10             | 80                 | 30                    |
| SXR10100FUS | 10             | 100                | 50                    |
| SXR10120FUS | 10             | 120                | 70                    |
| SXR10140FUS | 10             | 140                | 90                    |
| SXR10160FUS | 10             | 160                | 110                   |
| SXR10180FUS | 10             | 180                | 130                   |
| SXR10200FUS | 10             | 200                | 150                   |
| SXR10230FUS | 10             | 230                | 180                   |
| SXR10260FUS | 10             | 260                | 210                   |

## FISCHER SXR-T



Designed for fixing PVCu window frames to brickwork and masonry.



| Part No.  | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|-----------|----------------|--------------------|-----------------------|
| SXR08060T | 8              | 60                 | 10                    |
| SXR08080T | 8              | 80                 | 30                    |
| SXR08100T | 8              | 100                | 50                    |
| SXR08120T | 8              | 120                | 70                    |
| SXR10080T | 10             | 80                 | 30                    |
| SXR10100T | 10             | 100                | 50                    |
| SXR10120T | 10             | 120                | 70                    |
| SXR10140T | 10             | 140                | 90                    |
| SXR10160T | 10             | 160                | 110                   |
| SXR10180T | 10             | 180                | 130                   |
| SXR10200T | 10             | 200                | 150                   |
| SXR10230T | 10             | 230                | 180                   |
| SXR10260T | 10             | 260                | 210                   |

## FISCHER SXR - F US ST / STEEL A4



| Part No.      | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|---------------|----------------|--------------------|-----------------------|
| A4SXR10060FUS | 10             | 60                 | 10                    |
| A4SXR10080FUS | 10             | 80                 | 30                    |
| A4SXR10100FUS | 10             | 100                | 50                    |
| A4SXR10120FUS | 10             | 120                | 70                    |
| A4SXR10140FUS | 10             | 140                | 90                    |
| A4SXR10160FUS | 10             | 160                | 110                   |
| A4SXR10180FUS | 10             | 180                | 130                   |
| A4SXR10200FUS | 10             | 200                | 150                   |
| A4SXR10230FUS | 10             | 230                | 180                   |
| A4SXR10260FUS | 10             | 260                | 210                   |

## FISCHER SXR-T - ST / STEEL A4



| Part No.    | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|-------------|----------------|--------------------|-----------------------|
| A4SXR10080T | 10             | 80                 | 30                    |
| A4SXR10100T | 10             | 100                | 50                    |
| A4SXR10120T | 10             | 120                | 70                    |
| A4SXR10140T | 10             | 140                | 90                    |
| A4SXR10160T | 10             | 160                | 110                   |
| A4SXR10180T | 10             | 180                | 130                   |
| A4SXR10200T | 10             | 200                | 150                   |
| A4SXR10230T | 10             | 230                | 180                   |
| A4SXR10260T | 10             | 260                | 210                   |



# + NYLON FRAME FIXINGS

## NYLON FRAME FIXING COUNTERSUNK VERSION – ZINC PLATED

Universal frame fixing, countersunk zinc plated screw for many applications.

### Features and benefits

- The countersunk plug for flush fixing of soft material (eg. timber)
- Specially-formulated nylon allows best performance installation for use in all base material categories according to ETAG 020 (A, B, C, D)
- Internal plug geometry designed to fit the screw head
- Plug design ensures multi-axis expansion

### Applications

- Door and window frames
- Garage doors
- Gates
- Industrial doors
- Facade (substructures made of wood and metal)
- Wall cabinets
- Satellite dishes
- Shelves
- Handrails
- Cable trays



### Base materials

Approved for use in:

- Concrete  $\geq$  C12/15 (Use category A)
- Solid Brick (Use category B)
- Solid Sand-lime Brick (Use category B)
- Hollow Brick (Use category C)
- Hollow Sand-lime Brick (Use category C)
- Hollow Lightweight Concrete Block (Use category D)
- Aerated Concrete Block (Use category D)
- Cracked concrete  $\geq$  C12/15 (Use category A)

### Approvals and Reports

- ETA-12/0398
- UKTA-22/6344



### Product Information

| Size | Part No.       | Plug              |                 | Screw                           |                  | Fixture                                  |                                          |                                      | Screw drive |
|------|----------------|-------------------|-----------------|---------------------------------|------------------|------------------------------------------|------------------------------------------|--------------------------------------|-------------|
|      |                | Diameter (d) (mm) | Length (l) (mm) | Diameter (d <sub>s</sub> ) (mm) | Length (L1) (mm) | Max thickness (t <sub>fix</sub> 50) (mm) | Max thickness (t <sub>fix</sub> 70) (mm) | Hole diameter (d <sub>i</sub> ) (mm) |             |
| Ø8   | R-FF1-N-08L080 | 7.8               | 80              | 5.8                             | 87               | 30                                       | 10                                       | 8                                    | T30         |
|      | R-FF1-N-08L100 | 7.8               | 100             | 5.8                             | 107              | 50                                       | 30                                       | 8                                    | T30         |
|      | R-FF1-N-08L120 | 7.8               | 120             | 5.8                             | 127              | 70                                       | 50                                       | 8                                    | T30         |
|      | R-FF1-N-08L140 | 7.8               | 140             | 5.8                             | 147              | 90                                       | 70                                       | 8                                    | T30         |
|      | R-FF1-N-08L160 | 7.8               | 160             | 5.8                             | 167              | 110                                      | 90                                       | 8                                    | T30         |
| Ø10  | R-FF1-N-10L080 | 9.8               | 80              | 7                               | 87               | 30                                       | 10                                       | 10                                   | T40         |
|      | R-FF1-N-10L100 | 9.8               | 100             | 7                               | 107              | 50                                       | 30                                       | 10                                   | T40         |
|      | R-FF1-N-10L120 | 9.8               | 120             | 7                               | 127              | 70                                       | 50                                       | 10                                   | T40         |
|      | R-FF1-N-10L140 | 9.8               | 140             | 7                               | 147              | 90                                       | 70                                       | 10                                   | T40         |
|      | R-FF1-N-10L160 | 9.8               | 160             | 7                               | 167              | 110                                      | 90                                       | 10                                   | T40         |
|      | R-FF1-N-10L200 | 9.8               | 200             | 7                               | 207              | 150                                      | 130                                      | 10                                   | T40         |
|      | R-FF1-N-10L240 | 9.8               | 240             | 7                               | 247              | 190                                      | 170                                      | 10                                   | T40         |
|      | R-FF1-N-10L300 | 9.8               | 300             | 7                               | 307              | 250                                      | 230                                      | 10                                   | T40         |

## NYLON FRAME FIXING COUNTERSUNK VERSION – ZINC PLATED (CONT)

### Installation Guide



1. Drill a hole of required diameter and depth
2. With a hammer, lightly tap the plug through the fixture into hole until fixing depth is reached
3. Tighten the FF1 screw

### Installation Data

| Substrate                    |            |      | A, B, C | D   | A, B, C | A, B, C | D   |
|------------------------------|------------|------|---------|-----|---------|---------|-----|
| Hole diameter in substrate   | $d_0$      | [mm] | 8       | 8   | 10      | 10      | 10  |
| Min. hole depth in substrate | $h_0$      | [mm] | 60      | 80  | 60      | 80      | 80  |
| Min. installation depth      | $h_{nom}$  | [mm] | 50      | 70  | 50      | 70      | 70  |
| Min. substrate thickness     | $h_{min}$  | [mm] | 100     | 100 | 100     | 100     | 100 |
| Min. spacing                 | $s_{min}$  | [mm] | 60      | 200 | 90      | 95      | 70  |
| Min. edge distance           | $c_{min}$  | [mm] | 60      | 100 | 80      | 80      | 70  |
| Max. installation torque     | $t_{inst}$ | [Nm] | 9       | 3.6 | 16      | 16      | 4.3 |
| Screw drive                  | -          | [-]  | T30     | T30 | T40     | T40     | T40 |
| Diameter                     | $d$        | [mm] | 8       | 8   | 10      | 10      | 10  |
| Effective embedment depth    | $h_{ef}$   | [mm] | 50      | 70  | 50      | 70      | 70  |

## NYLON FRAME ANCHOR

Pre-assembled through fixing for battening and framework.  
Also available in stainless steel.



| Part No. | Hole Dia. (mm) | Anchor Length (mm) | Max Fixture Thickness (mm) |
|----------|----------------|--------------------|----------------------------|
| NFP08060 | 8              | 60                 | 15                         |
| NFP08080 | 8              | 80                 | 35                         |
| NFP08100 | 8              | 100                | 55                         |
| NFP08120 | 8              | 120                | 75                         |
| NFP10080 | 10             | 80                 | 30                         |
| NFP10100 | 10             | 100                | 50                         |
| NFP10115 | 10             | 115                | 65                         |
| NFP10135 | 10             | 135                | 85                         |
| NFP10160 | 10             | 160                | 110                        |

# + INSULATION ANCHORS

## SPIT ISO



Universal Insulation anchor with plastic nail. A pre-assembled through fixing anchor for insulation materials fixed onto solid substrates. Quick and easy to install.



| Part No.  | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|-----------|----------------|--------------------|-----------------------|
| ISO010030 | 10             | 60                 | 30                    |
| ISO045065 | 10             | 95                 | 65                    |
| ISO075085 | 10             | 115                | 85                    |
| ISO095105 | 10             | 135                | 105                   |
| ISO115125 | 10             | 155                | 125                   |
| ISO135145 | 10             | 175                | 145                   |
| ISO155165 | 10             | 195                | 165                   |
| ISO175185 | 10             | 215                | 185                   |
| ISO190205 | 10             | 235                | 205                   |

## FISCHER DIPK



Universal insulation anchor with plastic nail. Anchor for fixing a range of insulation materials onto solid substrates.



| Part No.     | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|--------------|----------------|--------------------|-----------------------|
| DIPK08020040 | 8              | 70                 | 40                    |
| DIPK08040060 | 8              | 90                 | 60                    |
| DIPK08060080 | 8              | 110                | 80                    |
| DIPK08080100 | 8              | 130                | 100                   |
| DIPK08100120 | 8              | 150                | 120                   |
| DIPK10010030 | 10             | 60                 | 30                    |
| DIPK10040060 | 10             | 90                 | 60                    |
| DIPK10060080 | 10             | 110                | 80                    |
| DIPK10080100 | 10             | 130                | 100                   |
| DIPK10100120 | 10             | 150                | 120                   |
| DIPK10120140 | 10             | 170                | 140                   |

## FISCHER DHK



This anchor has 90mm washer face which is designed to fix soft and pressure-resistant insulation materials such as: Mineral/Glass wool, PU panels and polystyrene etc.



| Part No. | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|----------|----------------|--------------------|-----------------------|
| DHK040   | 8              | 65                 | 40                    |
| DHK140   | 8              | 165                | 140                   |
| DHK160   | 8              | 185                | 160                   |
| DHK180   | 8              | 205                | 180                   |
| DHK200   | 8              | 225                | 200                   |
| DHK220   | 8              | 245                | 220                   |

## FISCHER INSULATION WASHERS



Available in zinc plated carbon steel or A2 Stainless steel.



| Part No. | Description                         |
|----------|-------------------------------------|
| DTM80    | Fischer DTM 80 insulation washer    |
|          | Zinc plated carbon steel washer     |
|          | External diameter - 85mm            |
|          | Internal hole diameter - 14mm       |
| A2DTM80  | Fischer A2 DTM 80 insulation washer |
|          | A2 Stainless steel washer           |
|          | External diameter - 85mm            |
|          | Internal hole diameter - 14mm       |

# + INSULATION ANCHORS



## FISCHER DHM GALV



This anchor has 90mm washer face which is designed to fix soft and pressure-resistant insulation materials such as: Mineral/Glass wool, PU panels and polystyrene etc.

## FISCHER DHM A2 STAINLESS STEEL



This anchor has 90mm washer face which is designed to fix soft and pressure-resistant insulation materials such as: Mineral/Glass wool, PU panels and polystyrene etc.



| Part No. | Hole Dia. (mm) | Anchor Length (mm) | Min – Max Thickness to fix (mm) |
|----------|----------------|--------------------|---------------------------------|
| DHM040   | 8              | 80                 | 10 - 30                         |
| DHM070   | 8              | 110                | 40 - 70                         |
| DHM100   | 8              | 140                | 70 - 100                        |
| DHM130   | 8              | 170                | 100 - 130                       |
| DHM160   | 8              | 200                | 130 - 160                       |
| DHM210   | 8              | 250                | 170 - 200                       |
| DHM260   | 8              | 300                | 220 - 260                       |

| Part No. | Hole Dia. (mm) | Anchor Length (mm) | Min – Max Thickness to fix (mm) |
|----------|----------------|--------------------|---------------------------------|
| A2DHM040 | 8              | 80                 | 10 - 30                         |
| A2DHM070 | 8              | 110                | 40 - 70                         |
| A2DHM100 | 8              | 140                | 70 - 100                        |
| A2DHM130 | 8              | 170                | 100 - 130                       |
| A2DHM160 | 8              | 200                | 130 - 160                       |
| A2DHM210 | 8              | 250                | 170 - 200                       |
| A2DHM260 | 8              | 300                | 220 - 260                       |

## RAWL TFIX 8P



Simple installation in all standard substrates. Pre-assembled expansion nail saves time and labour.

## RAWL MBA



Metal facade fixing, recommended for use when fire resistance (F120) is a requirement. Fast and simple hammer-set installation reduces working times.



| Part No.   | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|------------|----------------|--------------------|-----------------------|
| TFIX08P115 | 8              | 115                | 80                    |
| TFIX08P135 | 8              | 135                | 100                   |
| TFIX08P155 | 8              | 155                | 120                   |
| TFIX08P175 | 8              | 175                | 140                   |
| TFIX08P195 | 8              | 195                | 160                   |
| TFIX08P215 | 8              | 215                | 180                   |

| Part No. | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|----------|----------------|--------------------|-----------------------|
| MBA08090 | 8              | 90                 | 40                    |
| MBA08110 | 8              | 110                | 60                    |
| MBA08140 | 8              | 140                | 90                    |
| MBA08170 | 8              | 170                | 120                   |
| MBA08200 | 8              | 200                | 150                   |
| MBA08250 | 8              | 250                | 200                   |
| MBA08300 | 8              | 300                | 250                   |



# + INSULATION ANCHORS

## RAWL KI-10

**RAWLPLUG**


Easy installation with best performance in lightweight base materials. Pre-assembled expansion nail saves time and labour.



## RAWL KI-10 FACADE FIXING WITH PLASTIC PIN

**RAWLPLUG**

Hammerset insulation fixing with reinforced plastic nail. Size Ø10.



| Part No. | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) | Colour |
|----------|----------------|--------------------|-----------------------|--------|
| KI10070  | 10             | 70                 | 20-35                 | Beige  |
| KI10090  | 10             | 90                 | 40-55                 | White  |
| KI10120  | 10             | 120                | 70-85                 | White  |
| KI10140  | 10             | 140                | 90-105                | White  |
| KI10160  | 10             | 160                | 110-125               | Beige  |
| KI10180  | 10             | 180                | 130-145               | White  |
| KI10200  | 10             | 200                | 150-165               | White  |
| KI10220  | 10             | 220                | 170-185               | White  |

| Part No. | Fixing            |                 |                    | Fixture (Recommended thickness) |                         |                         |
|----------|-------------------|-----------------|--------------------|---------------------------------|-------------------------|-------------------------|
|          | Diameter (d) (mm) | Length (L) (mm) | Plate Dia (D) (mm) | t <sub>fix</sub> A,B,C (mm)     | t <sub>fix</sub> D (mm) | t <sub>fix</sub> E (mm) |
| R-KI-070 | 10                | 70              | 60                 | 35                              | 20                      | 0                       |
| R-KI-090 | 10                | 90              | 60                 | 55                              | 40                      | 20                      |
| R-KI-120 | 10                | 120             | 60                 | 85                              | 70                      | 50                      |
| R-KI-140 | 10                | 140             | 60                 | 105                             | 90                      | 70                      |
| R-KI-160 | 10                | 160             | 60                 | 125                             | 110                     | 90                      |
| R-KI-180 | 10                | 180             | 60                 | 145                             | 130                     | 110                     |
| R-KI-200 | 10                | 200             | 60                 | 165                             | 150                     | 130                     |
| R-KI-220 | 10                | 220             | 60                 | 185                             | 170                     | 150                     |

### Installation Guide



1. Drill a hole of required diameter and depth
2. Drilling depth of min 35 in masonry, 50mm in perforated materials and 70mm in lightweight concrete block and aerated concrete
3. Lightly tap the plastic sleeve through the insulation material into hole with a hammer, until fixing depth is reached
4. Embedment depth of min 25 in masonry, 40mm in perforated materials and 60mm in lightweight concrete block and aerated concrete
5. Lightly tap the plastic nail into the plastic sleeve until fixing is secure and flush with insulation material.

### Installation Data

| Substrate                    |                  |      | A, B, C | D   | E   |
|------------------------------|------------------|------|---------|-----|-----|
| Hole diameter in substrate   | d <sub>0</sub>   | [mm] | 10      | 10  | 10  |
| Min. hole depth in substrate | h <sub>0</sub>   | [mm] | 35      | 50  | 70  |
| Min. installation depth      | h <sub>nom</sub> | [mm] | 25      | 40  | 60  |
| Min. substrate thickness     | h <sub>min</sub> | [mm] | 100     | 100 | 100 |
| Min. spacing                 | s <sub>min</sub> | [mm] | 100     | 100 | 100 |
| Min. edge distance           | c <sub>min</sub> | [mm] | 100     | 100 | 100 |
| Fixing diameter              | d                | [mm] | 10      | 10  | 10  |

## RAWL MBA A2 STAINLESS STEEL



Metal facade fixing, recommended for use when fire resistance (F120) is a requirement. Also available in steel.




| Part No.   | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|------------|----------------|--------------------|-----------------------|
| A2MBA08090 | 8              | 90                 | 40                    |
| A2MBA08110 | 8              | 110                | 60                    |
| A2MBA08140 | 8              | 140                | 90                    |
| A2MBA08170 | 8              | 170                | 120                   |
| A2MBA08200 | 8              | 200                | 150                   |
| A2MBA08250 | 8              | 250                | 200                   |
| A2MBA08300 | 8              | 300                | 250                   |

## RAWL MBA STEEL FACADE FIXING




Fire-resistant metal insulation fixing. Size Ø8. Also available in steel.



| Part No.  | Fixing Diameter (d) (mm) | Length (L) (mm) | Plate Dia (D) (mm) | Fixture (Max thickness) t <sub>fix</sub> (mm) |
|-----------|--------------------------|-----------------|--------------------|-----------------------------------------------|
| MBA-08090 | 8                        | 90              | 35                 | 40                                            |
| MBA-08110 | 8                        | 110             | 35                 | 60                                            |
| MBA-08140 | 8                        | 140             | 35                 | 90                                            |
| MBA-08170 | 8                        | 170             | 35                 | 120                                           |
| MBA-08200 | 8                        | 200             | 35                 | 150                                           |
| MBA-08250 | 8                        | 250             | 35                 | 200                                           |
| MBA-08300 | 8                        | 300             | 35                 | 250                                           |

## Installation Guide



1. Drill a hole of required diameter and depth
2. With a hammer, lightly tap MBA fixing (with MKC washer where applicable) through the insulation material into hole, until fixing depth is reached.

## Installation Data

| Substrate                    |                  | A, B | Perforated ceramic brick | Sand-lime hollow brick | Autoclaved aerated concrete |
|------------------------------|------------------|------|--------------------------|------------------------|-----------------------------|
| Hole diameter in substrate   | d <sub>0</sub>   | [mm] | 8                        | 8                      | -                           |
| Min. hole depth in substrate | h <sub>0</sub>   | [mm] | 35                       | 60                     | -                           |
| Min. installation depth      | h <sub>nom</sub> | [mm] | 30                       | 50                     | 50                          |
| Min. substrate thickness     | h <sub>min</sub> | [mm] | 80                       | 80                     | 80                          |
| Min. spacing                 | s <sub>min</sub> | [mm] | 75                       | 75                     | 75                          |
| Min. edge distance           | c <sub>min</sub> | [mm] | 75                       | 75                     | 75                          |

# + INSULATION WASHERS

## INSULATION WASHER



| Part No. | Description                  |
|----------|------------------------------|
| W1050    | Black insulation washer      |
|          | Polymide disc washer         |
|          | External diameter - 50mm     |
|          | Internal hole diameter - 5mm |

## INSULATION CAP WASHER



| Part No.   | Description                    |
|------------|--------------------------------|
| SBHT6525FP | SBHT 65/25 insulation washer   |
|            | Polymide capped tube washer    |
|            | External diameter - 65mm       |
|            | Internal hole diameter -       |
|            | Tube recess - 25mm             |
|            | Note: Fastner recess only 15mm |

## EJOT INSULATION WASHERS



| Part No. | Description                      |
|----------|----------------------------------|
| ITS560   | Ejot IT/S 5/60 insulation washer |
|          | Polymide disc washer             |
|          | External diameter - 60mm         |
|          | Internal hole diameter - 5.4mm   |

## EJOT INSULATION CAP WASHER



| Part No. | Description                       |
|----------|-----------------------------------|
| SBHT6525 | EJOT SBHT 65/25 insulation washer |
|          | Polymide capped tube washer       |
|          | External diameter - 65mm          |
|          | Internal hole diameter -          |
|          | Tube recess - 25mm                |
|          | Note: Fastner recess only 15mm    |

## EJOT INSULATION WASHERS



| Part No. | Description                    |
|----------|--------------------------------|
| ITZ860   | Ejot IT/Z 8/60 washer          |
|          | Polymide disc washer           |
|          | External diameter - 60mm       |
|          | Internal hole diameter - 8.2mm |

## EJOT INSULATION WASHERS



| Part No. | Description                     |
|----------|---------------------------------|
| ITZ1060  | Ejot IT/Z 10/60 washer          |
|          | Polymide disc washer            |
|          | External diameter - 60mm        |
|          | Internal hole diameter - 10.2mm |

## + INSULATION WASHERS

### FISCHER INSULATION WASHERS

**fischer®**

Discs for combining nail and frame fixings, as well as screws.



| Part No.   | Hole Dia. (mm) | Height (mm) | Outside Dia. (mm) |
|------------|----------------|-------------|-------------------|
| HK36       | 5              | 4.5         | 36                |
| HV36       | 5              | 3.5         | 36                |
| ISO8/60    | 8              | 7           | 60                |
| DT60/10    | 10             | 7           | 60                |
| A4DTM60/10 | 10.5           | 3           | 60                |
| DTM70/10   | 10.5           | 3           | 70                |
| DT90/4     | 4              | 9.3         | 90                |
| DT90/8     | 8.2            | 9.3         | 90                |

### SPIT INSULATION WASHER

**SPIT**

Galvalume FM Approved stress plate washer.



| Part No. | Hole Dia. (mm) | Outside Dia. (mm) |
|----------|----------------|-------------------|
| SP50     | 6.5            | 50                |

### EJOT INSULATION WASHER

**EJOT®**

Galvanised carbon steel stress plate washer.



| Part No. | Hole Dia. (mm) | Outside Dia. (mm) |
|----------|----------------|-------------------|
| HTV70RU  | 5.5            | 70                |

### EJOT INSULATION WASHER

**EJOT®**

Galvanised carbon steel stress plate washer.



| Part No. | Hole Dia. (mm) | Outside Dia. (mm) |
|----------|----------------|-------------------|
| HTV82407 | 7              | 82 x 40           |

## + TEKS SCREW WASHERS & CAPS

**FP**

### BONDED WASHERS



| Part No. | Description                      |
|----------|----------------------------------|
| WB16     | 16mm dia. bonded washer          |
| WB19     | 19mm dia. bonded washer          |
| WB29     | 29mm dia. bonded washer          |
| A2WB12   | St/steel 12mm dia. bonded washer |
| A2WB16   | St/steel 16mm dia. bonded washer |

### HEXAGON HEAD COVER CAPS



| Part No. | Description        | Colour           |
|----------|--------------------|------------------|
| HCC16AN  | Hex cover cap 16mm | Anthracite       |
| HCC16BL  | Hex cover cap 16mm | Black            |
| HCC16GG  | Hex cover cap 16mm | Goosewing grey   |
| HCC16MG  | Hex cover cap 16mm | Merlin grey      |
| HCC16SG  | Hex cover cap 16mm | Slate grey       |
| HCC16VB  | Hex cover cap 16mm | Van Dyke brown   |
| HCC16JG  | Hex cover cap 16mm | Juniper green    |
| HCC16OG  | Hex cover cap 16mm | Olive green grey |
| HCC16PR  | Hex cover cap 16mm | Poppy red        |
| HCC16TR  | Hex cover cap 16mm | Terracotta red   |
| HCC16MU  | Hex cover cap 16mm | Mushroom         |
| HCC16OB  | Hex cover cap 16mm | Ocean blue       |
| HCC16MB  | Hex cover cap 16mm | Mountain blue    |
| HCC16SB  | Hex cover cap 16mm | Slate blue       |
| HCC16SI  | Hex cover cap 16mm | Silver           |
| HCC16WH  | Hex cover cap 16mm | White            |

Other colours available on request.

Hex cover caps also available for 19mm & 29mm washers.



# Stress Plate Range

**FP** FIXINGS  
PLUS

Designed for use with Masonry screws,  
Evolution Heavy Duty Screws, Insulation screws and Tek screws.



**SPR50**  
Size: 50mm



**SPR70**  
Size: 70mm



**SPR90**  
Size: 90mm

**SSSPR70**  
Size: 70mm

Stainless Steel Option



Insulation plates are also used when mechanically attaching rigid form insulation to roof decks. The design of the insulation plate allows it to flex during installation if a fastener is overdriven preventing damage to the insulation board.

For corrosion resistance, a Galvalume coating is applied to the carbon steel plates. This coating is comprised primarily of aluminium and zinc.



**SP082**  
Size: 82 x 40mm

Oval stress plates; sometimes called lap plates, are used when mechanically attaching single ply material in the area of the lap or seam.



## SPIRAL 'PIGTAIL' SCREWS

For the fixing of mineral fibre board and other insulation materials used in the fire protection of structural steelwork and ducting.

All dimensions typical Material: 1.6mm diameter. Galvanised spring wire.

Accepts Screw driver bit for rapid fixing.

Health & Safety: Non hazardous in normal use.



## INSULATION FIXINGS – SELF-ADHESIVE HANGERS

Self-adhesive hangers are designed to fix efficiently insulation on smooth surfaces such as air ducts, attenuators, chambers and enclosures.

It consists of a pin, firmly crimped on a high quality self-adhesive base.

- Self-Adhesive Base
- Galvanized material
- Locking washers included in each box



| Part No. | Description                      |
|----------|----------------------------------|
| PTS050   | Pig Tail Screw 50mm Bag of 1000  |
| PTS075   | Pig Tail Screw 75mm Bag of 1000  |
| PTS100   | Pig Tail Screw 100mm Bag of 1000 |

| Part No. | Size (mm) | Box Qty |
|----------|-----------|---------|
| IH045    | 45        | 500     |
| IH062    | 62        | 500     |
| IH090    | 90        | 500     |
| IH110    | 110       | 500     |
| IH160    | 160       | 250     |
| IH203    | 203       | 250     |
| IH270    | 270       | 100     |

# + CAVITY FIXINGS

## FISCHER FH Y HOLLOW DECK ANCHOR

**fischer®**

Approved for hollow-core concrete slabs.



| Part No. | Thread size (mm) | Hole Dia. (mm) | Anchor Length (mm) |
|----------|------------------|----------------|--------------------|
| FHY06    | 6                | 10             | 37                 |
| FHY08    | 8                | 12             | 43                 |
| FHY10    | 10               | 16             | 52                 |
| FHY12    | 12               | 18             | 52                 |

## RUBBERNUT ANCHOR

A synthetic rubber sleeve with a brass threaded insert. Can be used in a wide range of substrates. Ideal for oversized holes.



| Part No. | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|----------|----------------|--------------------|-----------------------|
| RNA04011 | 4              | 8                  | 13                    |
| RNA04024 | 4              | 8                  | 25                    |
| RNA05015 | 5              | 10                 | 14                    |
| RNA05025 | 5              | 10                 | 25                    |
| RNA05040 | 5              | 10                 | 40                    |
| RNA06015 | 6              | 13                 | 15                    |
| RNA06025 | 6              | 13                 | 25                    |
| RNA06035 | 6              | 13                 | 35                    |
| RNA08025 | 8              | 16                 | 25                    |
| RNA08050 | 8              | 16                 | 50                    |
| RNA10055 | 10             | 20                 | 55                    |
| RNA12075 | 12             | 24                 | 75                    |

## HOLLOW WALL ANCHOR


Pre assembled metal cavity fixing. Expanding legs ensure large surface area contact. Permanent fixing with demountable screw.



| Part No. | Thread size (mm) | Hole Dia. (mm) | Anchor Length (mm) | Wall Thickness (mm) |
|----------|------------------|----------------|--------------------|---------------------|
| CA04045  | 4                | 7              | 45                 | 16                  |
| CA05045  | 5                | 9              | 45                 | 13                  |
| CA05060  | 5                | 9              | 60                 | 16                  |
| CA05070  | 5                | 9              | 70                 | 32                  |
| CA06060  | 6                | 10             | 60                 | 16                  |
| CA06070  | 6                | 10             | 70                 | 32                  |

## SPRING TOGGLE

A metal fixing offering high performance in a wide range of hollow materials.



| Part No. | Hole Dia. (mm) | Screw size (mm) | Thickness to fix (mm) |
|----------|----------------|-----------------|-----------------------|
| ST05050  | 14             | 5 x 50          | 20                    |
| ST05075  | 14             | 5 x 75          | 45                    |
| ST05100  | 14             | 5 x 100         | 70                    |
| ST06075  | 18             | 6 x 75          | 45                    |

# + CAVITY FIXINGS



## SPIT DRIVA ALLOY



The original self drilling plasterboard anchor. Quick and easy to install using only a screwdriver.



| Part No. | Screw Length (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|----------|-------------------|--------------------|-----------------------|
| PFATP12  | 35                | 31                 | 12                    |
| PFATF27  | 50                | 31                 | 27                    |
| PFATF05  | 25                | 31                 | 4.5                   |

## FISCHER DUOPOWER KIT



The fischer FixTainer is a practical and universally useful box with plugs, screws and hooks for the most frequent applications and building materials. The interaction of the ideally matched components always guarantees the choice of a secure fixing solution. Thanks to the transparent lid and the compartments, the contents can be viewed at a glance. This saves time and guarantees that the suitable fixing element is selected. The description of the plug function and an overview of the appropriate building materials on the bottom of the FixTainers ensures extra security for the installation. The fischer FixTainer is easy to transport thanks to the large handle. Several boxes can be connected together with the click system. The removable partitions allow a variable and needs-based division.



| Part No.  | Description                                |
|-----------|--------------------------------------------|
| DPUP210AF | Fischer DuoPower Universal Plug Kit 210Pce |

## SPIT DRIVA NYLON



| Part No. | Screw Length (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|----------|-------------------|--------------------|-----------------------|
| PFN10    | 35                | 43                 | 12                    |

## NYLON PLUGS



The fischer DuoPower is an intelligent 2-component plug with three product functions. The intelligent universal plug is suitable for fixing in all building materials. This allows a variety of applications with just one plug. The fischer DuoPower adjusts itself automatically to the building material and transfers the highest loads through the three product functions of folding, expanding and knotting. The very good feedback from the plug when screwing the screw in generates extra security. The fischer DuoPower 6 x 50, 8 x 65 and 10 x 80, because of the larger anchorage depth, are particularly suitable for fixings in hollow building materials, aerated concrete and for bridge plaster.



| Part No.   | Description                               |
|------------|-------------------------------------------|
| DPUP06030F | Fischer DuoPower Universal Plug 6 x 30mm  |
| DPUP08040F | Fischer DuoPower Universal Plug 8 x 40mm  |
| DPUP10050F | Fischer DuoPower Universal Plug 10 x 50mm |

More sizes available on request

## FISCHER FID



To fix lightweight fixtures in plastered and non-plastered insulating boards.



| Part No. | Screw Dia. (mm) | Anchor Length (mm) | Anchor Depth (mm) |
|----------|-----------------|--------------------|-------------------|
| FID50    | 4.5 - 5.0       | 50                 | 40                |
| FID90    | 6.0             | 90                 | 80                |

## + HAMMER FIXINGS

### DBZ

Ideal for angle brackets in concrete ceilings where regulations dictate all steel anchors to be used.



| Part No. | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|----------|----------------|--------------------|-----------------------|
| DBZ06040 | 6              | 40                 | 5                     |
| DBZ06065 | 6              | 65                 | 30                    |

### EXPRESS NAIL

Easy to use anchor for all kinds of concrete and masonry substrates.



| Part No. | Thread size (mm) | Hole Dia. (mm) | Anchor Length (mm) | Wall Thickness (mm) |
|----------|------------------|----------------|--------------------|---------------------|
| EN06030  | 6                | 30             | 5                  | 16                  |
| EN06040  | 6                | 40             | 10                 | 23                  |
| EN06050  | 6                | 50             | 20                 | 38                  |
| EN06060  | 6                | 60             | 30                 | 13                  |
| EN06080  | 6                | 80             | 50                 | 16                  |
| EN06100  | 6                | 100            | 70                 | 32                  |

### HAMMER-IN ALLOY

Pre-assembled alloy hammer-set through fixing. Large flange head.



| Part No. | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|----------|----------------|--------------------|-----------------------|
| HIA06030 | 6              | 30                 | 5                     |
| HIA06040 | 6              | 40                 | 18                    |
| HIA06050 | 6              | 50                 | 28                    |
| HIA06065 | 6              | 65                 | 35                    |

### WIRE HANGER

A one piece all metal, load assisted, steel suspension anchor, ideal for suspended ceiling applications.



| Part No. | Hole Dia. (mm) | Anchor Length (mm) |
|----------|----------------|--------------------|
| WH       | 6              | 60                 |

**SIGN UP**  
FOR OUR  
NEWSLETTER!

Be the first to receive  
all the latest articles,  
tips, tricks, industry  
advice & news!

Subscribe now at  
[fixingsplus.co.uk](https://www.fixingsplus.co.uk)

**FP** **FIXINGS**  
**PLUS**



## **SPIT HIT M LIPPED**



Nylon lipped hammer-in anchor with zinc plated nail.  
High performance, versatile hammer screw anchor. ETA Approved.



| Part No.  | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|-----------|----------------|--------------------|-----------------------|
| HITL05027 | 5              | 27                 | 5                     |
| HITL05037 | 5              | 37                 | 15                    |
| HITL06032 | 6              | 32                 | 5                     |
| HITL06042 | 6              | 39                 | 12                    |
| HITL06052 | 6              | 52                 | 25                    |
| HITL06067 | 6              | 67                 | 40                    |
| HITL08042 | 8              | 42                 | 10                    |
| HITL08062 | 8              | 62                 | 30                    |
| HITL08092 | 8              | 92                 | 60                    |
| HITL08112 | 8              | 112                | 80                    |
| HITL08132 | 8              | 132                | 100                   |

## **SPIT HIT M LIPPED A2 STAINLESS STEEL**



Nylon lipped hammer-in anchor with stainless steel nail.  
High performance, versatile hammer screw anchor. ETA Approved.



| Part No.    | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|-------------|----------------|--------------------|-----------------------|
| A2HITL06032 | 6              | 32                 | 5                     |
| A2HITL06052 | 6              | 52                 | 25                    |
| A2HITL06067 | 6              | 67                 | 40                    |
| A2HITL08092 | 8              | 92                 | 60                    |

## **NYLON HAMMER FIXING**

Nylon hammer-in anchor with zinc plated nail.



| Part No. | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|----------|----------------|--------------------|-----------------------|
| HFN06040 | 6              | 32                 | 5                     |
| HFN06060 | 6              | 52                 | 25                    |
| HFN06080 | 6              | 67                 | 40                    |
| HFN08060 | 8              | 92                 | 60                    |
| HFN08080 | 6              | 32                 | 5                     |
| HFN08100 | 6              | 52                 | 25                    |
| HFN08120 | 6              | 67                 | 40                    |
| HFN08135 | 8              | 92                 | 60                    |
| HFN08160 | 8              | 160                | 125                   |

## **NYLON HAMMER FIXING A2 STAINLESS STEEL**

Nylon hammer-in anchor with stainless steel nail.



| Part No.   | Hole Dia. (mm) | Anchor Length (mm) | Thickness to fix (mm) |
|------------|----------------|--------------------|-----------------------|
| A2HFN06040 | 6              | 40                 | 5                     |
| A2HFN06060 | 6              | 60                 | 25                    |
| A2HFN06080 | 6              | 80                 | 45                    |
| A2HFN08060 | 8              | 60                 | 25                    |
| A2HFN08080 | 8              | 80                 | 45                    |
| A2HFN08100 | 8              | 100                | 65                    |

# + PARTITIONING ACCESSORIES

## PARTITIONING ACCESSORIES



| Part No. | Description                         |
|----------|-------------------------------------|
| CW5      | Suspended ceiling wire 2mm 5kg coil |



| Part No. | Description             | Size      | Thread Size |
|----------|-------------------------|-----------|-------------|
| VF1M06   | Vertical purlin hangers | 1mm > 5mm | M6          |
| VF1M08   | Vertical purlin hangers | 1mm > 5mm | M8          |
| VF1M10   | Vertical purlin hangers | 1mm > 5mm | M10         |



| Part No. | Description           |
|----------|-----------------------|
| CAB      | Ceiling angle bracket |



| Part No. | Description              |
|----------|--------------------------|
| AH002    | Universal hold down clip |




| Part No. | Description                |
|----------|----------------------------|
| AH180    | Steel partitioning bracket |



| Part No. | Description   |
|----------|---------------|
| GL2      | 195mm Bracket |
| GL9      | 295mm Bracket |



| Part No. | Description            | Flange thickness (mm) |
|----------|------------------------|-----------------------|
| VF1      | Vertical flange hanger | 1.6 - 2.5             |
| VF1H     | Vertical flange hanger | 1.5 - 4.0             |



| Part No. | Description                |
|----------|----------------------------|
| AH261    | Service support plate 12mm |
| AH174    | Service support plate 18mm |



| Part No. | Description             |
|----------|-------------------------|
| FP9      | Furring to channel clip |



| Part No. | Description          |
|----------|----------------------|
| AH301    | 35mm Acoustic hanger |
| AH302    | 70mm Acoustic hanger |



| Part No. | Description                             |
|----------|-----------------------------------------|
| HF04     | Horizontal flange clip 2 - 4mm flange   |
| HF10     | Horizontal flange clip 4 - 10mm flange  |
| HF15     | Horizontal flange clip 10 - 15mm flange |
| HF20     | Horizontal flange clip 15 - 20mm flange |

## CONTENTS

|           |                       |
|-----------|-----------------------|
| <b>50</b> | RIVETS                |
| <b>51</b> | SELF TAPPING SCREWS   |
| <b>54</b> | PARTITIONING SCREWS   |
| <b>56</b> | WOODSCREWS            |
| <b>58</b> | CHIPBOARD SCREWS      |
| <b>60</b> | SUPER SCREWS          |
| <b>61</b> | BRASS WOODSCREWS      |
| <b>62</b> | CARPENTRY SCREWS      |
| <b>63</b> | SETSCREWS             |
| <b>64</b> | BOLTS                 |
| <b>65</b> | MACHINE SCREWS        |
| <b>66</b> | SOCKETS               |
| <b>68</b> | NUTS AND WASHERS      |
| <b>69</b> | NAILS                 |
| <b>72</b> | PLUGS, CAPS AND CUPS  |
| <b>73</b> | PLASTIC PACKING SHIMS |

# + RIVETS

## ALUMINIUM / STEEL DOME HEAD



| Part No. | Size (mm) | Grip Range (mm) | Flange Dia. (mm) |
|----------|-----------|-----------------|------------------|
| R3208    | 3.2 x 8   | 3.5 - 5.5       | 6.5              |
| R3210    | 3.2 x 10  | 5.5 - 7.0       | 6.5              |
| R3212    | 3.2 x 12  | 7.0 - 9.0       | 6.5              |
| R3216    | 3.2 x 16  | 11.0 - 13.0     | 6.5              |
| R4008    | 4.0 x 8   | 3.0 - 5.0       | 8.0              |
| R4010    | 4.0 x 10  | 5.0 - 6.5       | 8.0              |
| R4012    | 4.0 x 12  | 6.5 - 8.5       | 8.0              |
| R4016    | 4.0 x 16  | 10.5 - 12.5     | 8.0              |
| R4020    | 4.0 x 20  | 14.5 - 16.5     | 8.0              |
| R4810    | 4.8 x 10  | 4.0 - 6.0       | 9.5              |
| R4812    | 4.8 x 12  | 6.0 - 8.0       | 9.5              |
| R4816    | 4.8 x 16  | 10.0 - 12.0     | 9.5              |
| R4820    | 4.8 x 20  | 14.0 - 16.0     | 9.5              |
| R4825    | 4.8 x 25  | 16.0 - 21.0     | 9.5              |

## STAINLESS STEEL DOME HEAD



| Part No.  | Size (mm) | Grip Range (mm) | Flange Dia. (mm) |
|-----------|-----------|-----------------|------------------|
| A2R3210SS | 3.2 x 10  | 5.0 - 7.0       | 6.5              |
| A2R3212SS | 3.2 x 12  | 7.0 - 9.0       | 6.5              |
| A2R3216SS | 3.2 x 16  | 11.0 - 13.0     | 6.5              |
| A2R4010SS | 4.0 x 10  | 4.5 - 6.5       | 8.0              |
| A2R4012SS | 4.0 x 12  | 6.5 - 8.5       | 8.0              |
| A2R4016SS | 4.0 x 16  | 10.0 - 12.0     | 8.0              |
| A2R4810SS | 4.8 x 10  | 4.0 - 6.0       | 9.5              |
| A2R4812SS | 4.8 x 12  | 6.0 - 8.0       | 9.5              |
| A2R4816SS | 4.8 x 16  | 9.5 - 11.0      | 9.5              |
| A2R4820SS | 4.8 x 20  | 13.0 - 16.0     | 9.5              |
| A2R4825SS | 4.8 x 25  | 17.0 - 20.0     | 9.5              |

## ALUMINIUM / STEEL MULTI-GRIP

Available with colour coded head.



| Part No. | Size (mm) | Grip Range (mm) | Flange Dia. (mm) |
|----------|-----------|-----------------|------------------|
| R4010M   | 4.0 x 10  | 1.5 - 6.5       | 8.0              |
| R4012M   | 4.0 x 12  | 3.5 - 8.5       | 8.0              |
| R4016M   | 4.0 x 16  | 6.0 - 12.5      | 8.0              |
| R4812M   | 4.8 x 12  | 2.0 - 8.0       | 9.5              |
| R4816M   | 4.8 x 16  | 6.0 - 12.5      | 9.5              |
| R4820M   | 4.8 x 20  | 10.0 - 16.0     | 9.5              |
| R4825M   | 4.8 x 25  | 13.0 - 20.0     | 9.5              |

## ALUMINIUM / STEEL LARGE FLANGE



| Part No. | Size (mm) | Grip Range (mm) | Flange Dia. (mm) |
|----------|-----------|-----------------|------------------|
| R3212LF  | 3.2 x 12  | 7.0 - 9.0       | 9.5              |
| R4012LF  | 4.0 x 12  | 6.0 - 8.0       | 12.0             |
| R4016LF  | 4.0 x 16  | 10.0 - 12.0     | 12.0             |
| R4020LF  | 4.0 x 20  | 12.0 - 16.0     | 12.0             |
| R4812LF  | 4.8 x 12  | 5.0 - 7.0       | 14.0             |
| R4816LF  | 4.8 x 16  | 9.0 - 11.0      | 14.0             |
| R4820LF  | 4.8 x 20  | 13.0 - 15.0     | 14.0             |
| R4825LF  | 4.8 x 25  | 17.0 - 20.0     | 14.0             |
| R4830LF  | 4.8 x 30  | 21.0 - 25.0     | 14.0             |

## ALUMINIUM / STEEL DOME HEAD WHITE



| Part No. | Size (mm) | Grip Range (mm) | Flange Dia. (mm) |
|----------|-----------|-----------------|------------------|
| R3210W   | 3.2 x 10  | 5.5 - 7.0       | 6.5              |
| R3212W   | 3.2 x 12  | 7.0 - 9.0       | 6.5              |
| R4010W   | 4.0 x 10  | 5.0 - 6.5       | 8.0              |
| R4012W   | 4.0 x 12  | 6.5 - 8.5       | 8.0              |

# + SELF TAPPING SCREWS



## HEX SELF TAPPER AB POINT

To fix various materials through pre-drilled holes. Excellent pullout loads into timber. Ideal for helping hand brackets.



| Part No. | Thread size (mm) | Screw Length (mm) |
|----------|------------------|-------------------|
| ABH63025 | 6.3              | 25                |
| ABH63032 | 6.3              | 32                |
| ABH63038 | 6.3              | 38                |
| ABH63050 | 6.3              | 50                |
| ABH63065 | 6.3              | 65                |
| ABH63075 | 6.3              | 75                |
| ABH63090 | 6.3              | 90                |
| ABH63100 | 6.3              | 100               |
| ABH63120 | 6.3              | 120               |
| ABH63140 | 6.3              | 140               |

## HEX SELF TAPPER C/W WASHER AB POINT

To fix various materials through pre-drilled holes. Excellent pullout loads into timber. Ideal for helping hand brackets.



| Part No.  | Thread size (mm) | Screw Length (mm) |
|-----------|------------------|-------------------|
| ABHW63025 | 6.3              | 25                |
| ABHW63032 | 6.3              | 32                |
| ABHW63038 | 6.3              | 38                |
| ABHW63050 | 6.3              | 50                |
| ABHW63065 | 6.3              | 65                |
| ABHW63075 | 6.3              | 75                |
| ABHW63090 | 6.3              | 90                |
| ABHW63100 | 6.3              | 100               |
| ABHW63120 | 6.3              | 120               |
| ABHW63140 | 6.3              | 140               |

## HEX SELF TAPPER AB POINT ST/STEEL – STAINLESS STEEL



| Part No.   | Thread size (mm) | Screw Length (mm) |
|------------|------------------|-------------------|
| A2ABH63025 | 6.3              | 25                |
| A2ABH63032 | 6.3              | 32                |
| A2ABH63038 | 6.3              | 38                |
| A2ABH63050 | 6.3              | 50                |
| A2ABH63065 | 6.3              | 65                |
| A2ABH63075 | 6.3              | 75                |
| A2ABH63090 | 6.3              | 90                |
| A2ABH63100 | 6.3              | 100               |
| A2ABH63120 | 6.3              | 120               |
| A2ABH63140 | 6.3              | 140               |

## HEX SELF TAPPER C/W WASHER AB POINT- STAINLESS STEEL



| Part No.    | Thread size (mm) | Screw Length (mm) |
|-------------|------------------|-------------------|
| A2ABHW63025 | 6.3              | 25                |
| A2ABHW63032 | 6.3              | 32                |
| A2ABHW63038 | 6.3              | 38                |
| A2ABHW63050 | 6.3              | 50                |
| A2ABHW63065 | 6.3              | 65                |
| A2ABHW63075 | 6.3              | 75                |
| A2ABHW63090 | 6.3              | 90                |
| A2ABHW63100 | 6.3              | 100               |
| A2ABHW63120 | 6.3              | 120               |
| A2ABHW63140 | 6.3              | 140               |



# + SELF TAPPING SCREWS

## AB POZI COUNTERSUNK BZP



| Part No.   | Size (mm)   |
|------------|-------------|
| ABPC040375 | 4 x 3/8"    |
| ABPC040500 | 4 x 1/2"    |
| ABPC040750 | 4 x 3/4"    |
| ABPC041000 | 4 x 1"      |
| ABPC060375 | 6 x 3/8"    |
| ABPC060500 | 6 x 1/2"    |
| ABPC060625 | 6 x 5/8"    |
| ABPC060750 | 6 x 3/4"    |
| ABPC061000 | 6 x 1"      |
| ABPC061250 | 6 x 1.1/4"  |
| ABPC061500 | 6 x 1.1/2"  |
| ABPC080375 | 8 x 3/8"    |
| ABPC080500 | 8 x 1/2"    |
| ABPC080625 | 8 x 5/8"    |
| ABPC080750 | 8 x 3/4"    |
| ABPC081000 | 8 x 1"      |
| ABPC081250 | 8 x 1.1/4"  |
| ABPC081500 | 8 x 1.1/2"  |
| ABPC081750 | 8 x 1.3/4"  |
| ABPC082000 | 8 x 2"      |
| ABPC100500 | 10 x 1/2"   |
| ABPC100625 | 10 x 5/8"   |
| ABPC100750 | 10 x 3/4"   |
| ABPC101000 | 10 x 1"     |
| ABPC101250 | 10 x 1.1/4" |
| ABPC101500 | 10 x 1.1/2" |
| ABPC101750 | 10 x 1.3/4" |
| ABPC102000 | 10 x 2"     |
| ABPC120625 | 12 x 5/8"   |
| ABPC120750 | 12 x 3/4"   |
| ABPC121000 | 12 x 1"     |
| ABPC121500 | 12 x 1.1/2" |
| ABPC122000 | 12 x 2"     |
| ABPC141000 | 14 x 1"     |
| ABPC141500 | 14 x 1.1/2" |
| ABPC141750 | 14 x 1.3/4" |
| ABPC142000 | 14 x 2"     |

## AB POZI COUNTERSUNK A2 – STAINLESS STEEL



| Part No.     | Size (mm)   |
|--------------|-------------|
| A2ABPC040375 | 4 x 3/8"    |
| A2ABPC040500 | 4 x 1/2"    |
| A2ABPC040750 | 4 x 3/4"    |
| A2ABPC041000 | 4 x 1"      |
| A2ABPC060375 | 6 x 3/8"    |
| A2ABPC060500 | 6 x 1/2"    |
| A2ABPC060625 | 6 x 5/8"    |
| A2ABPC060750 | 6 x 3/4"    |
| A2ABPC061000 | 6 x 1"      |
| A2ABPC061250 | 6 x 1.1/4"  |
| A2ABPC061500 | 6 x 1.1/2"  |
| A2ABPC080375 | 8 x 3/8"    |
| A2ABPC080500 | 8 x 1/2"    |
| A2ABPC080625 | 8 x 5/8"    |
| A2ABPC080750 | 8 x 3/4"    |
| A2ABPC081000 | 8 x 1"      |
| A2ABPC081250 | 8 x 1.1/4"  |
| A2ABPC081500 | 8 x 1.1/2"  |
| A2ABPC081750 | 8 x 1.3/4"  |
| A2ABPC082000 | 8 x 2"      |
| A2ABPC100500 | 10 x 1/2"   |
| A2ABPC100625 | 10 x 5/8"   |
| A2ABPC100750 | 10 x 3/4"   |
| A2ABPC101000 | 10 x 1"     |
| A2ABPC101250 | 10 x 1.1/4" |
| A2ABPC101500 | 10 x 1.1/2" |
| A2ABPC101750 | 10 x 1.3/4" |
| A2ABPC102000 | 10 x 2"     |
| A2ABPC120625 | 12 x 5/8"   |
| A2ABPC120750 | 12 x 3/4"   |
| A2ABPC121000 | 12 x 1"     |
| A2ABPC121500 | 12 x 1.1/2" |
| A2ABPC122000 | 12 x 2"     |
| A2ABPC141000 | 14 x 1"     |
| A2ABPC141500 | 14 x 1.1/2" |
| A2ABPC141750 | 14 x 1.3/4" |
| A2ABPC142000 | 14 x 2"     |

## AB POZI PAN BZP



| Part No.   | Size (mm)   |
|------------|-------------|
| ABPP040375 | 4 x 3/8"    |
| ABPP040500 | 4 x 1/2"    |
| ABPP040750 | 4 x 3/4"    |
| ABPP041000 | 4 x 1"      |
| ABPP060375 | 6 x 3/8"    |
| ABPP060500 | 6 x 1/2"    |
| ABPP060625 | 6 x 5/8"    |
| ABPP060750 | 6 x 3/4"    |
| ABPP061000 | 6 x 1"      |
| ABPP061250 | 6 x 1.1/4"  |
| ABPP061500 | 6 x 1.1/2"  |
| ABPP080375 | 8 x 3/8"    |
| ABPP080500 | 8 x 1/2"    |
| ABPP080625 | 8 x 5/8"    |
| ABPP080750 | 8 x 3/4"    |
| ABPP081000 | 8 x 1"      |
| ABPP081250 | 8 x 1.1/4"  |
| ABPP081500 | 8 x 1.1/2"  |
| ABPP081750 | 8 x 1.3/4"  |
| ABPP082000 | 8 x 2"      |
| ABPP100500 | 10 x 1/2"   |
| ABPP100625 | 10 x 5/8"   |
| ABPP100750 | 10 x 3/4"   |
| ABPP101000 | 10 x 1"     |
| ABPP101250 | 10 x 1.1/4" |
| ABPP101500 | 10 x 1.1/2" |
| ABPP101750 | 10 x 1.3/4" |
| ABPP102000 | 10 x 2"     |
| ABPP120625 | 12 x 5/8"   |
| ABPP120750 | 12 x 3/4"   |
| ABPP121000 | 12 x 1"     |
| ABPP121500 | 12 x 1.1/2" |
| ABPP122000 | 12 x 2"     |
| ABPP141000 | 14 x 1"     |
| ABPP141500 | 14 x 1.1/2" |
| ABPP141750 | 14 x 1.3/4" |
| ABPP142000 | 14 x 2"     |

## AB POZI PAN A2 STAINLESS STEEL



| Part No.     | Size (mm)   |
|--------------|-------------|
| A2ABPP040375 | 4 x 3/8"    |
| A2ABPP040500 | 4 x 1/2"    |
| A2ABPP040750 | 4 x 3/4"    |
| A2ABPP041000 | 4 x 1"      |
| A2ABPP060375 | 6 x 3/8"    |
| A2ABPP060500 | 6 x 1/2"    |
| A2ABPP060625 | 6 x 5/8"    |
| A2ABPP060750 | 6 x 3/4"    |
| A2ABPP061000 | 6 x 1"      |
| A2ABPP061250 | 6 x 1.1/4"  |
| A2ABPP061500 | 6 x 1.1/2"  |
| A2ABPP080375 | 8 x 3/8"    |
| A2ABPP080500 | 8 x 1/2"    |
| A2ABPP080625 | 8 x 5/8"    |
| A2ABPP080750 | 8 x 3/4"    |
| A2ABPP081000 | 8 x 1"      |
| A2ABPP081250 | 8 x 1.1/4"  |
| A2ABPP081500 | 8 x 1.1/2"  |
| A2ABPP081750 | 8 x 1.3/4"  |
| A2ABPP082000 | 8 x 2"      |
| A2ABPP100500 | 10 x 1/2"   |
| A2ABPP100625 | 10 x 5/8"   |
| A2ABPP100750 | 10 x 3/4"   |
| A2ABPP101000 | 10 x 1"     |
| A2ABPP101250 | 10 x 1.1/4" |
| A2ABPP101500 | 10 x 1.1/2" |
| A2ABPP101750 | 10 x 1.3/4" |
| A2ABPP102000 | 10 x 2"     |
| A2ABPP120625 | 12 x 5/8"   |
| A2ABPP120750 | 12 x 3/4"   |
| A2ABPP121000 | 12 x 1"     |
| A2ABPP121500 | 12 x 1.1/2" |
| A2ABPP122000 | 12 x 2"     |
| A2ABPP141000 | 14 x 1"     |
| A2ABPP141500 | 14 x 1.1/2" |
| A2ABPP141750 | 14 x 1.3/4" |
| A2ABPP142000 | 14 x 2"     |

## + PARTITIONING SCREWS

### DRYWALL SCREW FINE THREAD BZP



| Part No. | Size (mm) | Drill Capacity (mm) |
|----------|-----------|---------------------|
| DWS025   | 3.5 x 25  | 0.6 - 1.2           |
| DWS032   | 3.5 x 32  | 0.6 - 1.2           |
| DWS038   | 3.5 x 38  | 0.6 - 1.2           |
| DWS042   | 3.5 x 42  | 0.6 - 1.2           |
| DWS050   | 3.5 x 50  | 0.6 - 1.2           |
| DWS065   | 4.2 x 65  | 0.6 - 1.2           |
| DWS075   | 4.2 x 75  | 0.6 - 1.2           |
| DWS100   | 4.8 x 100 | 0.6 - 1.2           |
| DWS125   | 4.8 x 125 | 0.6 - 1.2           |
| DWS150   | 4.8 x 150 | 0.6 - 1.2           |

### DRYWALL SCREW COARSE THREAD BLACK



| Part No. | Size (mm) |
|----------|-----------|
| DWS025C  | 3.5 x 25  |
| DWS032C  | 3.5 x 32  |
| DWS038C  | 3.5 x 38  |
| DWS042C  | 3.5 x 42  |
| DWS050C  | 3.5 x 50  |
| DWS065C  | 4.2 x 65  |
| DWS075C  | 4.2 x 75  |
| DWS100C  | 4.8 x 100 |
| DWS150C  | 4.8 x 150 |

### DRYWALL SCREW FINE THREAD BZP – COLLATED



| Part No. | Size (mm) | Drill Capacity (mm) |
|----------|-----------|---------------------|
| DWS025CF | 3.5 x 25  | 0.6 - 1.2           |
| DWS032CF | 3.5 x 32  | 0.6 - 1.2           |
| DWS035CF | 3.5 x 35  | 0.6 - 1.2           |
| DWS038CF | 3.5 x 38  | 0.6 - 1.2           |
| DWS042CF | 3.5 x 42  | 0.6 - 1.2           |
| DWS045CF | 3.5 x 45  | 0.6 - 1.2           |
| DWS050CF | 3.5 x 50  | 0.6 - 1.2           |
| DWS055CF | 3.5 x 55  | 0.6 - 1.2           |
| DWS075CF | 4.2 x 75  | 0.6 - 1.2           |

### DRYWALL SCREW COARSE THREAD – COLLATED



| Part No. | Size (mm) |
|----------|-----------|
| DWS025CC | 3.5 x 25  |
| DWS032CC | 3.5 x 32  |
| DWS035CC | 3.5 x 35  |
| DWS038CC | 3.5 x 38  |
| DWS042CC | 3.5 x 42  |
| DWS045CC | 3.5 x 45  |
| DWS050CC | 3.5 x 50  |
| DWS055CC | 3.5 x 55  |
| DWS065CC | 4.2 x 65  |
| DWS075CC | 4.2 x 75  |

## + PARTITIONING SCREWS



### DRYWALL SCREW SELF DRILL BZP



| Part No. | Size (mm) | Drill Capacity (mm) |
|----------|-----------|---------------------|
| DWSD025  | 3.5 x 25  | 0.6 - 2.5           |
| DWSD032  | 3.5 x 32  | 0.6 - 2.5           |
| DWSD038  | 3.5 x 38  | 0.6 - 2.5           |
| DWSD042  | 3.5 x 42  | 0.6 - 2.5           |
| DWSD050  | 3.5 x 50  | 0.6 - 2.5           |
| DWSD065  | 4.2 x 65  | 0.6 - 2.5           |
| DWSD075  | 4.2 x 75  | 0.6 - 2.5           |
| DWSD100  | 4.8 x 100 | 0.6 - 2.5           |
| DWSD125  | 4.8 x 125 | 0.6 - 2.5           |

### WAFER HEAD SCREW SELF DRILL BZP



| Part No. | Size (mm) | Drill Capacity (mm) |
|----------|-----------|---------------------|
| WHSD13   | 4.2 x 13  | 0.6 - 2.5           |
| WHSD25   | 4.2 x 25  | 0.6 - 2.5           |
| WHSD50   | 4.8 x 50  | 0.6 - 2.5           |
| WHSD75   | 4.8 x 75  | 0.6 - 2.5           |

### DRYWALL SCREW SELF DRILL BZP COLLATED



| Part No. | Size (mm) | Drill Capacity (mm) |
|----------|-----------|---------------------|
| DWSD025C | 3.5 x 25  | 0.6 - 2.5           |
| DWSD035C | 3.5 x 35  | 0.6 - 2.5           |
| DWSD045C | 3.5 x 45  | 0.6 - 2.5           |
| DWSD050C | 3.5 x 50  | 0.6 - 2.5           |

### WAFER HEAD SCREW SHARP POINT BZP



| Part No. | Size (mm) | Drill Capacity (mm) |
|----------|-----------|---------------------|
| WHDW13   | 4.2 x 13  | 0.6 - 1.2           |

### DRYWALL SCREW DENSE BOARD BLACK



| Part No. | Size (mm) |
|----------|-----------|
| DWS030DB | 3.9 x 30  |
| DWS035DB | 3.9 x 35  |
| DWS045DB | 3.9 x 45  |
| DWS055DB | 3.9 x 55  |

# + WOODSCREWS

## WOODSCREWS POZI CSK BZP



| Part No.   | Size (mm) gauge x length |
|------------|--------------------------|
| WSPC040500 | 4 x 1/2"                 |
| WSPC040625 | 4 x 5/8"                 |
| WSPC040750 | 4 x 3/4"                 |
| WSPC041000 | 4 x 1"                   |
| WSPC060500 | 6 x 1/2"                 |
| WSPC060625 | 6 x 5/8"                 |
| WSPC060750 | 6 x 3/4"                 |
| WSPC061000 | 6 x 1"                   |
| WSPC061250 | 6 x 1.1/4"               |
| WSPC061500 | 6 x 1.1/2"               |
| WSPC062000 | 6 x 2"                   |
| WSPC070750 | 7 x 3/4"                 |
| WSPC071000 | 7 x 1"                   |
| WSPC071250 | 7 x 1.1/4"               |
| WSPC071500 | 7 x 1.1/2"               |
| WSPC080500 | 8 x 1/2"                 |
| WSPC080625 | 8 x 5/8"                 |
| WSPC080750 | 8 x 3/4"                 |
| WSPC081000 | 8 x 1"                   |
| WSPC081250 | 8 x 1.1/4"               |
| WSPC081500 | 8 x 1.1/2"               |
| WSPC081750 | 8 x 1.3/4"               |
| WSPC082000 | 8 x 2"                   |
| WSPC082250 | 8 x 2.1/4"               |
| WSPC082500 | 8 x 2.1/2"               |
| WSPC083000 | 8 x 3"                   |
| WSPC101000 | 10 x 1"                  |
| WSPC101250 | 10 x 1.1/4"              |
| WSPC101500 | 10 x 1.1/2"              |
| WSPC101750 | 10 x 1.3/4"              |
| WSPC102000 | 10 x 2"                  |
| WSPC102250 | 10 x 2.1/4"              |
| WSPC102500 | 10 x 2.1/2"              |
| WSPC103000 | 10 x 3"                  |
| WSPC103500 | 10 x 3.1/2"              |
| WSPC104000 | 10 x 4"                  |
| WSPC121000 | 12 x 1"                  |
| WSPC121250 | 12 x 1.1/4"              |
| WSPC121500 | 12 x 1.1/2"              |
| WSPC122000 | 12 x 2"                  |
| WSPC122500 | 12 x 2.1/2"              |
| WSPC123000 | 12 x 3"                  |
| WSPC123500 | 12 x 3.1/2"              |
| WSPC124000 | 12 x 4"                  |

## WOODSCREW POZI ROUND HEAD BZP



| Part No.   | Size (mm) gauge x length |
|------------|--------------------------|
| WSPR060500 | 6 x 1/2"                 |
| WSPR060625 | 6 x 5/8"                 |
| WSPR060750 | 6 x 3/4"                 |
| WSPR061000 | 6 x 1"                   |
| WSPR080750 | 8 x 3/4"                 |
| WSPR081000 | 8 x 1"                   |
| WSPR081250 | 8 x 1.1/4"               |
| WSPR081500 | 8 x 1.1/2"               |
| WSPR081750 | 8 x 1.3/4"               |
| WSPR082000 | 8 x 2"                   |
| WSPR100625 | 10 x 5/8"                |
| WSPR100750 | 10 x 3/4"                |
| WSPR101000 | 10 x 1"                  |
| WSPR101250 | 10 x 1.1/4"              |
| WSPR101500 | 10 x 1.1/2"              |
| WSPR102000 | 10 x 2"                  |
| WSPR102500 | 10 x 2.1/2"              |
| WSPR103000 | 10 x 3"                  |
| WSPR121000 | 12 x 1"                  |
| WSPR121500 | 12 x 1.1/2"              |
| WSPR122000 | 12 x 2"                  |
| WSPR122500 | 12 x 2.1/2"              |
| WSPR123000 | 12 x 3"                  |

## DECKING SCREW SQUARE DRIVE CSK



| Part No.  | Size (mm) |
|-----------|-----------|
| DSSC45050 | 4.5 x 50  |
| DSSC45060 | 4.5 x 60  |
| DSSC45070 | 4.5 x 70  |
| DSSC45080 | 4.5 x 80  |



## WOODSCREWS POZI CSK A2 STAINLESS STEEL



| Part No.     | Size (mm) gauge x length |
|--------------|--------------------------|
| A2WSPC040500 | 4 x 1/2"                 |
| A2WSPC040625 | 4 x 5/8"                 |
| A2WSPC040750 | 4 x 3/4"                 |
| A2WSPC041000 | 4 x 1"                   |
| A2WSPC060500 | 6 x 1/2"                 |
| A2WSPC060625 | 6 x 5/8"                 |
| A2WSPC060750 | 6 x 3/4"                 |
| A2WSPC061000 | 6 x 1"                   |
| A2WSPC061250 | 6 x 1.1/4"               |
| A2WSPC061500 | 6 x 1.1/2"               |
| A2WSPC062000 | 6 x 2"                   |
| A2WSPC070750 | 7 x 3/4"                 |
| A2WSPC071000 | 7 x 1"                   |
| A2WSPC071250 | 7 x 1.1/4"               |
| A2WSPC071500 | 7 x 1.1/2"               |
| A2WSPC080500 | 8 x 1/2"                 |
| A2WSPC080625 | 8 x 5/8"                 |
| A2WSPC080750 | 8 x 3/4"                 |
| A2WSPC081000 | 8 x 1"                   |
| A2WSPC081250 | 8 x 1.1/4"               |
| A2WSPC081500 | 8 x 1.1/2"               |
| A2WSPC081750 | 8 x 1.3/4"               |
| A2WSPC082000 | 8 x 2"                   |
| A2WSPC082250 | 8 x 2.1/4"               |
| A2WSPC082500 | 8 x 2.1/2"               |
| A2WSPC083000 | 8 x 3"                   |
| A2WSPC101000 | 10 x 1"                  |
| A2WSPC101250 | 10 x 1.1/4"              |
| A2WSPC101500 | 10 x 1.1/2"              |
| A2WSPC101750 | 10 x 1.3/4"              |
| A2WSPC102000 | 10 x 2"                  |
| A2WSPC102250 | 10 x 2.1/4"              |
| A2WSPC102500 | 10 x 2.1/2"              |
| A2WSPC103000 | 10 x 3"                  |
| A2WSPC103500 | 10 x 3.1/2"              |
| A2WSPC104000 | 10 x 4"                  |
| A2WSPC121000 | 12 x 1"                  |
| A2WSPC121250 | 12 x 1.1/4"              |
| A2WSPC121500 | 12 x 1.1/2"              |
| A2WSPC122000 | 12 x 2"                  |
| A2WSPC122500 | 12 x 2.1/2"              |
| A2WSPC123000 | 12 x 3"                  |

## WOODSCREW POZI ROUND HEAD BZP A2 STAINLESS STEEL



| Part No.     | Size (mm) gauge x length |
|--------------|--------------------------|
| A2WSPC123500 | 12 x 3.1/2"              |
| A2WSPC124000 | 12 x 4"                  |
| A2WSPR060500 | 6 x 1/2"                 |
| A2WSPR060625 | 6 x 5/8"                 |
| A2WSPR060750 | 6 x 3/4"                 |
| A2WSPR061000 | 6 x 1"                   |
| A2WSPR080750 | 8 x 3/4"                 |
| A2WSPR081000 | 8 x 1"                   |
| A2WSPR081250 | 8 x 1.1/4"               |
| A2WSPR081500 | 8 x 1.1/2"               |
| A2WSPR081750 | 8 x 1.3/4"               |
| A2WSPR082000 | 8 x 2"                   |
| A2WSPR100625 | 10 x 5/8"                |
| A2WSPR100750 | 10 x 3/4"                |
| A2WSPR101000 | 10 x 1"                  |
| A2WSPR101250 | 10 x 1.1/4"              |
| A2WSPR101500 | 10 x 1.1/2"              |
| A2WSPR102000 | 10 x 2"                  |
| A2WSPR102500 | 10 x 2.1/2"              |
| A2WSPR103000 | 10 x 3"                  |
| A2WSPR121000 | 12 x 1"                  |
| A2WSPR121500 | 12 x 1.1/2"              |
| A2WSPR122000 | 12 x 2"                  |

## DECKING SCREWS SQUARE DRIVE CSK A2 STAINLESS STEEL



| Part No.    | Size (mm) |
|-------------|-----------|
| A2DSSC45050 | 4.5 x 50  |
| A2DSSC45060 | 4.5 x 60  |
| A2DSSC45070 | 4.5 x 70  |
| A2DSSC45080 | 4.5 x 80  |

# + CHIPBOARD SCREWS

## CHIPBOARD SCREWS POZI CSK YZP



| Part No.  | Size (mm) |
|-----------|-----------|
| CSPC30012 | 3.0 x 12  |
| CSPC30016 | 3.0 x 16  |
| CSPC30020 | 3.0 x 20  |
| CSPC30025 | 3.0 x 25  |
| CSPC30030 | 3.0 x 30  |
| CSPC35012 | 3.5 x 12  |
| CSPC35016 | 3.5 x 16  |
| CSPC35020 | 3.5 x 20  |
| CSPC35025 | 3.5 x 25  |
| CSPC35030 | 3.5 x 30  |
| CSPC35035 | 3.5 x 35  |
| CSPC35040 | 3.5 x 40  |
| CSPC35045 | 3.5 x 45  |
| CSPC35050 | 3.5 x 50  |
| CSPC40016 | 4.0 x 16  |
| CSPC40020 | 4.0 x 20  |
| CSPC40025 | 4.0 x 25  |
| CSPC40030 | 4.0 x 30  |
| CSPC40035 | 4.0 x 35  |
| CSPC40040 | 4.0 x 40  |
| CSPC40045 | 4.0 x 45  |
| CSPC40050 | 4.0 x 50  |
| CSPC40060 | 4.0 x 60  |
| CSPC40070 | 4.0 x 70  |
| CSPC45025 | 4.5 x 25  |
| CSPC45030 | 4.5 x 30  |
| CSPC45035 | 4.5 x 35  |
| CSPC45040 | 4.5 x 40  |
| CSPC45045 | 4.5 x 45  |
| CSPC45050 | 4.5 x 50  |

| Part No.  | Size (mm) |
|-----------|-----------|
| CSPC50025 | 5.0 x 25  |
| CSPC50030 | 5.0 x 30  |
| CSPC50035 | 5.0 x 35  |
| CSPC50040 | 5.0 x 40  |
| CSPC50045 | 5.0 x 45  |
| CSPC50050 | 5.0 x 50  |
| CSPC50060 | 5.0 x 60  |
| CSPC50070 | 5.0 x 70  |
| CSPC50080 | 5.0 x 80  |
| CSPC50090 | 5.0 x 90  |
| CSPC50100 | 5.0 x 100 |
| CSPC60040 | 6.0 x 40  |
| CSPC60050 | 6.0 x 50  |
| CSPC60060 | 6.0 x 60  |
| CSPC60070 | 6.0 x 70  |
| CSPC60080 | 6.0 x 80  |
| CSPC60090 | 6.0 x 90  |
| CSPC60100 | 6.0 x 100 |
| CSPC60125 | 6.0 x 125 |
| CSPC60130 | 6.0 x 130 |
| CSPC60150 | 6.0 x 150 |



## CHIPBOARD SCREWS POZI CSK A2 STAINLESS STEEL



| Part No.    | Size (mm) |
|-------------|-----------|
| A2CSPC30012 | 3.0 x 12  |
| A2CSPC30016 | 3.0 x 16  |
| A2CSPC30020 | 3.0 x 20  |
| A2CSPC30025 | 3.0 x 25  |
| A2CSPC30030 | 3.0 x 30  |
| A2CSPC35012 | 3.5 x 12  |
| A2CSPC35016 | 3.5 x 16  |
| A2CSPC35020 | 3.5 x 20  |
| A2CSPC35025 | 3.5 x 25  |
| A2CSPC35030 | 3.5 x 30  |
| A2CSPC35035 | 3.5 x 35  |
| A2CSPC35040 | 3.5 x 40  |
| A2CSPC35045 | 3.5 x 45  |
| A2CSPC35050 | 3.5 x 50  |
| A2CSPC40016 | 4.0 x 16  |
| A2CSPC40020 | 4.0 x 20  |
| A2CSPC40025 | 4.0 x 25  |
| A2CSPC40030 | 4.0 x 30  |
| A2CSPC40035 | 4.0 x 35  |
| A2CSPC40040 | 4.0 x 40  |
| A2CSPC40045 | 4.0 x 45  |
| A2CSPC40050 | 4.0 x 50  |
| A2CSPC40060 | 4.0 x 60  |
| A2CSPC40070 | 4.0 x 70  |
| A2CSPC45025 | 4.5 x 25  |
| A2CSPC45030 | 4.5 x 30  |
| A2CSPC45035 | 4.5 x 35  |
| A2CSPC45040 | 4.5 x 40  |
| A2CSPC45045 | 4.5 x 45  |
| A2CSPC45050 | 4.5 x 50  |


| Part No.    | Size (mm) |
|-------------|-----------|
| A2CSPC50025 | 5.0 x 25  |
| A2CSPC50030 | 5.0 x 30  |
| A2CSPC50035 | 5.0 x 35  |
| A2CSPC50040 | 5.0 x 40  |
| A2CSPC50045 | 5.0 x 45  |
| A2CSPC50050 | 5.0 x 50  |
| A2CSPC50060 | 5.0 x 60  |
| A2CSPC50070 | 5.0 x 70  |
| A2CSPC50080 | 5.0 x 80  |
| A2CSPC50090 | 5.0 x 90  |
| A2CSPC50100 | 5.0 x 100 |
| A2CSPC60040 | 6.0 x 40  |
| A2CSPC60050 | 6.0 x 50  |
| A2CSPC60060 | 6.0 x 60  |
| A2CSPC60070 | 6.0 x 70  |
| A2CSPC60080 | 6.0 x 80  |
| A2CSPC60090 | 6.0 x 90  |
| A2CSPC60100 | 6.0 x 100 |
| A2CSPC60125 | 6.0 x 125 |
| A2CSPC60130 | 6.0 x 130 |
| A2CSPC60150 | 6.0 x 150 |

**FP FIXINGS PLUS**

**CONTACT OUR  
SALES OFFICE**

IF YOU CAN'T FIND  
THE SIZE YOU'RE  
LOOKING FOR

t 0121 333 7288  
e sales@fixingsplus.co.uk



# + SUPER SCREWS

## SUPER SCREWS POZI CSK YZP



| Part No.  | Size (mm) |
|-----------|-----------|
| SSPC40025 | 4.0 x 25  |
| SSPC40030 | 4.0 x 30  |
| SSPC40040 | 4.0 x 40  |
| SSPC40045 | 4.0 x 45  |
| SSPC40050 | 4.0 x 50  |
| SSPC40060 | 4.0 x 60  |
| SSPC40070 | 4.0 x 70  |
| SSPC45025 | 4.5 x 25  |
| SSPC45030 | 4.5 x 30  |
| SSPC45040 | 4.5 x 40  |
| SSPC45050 | 4.5 x 50  |
| SSPC50025 | 5.0 x 25  |
| SSPC50030 | 5.0 x 30  |
| SSPC50040 | 5.0 x 40  |

| Part No.  | Size (mm) |
|-----------|-----------|
| SSPC50050 | 5.0 x 50  |
| SSPC50060 | 5.0 x 60  |
| SSPC50070 | 5.0 x 70  |
| SSPC50080 | 5.0 x 80  |
| SSPC50090 | 5.0 x 90  |
| SSPC50100 | 5.0 x 100 |
| SSPC60050 | 6.0 x 50  |
| SSPC60060 | 6.0 x 60  |
| SSPC60070 | 6.0 x 70  |
| SSPC60080 | 6.0 x 80  |
| SSPC60090 | 6.0 x 90  |
| SSPC60100 | 6.0 x 100 |
| SSPC60120 | 6.0 x 120 |
| SSPC60150 | 6.0 x 150 |

### THE HIGH-PERFORMANCE MULTI-PURPOSE WOODSCREW

# VORTEX<sup>®</sup>



**EASILY POWERS THROUGH A RANGE OF MATERIALS INCLUDING**  
Hardwood, Softwood, Plywood, Chipboard, MDF, uPVC, and Thin Sheet Metal

**SHARP, UNDER HEAD MILLING RIBS**  
THE RIBS COUNTERSINK THE SURFACE, SAVING TIME

**ZINC AND YELLOW PLATED**  
OFFERS RESISTANCE TO CORROSION

**GLEITMO DRY LUBRICANT**  
HELPS DRIVE INTO A RANGE OF SUBSTRATES

**RECESSED DOUBLE COUNTERSUNK HEAD**  
GIVES A COUNTERSUNK FLUSH FINISH AND PROVIDES GREATER STRENGTH

**SHARP, WIDE AND DEEP THREAD**  
**FEATURING SAWFIX TECHNOLOGY**  
GIVES MORE BITE AND A BETTER GRIP ENABLING THE SCREW TO BE DRIVEN IN QUICKLY AND EASILY

**OBLIQUE-ANGLE SHARP GASH POINT**  
CREATES A QUICKER START AND SELF DRILLS THE HOLE



COMPATIBLE WITH IMPACT  
AND NON-IMPACT DRIVERS



# + BRASS WOODSCREWS



## WOODSCREWS POZI CSK ELECTRO-BRASS



| Part No.    | Size (mm) gauge x length |
|-------------|--------------------------|
| BWSPC081000 | 8 x 1"                   |
| BWSPC081250 | 8 x 1.1/4"               |
| BWSPC081500 | 8 x 1.1/2"               |
| BWSPC082000 | 8 x 2"                   |
| BWSPC101000 | 10 x 1"                  |
| BWSPC101500 | 10 x 1.1/2"              |
| BWSPC102000 | 10 x 2"                  |
| BWSPC102500 | 10 x 2.1/2"              |

## WOODSCREWS SLOTTED ROUND ELECTRO-BRASS



| Part No.    | Size (mm) gauge x length |
|-------------|--------------------------|
| BWSSR080750 | 8 x 3/4"                 |
| BWSSR081000 | 8 x 1"                   |
| BWSSR081250 | 8 x 1.1/4"               |
| BWSSR081500 | 8 x 1.1/2"               |
| BWSSR082000 | 8 x 2"                   |
| BWSSR101000 | 10 x 1"                  |
| BWSSR101250 | 10 x 1.1/4"              |
| BWSSR101500 | 10 x 1.1/2"              |
| BWSSR102000 | 10 x 2"                  |

## WOODSCREWS SLOTTED CSK ELECTRO-BRASS



| Part No.    | Size (mm) gauge x length |
|-------------|--------------------------|
| BWSSC060750 | 6 x 3/4"                 |
| BWSSC061000 | 6 x 1"                   |
| BWSSC061250 | 6 x 1.1/4"               |
| BWSSC061500 | 6 x 1.1/2"               |
| BWSSC080750 | 8 x 3/4"                 |
| BWSSC081000 | 8 x 1"                   |
| BWSSC081250 | 8 x 1.1/4"               |
| BWSSC081500 | 8 x 1.1/2"               |
| BWSSC082000 | 8 x 2"                   |
| BWSSC082500 | 8 x 2.1/2"               |
| BWSSC101000 | 10 x 1"                  |
| BWSSC101250 | 10 x 1.1/4"              |
| BWSSC101500 | 10 x 1.1/2"              |
| BWSSC102000 | 10 x 2"                  |
| BWSSC102500 | 10 x 2.1/2"              |
| BWSSC103000 | 10 x 3"                  |
| BWSSC121500 | 12 x 1.1/2"              |
| BWSSC122000 | 12 x 2"                  |
| BWSSC122500 | 12 x 2.1/2"              |
| BWSSC123000 | 12 x 3"                  |

## WOODSCREWS SLOTTED ROUND BLACK JAP



| Part No.     | Size (mm) gauge x length |
|--------------|--------------------------|
| WSSR061000BJ | 6 x 1"                   |
| WSSR061250BJ | 6 x 1.1/4"               |
| WSSR061500BJ | 6 x 1.1/2"               |
| WSSR081000BJ | 8 x 1"                   |
| WSSR081250BJ | 8 x 1.1/4"               |
| WSSR081500BJ | 8 x 1.1/2"               |
| WSSR082000BJ | 8 x 2"                   |
| WSSR101000BJ | 10 x 1"                  |
| WSSR101250BJ | 10 x 1.1/4"              |
| WSSR101500BJ | 10 x 1.1/2"              |
| WSSR102000BJ | 10 x 2"                  |
| WSSR121000BJ | 12 x 1"                  |
| WSSR121500BJ | 12 x 1.1/2"              |
| WSSR122000BJ | 12 x 2"                  |



# + CARPENTRY SCREWS

## COACH SCREW HEXAGON HEAD BZP

Also available in stainless steel. Available in other sizes.



| Part No. | Size (mm) |
|----------|-----------|
| CSH06025 | 6 x 25    |
| CSH06030 | 6 x 30    |
| CSH06040 | 6 x 40    |
| CSH06050 | 6 x 50    |
| CSH06060 | 6 x 60    |
| CSH06070 | 6 x 70    |
| CSH06075 | 6 x 75    |
| CSH06080 | 6 x 80    |
| CSH06100 | 6 x 100   |
| CSH08030 | 8 x 30    |
| CSH08040 | 8 x 40    |
| CSH08050 | 8 x 50    |
| CSH08060 | 8 x 60    |
| CSH08070 | 8 x 70    |
| CSH08075 | 8 x 75    |
| CSH08080 | 8 x 80    |
| CSH08100 | 8 x 100   |
| CSH08120 | 8 x 120   |
| CSH08130 | 8 x 130   |
| CSH08150 | 8 x 150   |
| CSH10030 | 10 x 30   |
| CSH10040 | 10 x 40   |
| CSH10050 | 10 x 50   |
| CSH10060 | 10 x 60   |
| CSH10075 | 10 x 75   |
| CSH10080 | 10 x 80   |
| CSH10100 | 10 x 100  |
| CSH10120 | 10 x 120  |
| CSH10150 | 10 x 150  |
| CSH10160 | 10 x 160  |
| CSH10180 | 10 x 180  |
| CSH10200 | 10 x 200  |
| CSH12050 | 12 x 50   |
| CSH12060 | 12 x 60   |
| CSH12075 | 12 x 75   |
| CSH12080 | 12 x 80   |
| CSH12100 | 12 x 100  |
| CSH12120 | 12 x 120  |
| CSH12130 | 12 x 130  |
| CSH12150 | 12 x 150  |
| CSH12160 | 12 x 160  |
| CSH12180 | 12 x 180  |
| CSH12200 | 12 x 200  |

## CUP SQUARE HEX BZP

Also available in stainless steel.



| Part No.  | Size (mm) | Part No.  | Size (mm) |
|-----------|-----------|-----------|-----------|
| CSQH06030 | M6 x 30   | CSQH10110 | M10 x 110 |
| CSQH06040 | M6 x 40   | CSQH10120 | M10 x 120 |
| CSQH06050 | M6 x 50   | CSQH10130 | M10 x 130 |
| CSQH06060 | M6 x 60   | CSQH10150 | M10 x 150 |
| CSQH06070 | M6 x 70   | CSQH10160 | M10 x 160 |
| CSQH06075 | M6 x 75   | CSQH10180 | M10 x 180 |
| CSQH06090 | M6 x 90   | CSQH10200 | M10 x 200 |
| CSQH06100 | M6 x 100  | CSQH10220 | M10 x 220 |
| CSQH06120 | M6 x 120  | CSQH10240 | M10 x 240 |
| CSQH06130 | M6 x 130  | CSQH10260 | M10 x 260 |
| CSQH08030 | M8 x 30   | CSQH10280 | M10 x 280 |
| CSQH08040 | M8 x 40   | CSQH10300 | M10 x 300 |
| CSQH08050 | M8 x 50   | CSQH12040 | M12 x 40  |
| CSQH08060 | M8 x 60   | CSQH12050 | M12 x 50  |
| CSQH08070 | M8 x 70   | CSQH12060 | M12 x 60  |
| CSQH08075 | M8 x 75   | CSQH12075 | M12 x 75  |
| CSQH08090 | M8 x 90   | CSQH12080 | M12 x 80  |
| CSQH08100 | M8 x 100  | CSQH12100 | M12 x 100 |
| CSQH08110 | M8 x 110  | CSQH12120 | M12 x 120 |
| CSQH08120 | M8 x 120  | CSQH12140 | M12 x 140 |
| CSQH08130 | M8 x 130  | CSQH12150 | M12 x 150 |
| CSQH08150 | M8 x 150  | CSQH12160 | M12 x 160 |
| CSQH10030 | M10 x 30  | CSQH12180 | M12 x 180 |
| CSQH10040 | M10 x 40  | CSQH12200 | M12 x 200 |
| CSQH10050 | M10 x 50  | CSQH12220 | M12 x 220 |
| CSQH10060 | M10 x 60  | CSQH12240 | M12 x 240 |
| CSQH10075 | M10 x 75  | CSQH12260 | M12 x 260 |
| CSQH10080 | M10 x 80  | CSQH12280 | M12 x 280 |
| CSQH10100 | M10 x 100 | CSQH12300 | M12 x 300 |

## ROOFING BOLT & NUT BZP



| Part No. | Size (mm) | Part No. | Size (mm) |
|----------|-----------|----------|-----------|
| RBN06012 | M6 x 12   | RBN06040 | M6 x 40   |
| RBN06016 | M6 x 16   | RBN06050 | M6 x 50   |
| RBN06020 | M6 x 20   | RBN06060 | M6 x 60   |
| RBN06025 | M6 x 25   | RBN06075 | M6 x 75   |
| RBN06030 | M6 x 30   | RBN06100 | M6 x 100  |

## HEXAGON SETSCREWS HT BZP



| Part No. | Size (mm) | Part No. | Size (mm) | Part No. | Size (mm) |
|----------|-----------|----------|-----------|----------|-----------|
| SH04020  | M4 x 20   | SH10016  | M10 x 16  | SH16030  | M16 x 30  |
| SH04025  | M4 x 25   | SH10020  | M10 x 20  | SH16040  | M16 x 40  |
| SH04030  | M4 x 30   | SH10025  | M10 x 25  | SH16045  | M16 x 45  |
| SH05016  | M5 x 16   | SH10030  | M10 x 30  | SH16050  | M16 x 50  |
| SH05020  | M5 x 20   | SH10035  | M10 x 35  | SH16055  | M16 x 55  |
| SH05025  | M5 x 25   | SH10040  | M10 x 40  | SH16060  | M16 x 60  |
| SH05030  | M5 x 30   | SH10045  | M10 x 45  | SH16065  | M16 x 65  |
| SH06012  | M6 x 12   | SH10050  | M10 x 50  | SH16070  | M16 x 70  |
| SH06016  | M6 x 16   | SH10055  | M10 x 55  | SH16075  | M16 x 75  |
| SH06020  | M6 x 20   | SH10060  | M10 x 60  | SH16080  | M16 x 80  |
| SH06025  | M6 x 25   | SH10070  | M10 x 70  | SH16090  | M16 x 90  |
| SH06030  | M6 x 30   | SH10075  | M10 x 75  | SH16100  | M16 x 100 |
| SH06035  | M6 x 35   | SH10080  | M10 x 80  | SH16110  | M16 x 110 |
| SH06040  | M6 x 40   | SH10090  | M10 x 90  | SH16120  | M16 x 120 |
| SH06045  | M6 x 45   | SH10100  | M10 x 100 | SH16150  | M16 x 150 |
| SH06050  | M6 x 50   | SH10120  | M10 x 120 | SH16180  | M16 x 180 |
| SH06055  | M6 x 55   | SH10130  | M10 x 130 | SH16200  | M16 x 200 |
| SH06060  | M6 x 60   | SH10150  | M10 x 150 | SH20040  | M20 x 40  |
| SH06065  | M6 x 65   | SH12020  | M12 x 20  | SH20050  | M20 x 50  |
| SH06070  | M6 x 70   | SH12025  | M12 x 25  | SH20055  | M20 x 55  |
| SH06075  | M6 x 75   | SH12030  | M12 x 30  | SH20060  | M20 x 60  |
| SH08012  | M8 x 12   | SH12035  | M12 x 35  | SH20070  | M20 x 70  |
| SH08016  | M8 x 16   | SH12040  | M12 x 40  | SH20075  | M20 x 75  |
| SH08020  | M8 x 20   | SH12045  | M12 x 45  | SH20080  | M20 x 80  |
| SH08025  | M8 x 25   | SH12050  | M12 x 50  | SH20090  | M20 x 90  |
| SH08030  | M8 x 30   | SH12055  | M12 x 55  | SH20100  | M20 x 100 |
| SH08035  | M8 x 35   | SH12060  | M12 x 60  | SH20110  | M20 x 110 |
| SH08040  | M8 x 40   | SH12070  | M12 x 70  | SH20120  | M20 x 120 |
| SH08045  | M8 x 45   | SH12075  | M12 x 75  | SH20130  | M20 x 130 |
| SH08050  | M8 x 50   | SH12080  | M12 x 80  | SH20150  | M20 x 150 |
| SH08060  | M8 x 60   | SH12090  | M12 x 90  | SH20180  | M20 x 180 |
| SH08070  | M8 x 70   | SH12100  | M12 x 100 | SH20200  | M20 x 200 |
| SH08075  | M8 x 75   | SH12120  | M12 x 120 |          |           |
| SH08080  | M8 x 80   | SH12130  | M12 x 130 |          |           |
| SH08100  | M8 x 100  | SH12150  | M12 x 150 |          |           |
| SH10012  | M10 x 12  | SH12180  | M12 x 180 |          |           |

Also available in Stainless Steel. Prefix Part No. with A2 for Grade 304 and A4 for Grade 316.

# + BOLTS

## HEXAGON BOLTS HT BZP



| Part No. | Size (mm) | Part No. | Size (mm) | Part No. | Size (mm) |
|----------|-----------|----------|-----------|----------|-----------|
| BH08050  | M8 x 50   | BH12180  | M12 x 180 | BH20250  | M20 x 250 |
| BH08060  | M8 x 60   | BH12200  | M12 x 200 | BH20260  | M20 x 260 |
| BH08070  | M8 x 70   | BH12220  | M12 x 220 | BH20280  | M20 x 280 |
| BH08075  | M8 x 75   | BH12230  | M12 x 230 | BH20300  | M20 x 300 |
| BH08100  | M8 x 100  | BH12250  | M12 x 250 |          |           |
| BH08120  | M8 x 120  | BH16050  | M16 x 50  |          |           |
| BH08130  | M8 x 130  | BH16060  | M16 x 60  |          |           |
| BH08150  | M8 x 150  | BH16070  | M16 x 70  |          |           |
| BH08160  | M8 x 160  | BH16075  | M16 x 75  |          |           |
| BH08180  | M8 x 180  | BH16080  | M16 x 80  |          |           |
| BH08200  | M8 x 200  | BH16100  | M16 x 100 |          |           |
| BH10050  | M10 x 50  | BH16110  | M16 x 110 |          |           |
| BH10060  | M10 x 60  | BH16120  | M16 x 120 |          |           |
| BH10070  | M10 x 70  | BH16130  | M16 x 130 |          |           |
| BH10075  | M10 x 75  | BH16150  | M16 x 150 |          |           |
| BH10080  | M10 x 80  | BH16180  | M16 x 180 |          |           |
| BH10100  | M10 x 100 | BH16200  | M16 x 200 |          |           |
| BH10110  | M10 x 110 | BH16220  | M16 x 220 |          |           |
| BH10120  | M10 x 120 | BH16250  | M16 x 250 |          |           |
| BH10130  | M10 x 130 | BH16260  | M16 x 260 |          |           |
| BH10150  | M10 x 150 | BH16280  | M16 x 280 |          |           |
| BH10160  | M10 x 160 | BH20050  | M20 x 50  |          |           |
| BH10180  | M10 x 180 | BH20060  | M20 x 60  |          |           |
| BH10200  | M10 x 200 | BH20070  | M20 x 70  |          |           |
| BH10220  | M10 x 220 | BH20075  | M20 x 75  |          |           |
| BH10230  | M10 x 230 | BH20080  | M20 x 80  |          |           |
| BH10250  | M10 x 250 | BH20090  | M20 x 90  |          |           |
| BH12050  | M12 x 50  | BH20100  | M20 x 100 |          |           |
| BH12060  | M12 x 60  | BH20110  | M20 x 110 |          |           |
| BH12070  | M12 x 70  | BH20120  | M20 x 120 |          |           |
| BH12075  | M12 x 75  | BH20130  | M20 x 130 |          |           |
| BH12080  | M12 x 80  | BH20150  | M20 x 150 |          |           |
| BH12100  | M12 x 100 | BH20160  | M20 x 160 |          |           |
| BH12120  | M12 x 120 | BH20180  | M20 x 180 |          |           |
| BH12150  | M12 x 150 | BH20200  | M20 x 200 |          |           |
| BH12160  | M12 x 160 | BH20220  | M20 x 220 |          |           |

Also available in Stainless Steel. Prefix Part No. with A2 for Grade 304 and A4 for Grade 316.

## POZI PAN MACHINE SCREW BZP



| Part No.  | Size (mm) | Part No.  | Size (mm) |
|-----------|-----------|-----------|-----------|
| MSPPO3006 | M3 x 6    | MSPPO5020 | M5 x 20   |
| MSPPO3008 | M3 x 8    | MSPPO5025 | M5 x 25   |
| MSPPO3010 | M3 x 10   | MSPPO5030 | M5 x 30   |
| MSPPO3012 | M3 x 12   | MSPPO5035 | M5 x 35   |
| MSPPO3016 | M3 x 16   | MSPPO5040 | M5 x 40   |
| MSPPO3020 | M3 x 20   | MSPPO5045 | M5 x 45   |
| MSPPO3025 | M3 x 25   | MSPPO5050 | M5 x 50   |
| MSPPO3030 | M3 x 30   | MSPPO5060 | M5 x 60   |
| MSPPO3035 | M3 x 35   | MSPPO5070 | M5 x 70   |
| MSPPO3060 | M3 x 60   | MSPPO5090 | M5 x 90   |
| MSPPO4005 | M4 x 5    | MSPPO6008 | M6 x 8    |
| MSPPO4006 | M4 x 6    | MSPPO6010 | M6 x 10   |
| MSPPO4010 | M4 x 10   | MSPPO6012 | M6 x 12   |
| MSPPO4012 | M4 x 12   | MSPPO6016 | M6 x 16   |
| MSPPO4016 | M4 x 16   | MSPPO6020 | M6 x 20   |
| MSPPO4020 | M4 x 20   | MSPPO6025 | M6 x 25   |
| MSPPO4025 | M4 x 25   | MSPPO6030 | M6 x 30   |
| MSPPO4030 | M4 x 30   | MSPPO6035 | M6 x 35   |
| MSPPO4035 | M4 x 35   | MSPPO6040 | M6 x 40   |
| MSPPO4040 | M4 x 40   | MSPPO6045 | M6 x 45   |
| MSPPO4050 | M4 x 50   | MSPPO6050 | M6 x 50   |
| MSPPO4060 | M4 x 60   | MSPPO6060 | M6 x 60   |
| MSPPO4070 | M4 x 70   | MSPPO6070 | M6 x 70   |
| MSPPO4100 | M4 x 100  | MSPPO6075 | M6 x 75   |
| MSPPO5006 | M5 x 6    | MSPPO6080 | M6 x 80   |
| MSPPO5008 | M5 x 8    | MSPPO6100 | M6 x 100  |
| MSPPO5010 | M5 x 10   | MSPPO8020 | M8 x 20   |
| MSPPO5012 | M5 x 12   | MSPPO8030 | M8 x 30   |
| MSPPO5016 | M5 x 16   | MSPPO8050 | M8 x 50   |

Also available in Stainless Steel. With A2 for Grade 304 and A4 for Grade 316.  
Other sizes available on request

## POZI COUNTERSUNK MACHINE SCREW BZP



| Part No.  | Size (mm) | Part No.  | Size (mm) |
|-----------|-----------|-----------|-----------|
| MSPC03010 | M3 x 10   | MSPC05050 | M5 x 50   |
| MSPC03012 | M3 x 12   | MSPC05060 | M5 x 60   |
| MSPC03016 | M3 x 16   | MSPC05070 | M5 x 70   |
| MSPC03020 | M3 x 20   | MSPC05075 | M5 x 75   |
| MSPC03025 | M3 x 25   | MSPC05120 | M5 x 120  |
| MSPC04006 | M4 x 6    | MSPC06010 | M6 x 10   |
| MSPC04008 | M4 x 8    | MSPC06012 | M6 x 12   |
| MSPC04010 | M4 x 10   | MSPC06016 | M6 x 16   |
| MSPC04012 | M4 x 12   | MSPC06020 | M6 x 20   |
| MSPC04016 | M4 x 16   | MSPC06025 | M6 x 25   |
| MSPC04020 | M4 x 20   | MSPC06030 | M6 x 30   |
| MSPC04025 | M4 x 25   | MSPC06035 | M6 x 35   |
| MSPC04030 | M4 x 30   | MSPC06040 | M6 x 40   |
| MSPC04035 | M4 x 35   | MSPC06045 | M6 x 45   |
| MSPC04040 | M4 x 40   | MSPC06050 | M6 x 50   |
| MSPC04050 | M4 x 50   | MSPC06060 | M6 x 60   |
| MSPC04060 | M4 x 60   | MSPC06070 | M6 x 70   |
| MSPC05008 | M5 x 8    | MSPC06100 | M6 x 100  |
| MSPC05010 | M5 x 10   | MSPC08020 | M8 x 20   |
| MSPC05012 | M5 x 12   | MSPC08025 | M8 x 25   |
| MSPC05016 | M5 x 16   | MSPC08030 | M8 x 30   |
| MSPC05020 | M5 x 20   | MSPC08040 | M8 x 40   |
| MSPC05025 | M5 x 25   | MSPC08050 | M8 x 50   |
| MSPC05030 | M5 x 30   | MSPC08060 | M8 x 60   |
| MSPC05035 | M5 x 35   | MSPC08090 | M8 x 90   |
| MSPC05040 | M5 x 40   |           |           |

Also available in Stainless Steel. With A2 for Grade 304 and A4 for Grade 316.  
Other sizes available on request

# + SOCKETS

## SOCKET CSK BZP



| Part No. | Size (mm) |
|----------|-----------|
| SC04010  | M4 x 10   |
| SC04012  | M4 x 12   |
| SC04016  | M4 x 16   |
| SC04020  | M4 x 20   |
| SC04025  | M4 x 25   |
| SC05010  | M5 x 10   |
| SC05012  | M5 x 12   |
| SC05016  | M5 x 16   |
| SC05020  | M5 x 20   |
| SC05025  | M5 x 25   |
| SC06010  | M6 x 10   |
| SC06012  | M6 x 12   |
| SC06016  | M6 x 16   |
| SC06020  | M6 x 20   |
| SC06025  | M6 x 25   |
| SC08010  | M8 x 10   |
| SC08012  | M8 x 12   |
| SC08016  | M8 x 16   |
| SC08020  | M8 x 20   |
| SC08025  | M8 x 25   |
| SC08030  | M8 x 30   |
| SC08035  | M8 x 35   |
| SC08040  | M8 x 40   |
| SC08050  | M8 x 50   |
| SC10016  | M10 x 16  |
| SC10020  | M10 x 20  |
| SC10025  | M10 x 25  |
| SC10030  | M10 x 30  |
| SC10035  | M10 x 35  |
| SC10040  | M10 x 40  |
| SC10050  | M10 x 50  |
| SC12020  | M12 x 20  |
| SC12025  | M12 x 25  |
| SC12030  | M12 x 30  |
| SC12040  | M12 x 40  |
| SC12050  | M12 x 50  |
| SC12100  | M12 x 100 |
| SC16025  | M16 x 25  |
| SC16050  | M16 x 50  |
| SC16100  | M16 x 100 |

## SOCKET BUTTON BZP



| Part No. | Size (mm) |
|----------|-----------|
| SB04010  | M4 x 10   |
| SB04012  | M4 x 12   |
| SB04016  | M4 x 16   |
| SB04020  | M4 x 20   |
| SB04025  | M4 x 25   |
| SB05010  | M5 x 10   |
| SB05012  | M5 x 12   |
| SB05016  | M5 x 16   |
| SB05020  | M5 x 20   |
| SB05025  | M5 x 25   |
| SB06010  | M6 x 10   |
| SB06012  | M6 x 12   |
| SB06016  | M6 x 16   |
| SB06020  | M6 x 20   |
| SB06025  | M6 x 25   |
| SB08010  | M8 x 10   |
| SB08012  | M8 x 12   |
| SB08016  | M8 x 16   |
| SB08020  | M8 x 20   |
| SB08025  | M8 x 25   |
| SB08030  | M8 x 30   |
| SB08035  | M8 x 35   |
| SB08040  | M8 x 40   |
| SB08050  | M8 x 50   |
| SB10016  | M10 x 16  |
| SB10020  | M10 x 20  |
| SB10025  | M10 x 25  |
| SB10030  | M10 x 30  |
| SB10035  | M10 x 35  |
| SB10040  | M10 x 40  |
| SB10050  | M10 x 50  |
| SB12020  | M12 x 20  |
| SB12025  | M12 x 25  |
| SB12030  | M12 x 30  |
| SB12040  | M12 x 40  |
| SB12050  | M12 x 50  |
| SB12100  | M12 x 100 |
| SB16025  | M16 x 25  |
| SB16050  | M16 x 50  |
| SB16100  | M16 x 100 |

Also available in Stainless Steel. Prefix Part No. with A2 for Grade 304 and A4 for Grade 316.



## SOCKET CAP BZP



| Part No. | Size (mm) |
|----------|-----------|
| SCP04010 | M4 x 10   |
| SCP04012 | M4 x 12   |
| SCP04016 | M4 x 16   |
| SCP04020 | M4 x 20   |
| SCP04025 | M4 x 25   |
| SCP05010 | M5 x 10   |
| SCP05012 | M5 x 12   |
| SCP05016 | M5 x 16   |
| SCP05020 | M5 x 20   |
| SCP05025 | M5 x 25   |
| SCP06010 | M6 x 10   |
| SCP06012 | M6 x 12   |
| SCP06016 | M6 x 16   |
| SCP06020 | M6 x 20   |
| SCP06025 | M6 x 25   |
| SCP08010 | M8 x 10   |
| SCP08012 | M8 x 12   |
| SCP08016 | M8 x 16   |
| SCP08020 | M8 x 20   |
| SCP08025 | M8 x 25   |
| SCP08030 | M8 x 30   |
| SCP08035 | M8 x 35   |
| SCP08040 | M8 x 40   |
| SCP08050 | M8 x 50   |
| SCP10016 | M10 x 16  |
| SCP10020 | M10 x 20  |
| SCP10025 | M10 x 25  |
| SCP10030 | M10 x 30  |
| SCP10035 | M10 x 35  |
| SCP10040 | M10 x 40  |
| SCP10050 | M10 x 50  |
| SCP12020 | M12 x 20  |
| SCP12025 | M12 x 25  |
| SCP12030 | M12 x 30  |
| SCP12040 | M12 x 40  |
| SCP12050 | M12 x 50  |
| SCP12100 | M12 x 100 |
| SCP16025 | M16 x 25  |
| SCP16050 | M16 x 50  |
| SCP16100 | M16 x 100 |

## SOCKET SETS BZP



| Part No. | Size (mm) |
|----------|-----------|
| SS04010  | M4 x 10   |
| SS04012  | M4 x 12   |
| SS04016  | M4 x 16   |
| SS04020  | M4 x 20   |
| SS04025  | M4 x 25   |
| SS05010  | M5 x 10   |
| SS05012  | M5 x 12   |
| SS05016  | M5 x 16   |
| SS05020  | M5 x 20   |
| SS05025  | M5 x 25   |
| SS06010  | M6 x 10   |
| SS06012  | M6 x 12   |
| SS06016  | M6 x 16   |
| SS06020  | M6 x 20   |
| SS06025  | M6 x 25   |
| SS08010  | M8 x 10   |
| SS08012  | M8 x 12   |
| SS08016  | M8 x 16   |
| SS08020  | M8 x 20   |
| SS08025  | M8 x 25   |
| SS08030  | M8 x 30   |
| SS08035  | M8 x 35   |
| SS08040  | M8 x 40   |
| SS08050  | M8 x 50   |
| SS10016  | M10 x 16  |
| SS10020  | M10 x 20  |
| SS10025  | M10 x 25  |
| SS10030  | M10 x 30  |
| SS10035  | M10 x 35  |
| SS10040  | M10 x 40  |
| SS10050  | M10 x 50  |
| SS12020  | M12 x 20  |
| SS12025  | M12 x 25  |
| SS12030  | M12 x 30  |
| SS12040  | M12 x 40  |
| SS12050  | M12 x 50  |
| SS12100  | M12 x 100 |
| SS16025  | M16 x 25  |
| SS16050  | M16 x 50  |
| SS16100  | M16 x 100 |

Also available in Stainless Steel. Prefix Part No. with A2 for Grade 304 and A4 for Grade 316.

# + NUTS AND WASHERS

## HEX FULL NUT BZP



| Part No. | Size (mm) |
|----------|-----------|
| N04      | 4         |
| N05      | 5         |
| N06      | 6         |
| N08      | 8         |
| N10      | 10        |
| N12      | 12        |
| N16      | 16        |
| N20      | 20        |
| N24      | 24        |
| N30      | 30        |

## NYLOC NUT BZP



| Part No. | Size (mm) |
|----------|-----------|
| NN04     | 4         |
| NN05     | 5         |
| NN06     | 6         |
| NN08     | 8         |
| NN10     | 10        |
| NN12     | 12        |
| NN16     | 16        |
| NN20     | 20        |
| NN24     | 24        |
| NN30     | 30        |

## FLANGE NUT BZP



| Part No. | Size (mm) |
|----------|-----------|
| NF04     | 4         |
| NF05     | 5         |
| NF06     | 6         |
| NF08     | 8         |
| NF10     | 10        |
| NF12     | 12        |
| NF16     | 16        |
| NF20     | 20        |
| NF24     | 24        |
| NF30     | 30        |

## DOME NUT BZP



| Part No. | Size (mm) |
|----------|-----------|
| ND04     | 4         |
| ND05     | 5         |
| ND06     | 6         |
| ND08     | 8         |
| ND10     | 10        |
| ND12     | 12        |
| ND16     | 16        |
| ND20     | 20        |
| ND24     | 24        |
| ND30     | 30        |

## WING NUT BZP



| Part No. | Size (mm) |
|----------|-----------|
| NW04     | 4         |
| NW05     | 5         |
| NW06     | 6         |
| NW08     | 8         |
| NW10     | 10        |
| NW12     | 12        |
| NW16     | 16        |
| NW20     | 20        |
| NW24     | 24        |
| NW30     | 30        |

Also available in Stainless Steel. Prefix Part No. with A2 for Grade 304 and A4 for Grade 316.

## FORM A WASHER BZP



| Part No. | Size (mm) |
|----------|-----------|
| W04      | 4         |
| W05      | 5         |
| W06      | 6         |
| W08      | 8         |
| W10      | 10        |
| W12      | 12        |
| W16      | 16        |
| W20      | 20        |
| W24      | 24        |
| W30      | 30        |

## REPAIR WASHER BZP



| Part No. | Size (mm) |
|----------|-----------|
| WP0520   | 5 x 20    |
| WP0525   | 5 x 25    |
| WP0625   | 6 x 25    |
| WP0630   | 6 x 30    |
| WP0638   | 6 x 38    |
| WP0650   | 6 x 50    |
| WP0825   | 8 x 25    |
| WP0830   | 8 x 30    |
| WP0838   | 8 x 38    |
| WP0850   | 8 x 50    |
| WP1025   | 10 x 25   |
| WP1038   | 10 x 38   |
| WP1050   | 10 x 50   |

## SPRING WASHER BZP



| Part No. | Size (mm) |
|----------|-----------|
| WSP04    | 4         |
| WSP05    | 5         |
| WSP06    | 6         |
| WSP08    | 8         |
| WSP10    | 10        |
| WSP12    | 12        |
| WSP16    | 16        |
| WSP20    | 20        |
| WSP24    | 24        |
| WSP30    | 30        |

## SHAKEPROOF WASHER BZP



| Part No. | Size (mm) |
|----------|-----------|
| WSI04    | 4         |
| WSI05    | 5         |
| WSI06    | 6         |
| WSI08    | 8         |
| WSI10    | 10        |
| WSI12    | 12        |
| WSI16    | 16        |
| WSI20    | 20        |
| WSI24    | 24        |
| WSI30    | 30        |

## SQUARE PLATE WASHER BZP



| Part No.   | Size (mm) |
|------------|-----------|
| WSP1005003 | 10x50x3   |
| WSP1205003 | 12x50x3   |
| WSP1605003 | 16x50x3   |
| WSP2005003 | 20x50x3   |
| WSP2405003 | 24x50x3   |
| WSP3005003 | 30x50x3   |

Also available in Stainless Steel. Prefix Part No. with A2 for Grade 304 and A4 for Grade 316.

## ROUND HEAD BRIGHT – 1 KILO PACK



| Part No. | Size (mm)  |
|----------|------------|
| NR050    | 50 x 2.65  |
| NR065    | 65 x 3.35  |
| NR075    | 75 x 3.75  |
| NR100    | 100 x 4.50 |
| NR125    | 125 x 5.60 |
| NR150    | 150 x 6.00 |

## ROUND HEAD GALVANISED – 1 KILO PACK



| Part No. | Size (mm)  |
|----------|------------|
| NR050G   | 50 x 2.65  |
| NR065G   | 65 x 3.35  |
| NR075G   | 75 x 3.75  |
| NR100G   | 100 x 4.50 |
| NR125G   | 125 x 5.60 |
| NR150G   | 150 x 6.00 |

## OVAL HEAD BRIGHT – 1 KILO PACK



| Part No. | Size (mm) |
|----------|-----------|
| NO040    | 40        |
| NO050    | 50        |
| NO065    | 65        |
| NO075    | 75        |
| NO100    | 100       |

## LOST HEAD BRIGHT – 1 KILO PACK



| Part No. | Size (mm) |
|----------|-----------|
| NL050    | 50 x 2.65 |
| NL065    | 65 x 3.35 |
| NL075    | 75 x 3.75 |

## LOST HEAD GALVANISED – 1 KILO PACK



| Part No. | Size (mm) |
|----------|-----------|
| NL040G   | 40 x 2.36 |
| NL065G   | 65 x 3.35 |

## SQUARE TWIST SHERADISED – 1 KILO PACK



| Part No. | Size (mm) |
|----------|-----------|
| NS030S   | 30 x 3.75 |
| NS040S   | 40 x 3.75 |

## SQUARE TWIST GALVANISED – 1 KILO PACK



| Part No. | Size (mm) |
|----------|-----------|
| NS030G   | 30 x 3.75 |
| NS040G   | 40 x 3.75 |

# + NAILS

## CLOUT NAIL GALVANISED – 1 KILO PACK



| Part No. | Size (mm)  |
|----------|------------|
| NC020G   | 20 x 2.65  |
| NC025G   | 25 x 2.65  |
| NC030G   | 30 x 2.65  |
| NC040G   | 40 x 2.65  |
| NC050G   | 50 x 3.35  |
| NC065G   | 65 x 3.75  |
| NC075G   | 75 x 3.75  |
| NC100G   | 100 x 4.50 |

## CLOUT NAIL GALVANISED EXTRA LARGE HEAD – 1 KILO PACK



| Part No.  | Size (mm) |
|-----------|-----------|
| NC025GELH | 25 x 3.00 |
| NC030GELH | 30 x 3.00 |
| NC040GELH | 40 x 3.00 |
| NC050GELH | 50 x 3.00 |

## ANNULAR RING SHANK BRIGHT – 1 KILO PACK



| Part No. | Size (mm) |
|----------|-----------|
| NA040    | 40 x 2.65 |
| NA050    | 50 x 2.65 |
| NA065    | 65 x 3.35 |
| NA075    | 75 x 3.75 |

## ANNULAR RING SHANK SHERADISED – 1 KILO PACK



| Part No. | Size (mm) |
|----------|-----------|
| NA040S   | 40 x 2.65 |
| NA050S   | 50 x 3.35 |
| NA065S   | 65 x 3.35 |
| NA075S   | 75 x 3.75 |

## MASONRY NAILS – 1 KILO PACK



| Part No. | Size (mm)  |
|----------|------------|
| MNM025   | 25 x 3.00  |
| MNM030   | 30 x 3.00  |
| MNM035   | 35 x 3.00  |
| MNM040   | 40 x 3.00  |
| MNM050   | 50 x 3.00  |
| MNM060   | 60 x 3.00  |
| MNM070   | 70 x 3.00  |
| MNH060   | 60 x 3.50  |
| MNH070   | 70 x 3.50  |
| MNH100   | 100 x 3.50 |

## MASONRY NAILS WASHERED – 1 KILO PACK



| Part No. | Size (mm) |
|----------|-----------|
| MNMW030  | 30 x 3.00 |

## PANEL PINS – 1 KILO PACK



| Part No. | Size (mm) |
|----------|-----------|
| PP15     | 15        |
| PP20     | 20        |
| PP25     | 25        |
| PP30     | 30        |
| PP40     | 40        |
| PP50     | 50        |

# DuoPower

## \*The No.1 Plug!

The first plug that  
**AUTOMATICALLY ADAPTS**  
to the building material!

The combination of soft and hard materials achieves top load values and intelligent functioning depending on the substrate.

Design features within the main body guides the screw towards a perfect fit and safe installation.

A short plug length offers quicker fixing, with smaller drill hole depths.

Red wings expand to provide extra secure anchoring.

Two components for more expansion volume and considerably higher load capacity. The combination of soft and hard materials achieves the best balance of screw-in and tightening torque.

### Function zone 1.

The tip spreads in two directions for a higher load bearing capacity in difficult building materials.

### Function zone 3

Depending on the building material, the back part of the plug either expands or folds for the best hold.



### Function zone 2.

The expanding element spreads in a 90° angle to the zone I and III and additionally provides an optimal screw guidance.

Longer Length Plug

### Recommendation

Suitable for building materials, such as



Uncracked concrete



Solid brick



Perforated brick



Aerated concrete



Plasterboard



SCAN ME

For further information  
on our range of DuoPower  
products.



## + PLUGS, CAPS AND CUPS

### PLASTIC WALL PLUGS



| Part No. | Drill Dia. (mm) | Screw Size gauge | Colour |
|----------|-----------------|------------------|--------|
| PWP05    | 5               | 4 - 6            | Yellow |
| PWP06    | 6               | 6 - 10           | Red    |
| PWP07    | 7               | 8 - 12           | Brown  |
| PWP08    | 8               | 12 - 14          | Blue   |

### NYLON WALL PLUG



| Part No. | Drill Dia. (mm) | Screw size gauge | Screw size (mm) |
|----------|-----------------|------------------|-----------------|
| NWP05    | 5               | 4 - 6            | 2.5 - 3.5       |
| NWP06    | 6               | 6 - 10           | 3.5 - 5.0       |
| NWP07    | 7               | 8 - 12           | 4.0 - 5.5       |
| NWP08    | 8               | 10 - 14          | 5.0 - 6.0       |
| NWP10    | 10              | 14 - 18          | 6.0 - 8.0       |
| NWP12    | 12              | 18 - 24          | 8.0 - 10.0      |
| NWP14    | 14              | 24 - 32          | 10.0 - 12.0     |

### SCREW COVER CAPS – PLASTIDOME



| Part No. | Description | Screw Size gauge | Colour |
|----------|-------------|------------------|--------|
| CCPBL    | Plastidome  | 6 - 8            | Black  |
| CCPBR    | Plastidome  | 6 - 8            | Brown  |
| CCPCH    | Plastidome  | 6 - 8            | Chrome |
| CCPWH    | Plastidome  | 6 - 8            | White  |

### SCREW COVER CAPS – HINGED

Other colours and sizes available on request.



| Part No.  | Description | Screw Size gauge | Colour |
|-----------|-------------|------------------|--------|
| CCHBL     | Hinged      | 6 - 8            | Black  |
| CCHBR     | Hinged      | 6 - 8            | Brown  |
| CCHWH     | Hinged      | 6 - 8            | White  |
| CCHWH1012 | Hinged      | 10 - 12          | White  |

### SURFACE SCREW CUPS BRASS NICKLE PLATED



| Part No. | Size (mm) gauge |
|----------|-----------------|
| SSCN06   | 6               |
| SSCN08   | 8               |
| SSCN10   | 10              |
| SSCN12   | 12              |

### SURFACE SCREW CUPS BRASS SELF COLOUR



| Part No. | Size (mm) gauge |
|----------|-----------------|
| SSCB06   | 6               |
| SSCB08   | 8               |
| SSCB10   | 10              |
| SSCB12   | 12              |

## + PLASTIC PACKING SHIMS



### PACKING SHIM FLAT 100mm x 20mm



| Part No. | Thickness (mm) | Colour |
|----------|----------------|--------|
| PSF01    | 1              | Green  |
| PSF02    | 2              | Black  |
| PSF03    | 3              | White  |
| PSF04    | 4              | Grey   |
| PSF05    | 5              | Blue   |

### PACKING SHIM HIGH IMPACT SQUARE 70mm x 70mm



| Part No. | Thickness (mm) | Colour |
|----------|----------------|--------|
| PSHI02   | 2              | Grey   |
| PSHI03   | 3              | Grey   |
| PSHI05   | 5              | Grey   |
| PSHI07   | 7              | Grey   |
| PSHI09   | 9              | Grey   |
| PSHI10   | 10             | Grey   |

### PACKING SHIM SMALL 45mm x 35mm



| Part No. | Thickness (mm) | Colour |
|----------|----------------|--------|
| PSS01    | 1              | Yellow |
| PSS02    | 2              | Green  |
| PSS03    | 3              | Blue   |
| PSS04    | 4              | Red    |
| PSS05    | 5              | Brown  |
| PSS06    | 6              | Black  |
| PSS10    | 10             | Grey   |
| PSS15    | 15             | Yellow |

### PACKING SHIM HIGH IMPACT SLOTTED 70mm x 70mm



| Part No. | Thickness (mm) | Colour |
|----------|----------------|--------|
| PSHISL02 | 2              | Grey   |
| PSHISL03 | 3              | Grey   |
| PSHISL05 | 5              | Grey   |
| PSHISL07 | 7              | Grey   |
| PSHISL09 | 9              | Grey   |
| PSHISL10 | 10             | Grey   |

### PACKING SHIM LARGE 100mm x 50mm



| Part No. | Thickness (mm) | Colour |
|----------|----------------|--------|
| PSL01    | 1              | Yellow |
| PSL02    | 2              | Green  |
| PSL03    | 3              | Blue   |
| PSL04    | 4              | Red    |
| PSL05    | 5              | Brown  |
| PSL06    | 6              | Black  |
| PSL10    | 10             | Grey   |

### PACKING SHIM GALVANISED

50mm x 50mm (14mm Slot)



| Part No.      | Thickness (mm) | Finish |
|---------------|----------------|--------|
| PSG0500500114 | 1              | Galv   |
| PSG0500500214 | 2              | Galv   |
| PSG0500500314 | 3              | Galv   |
| PSG0500500514 | 5              | Galv   |
| PSG0500501014 | 10             | Galv   |

The logo for FP Fixings Plus. It features the letters 'FP' in a large, bold, maroon font. To the right of 'FP', the words 'FIXINGS' and 'PLUS' are stacked vertically in a bold, dark grey, sans-serif font.

STOCKISTS AND SUPPLIERS OF **bondit**



## CONTENTS

|           |                                    |
|-----------|------------------------------------|
| <b>76</b> | SILICONES                          |
| <b>78</b> | SEALANTS                           |
| <b>82</b> | PANEL ADHESIVES – HIGH PERFORMANCE |
| <b>83</b> | HYBRID POLYMER SEALANT / ADHESIVES |
| <b>84</b> | PANEL ADHESIVES                    |
| <b>85</b> | ADHESIVES                          |
| <b>87</b> | APPLICATOR TOOLS                   |
| <b>88</b> | EXPANDING FOAMS                    |
| <b>90</b> | FIRE PROTECTION                    |
| <b>91</b> | CLEANERS                           |



# + SILICONES

## GENERAL PURPOSE

A general purpose, contractors grade acetoxysilicone sealant with fungicide.

Suitable for sealing and waterproofing in areas of high humidity.

Quick curing and mould resistant.

It has excellent adhesion to glass, glazed surfaces, ceramic tiles, many plastics and most paints.



| Part No. | Description                 |
|----------|-----------------------------|
| GPBL     | General Purpose 310ml Black |
| GPBR     | General Purpose 310ml Brown |
| GPCL     | General Purpose 310ml Clear |
| GPWH     | General Purpose 310ml White |

## HIGH MODULUS

A multi-purpose, acetoxysilicone rubber sealant which contains fungicide.

Suitable for most sealing jobs around the home both inside and out.

Permanently flexible and skins in minutes.

CE Approved: Conforms to EN15651-1,3; F EXT-INT,S1



| Part No. | Description              |
|----------|--------------------------|
| HCBL     | High Modulus 310ml Black |
| HCBR     | High Modulus 310ml Brown |
| HCCL     | High Modulus 310ml Clear |
| HCGR     | High Modulus 310ml Grey  |
| HCWH     | High Modulus 310ml White |

## LOW MODULUS NEUTRAL

A low modulus neutral cure (LMN) silicone for perimeter sealing of external door and window frames.

Rapid curing with good adhesion properties and additional uPVC adhesion promoters and extended open time for ease of tooling.

CE Approved: Conforms to EN15651-1 F EXT-INT.



| Part No. | Description                               |
|----------|-------------------------------------------|
| LNAG     | Low Modulus Neutral 310ml Anthracite Grey |
| LNBL     | Low Modulus Neutral 310ml Black           |
| LNBR     | Low Modulus Neutral 310ml Brown           |
| LNBU     | Low Modulus Neutral 310ml Buff            |
| LNCL     | Low Modulus Neutral 310ml Clear           |
| LNCR     | Low Modulus Neutral 310ml Grey            |
| LNCRW    | Low Modulus Neutral 310ml Rosewood        |
| LNTD     | Low Modulus Neutral 310ml Toffee          |
| LNWH     | Low Modulus Neutral 310ml White           |

## LOW MODULUS NEUTRAL – 25 YEAR GUARANTEE

A high grade LMN silicone for perimeter sealing of external door and window frames.

Rapid curing with good adhesion properties and additional uPVC adhesion promoters.

CE Approved: Conforms to EN15651-1,2; F EXT-INT G 25LM.



| Part No. | Description                     |
|----------|---------------------------------|
| LNCL100  | Low Modulus Neutral 310ml Clear |
| LNWH100  | Low Modulus Neutral 310ml White |



## SANITARY

A low maintenance, fungal resistant silicone sealant.  
Contains a biocide to retard unsightly mould growth.  
CE Approved: Conforms to EN15651-1,3; F INT, S1.



| Part No. | Description                   |
|----------|-------------------------------|
| SSCL     | Sanitary Silicone 310ml Clear |
| SSIV     | Sanitary Silicone 310ml Ivory |
| SSWH     | Sanitary Silicone 310ml White |

## FOOD GRADE

A specially formulated, silicone sealant for applications in the food machinery and food preparation industries.  
Approved by the U.S Food & Drug Administration (FDA) for food contact.  
Will also withstand sterilisation cycles and the extremes of heat and cold.  
Contains a powerful and effective anti-fungal compound to prevent microbial growth on seals.  
Conforms to FDA No 21 CFR 177.1210 & 177.2800. Certified by NSF for food contact.



| Part No. | Description                     |
|----------|---------------------------------|
| FGSCL    | Food Grade Silicone 310ml Clear |
| FGSWH    | Food Grade Silicone 310ml White |

## HIGH TEMPERATURE

A ready-to-use, acetic curing, silicone sealant.  
Specifically designed for high temperature use, it is UV resistant and weatherproof.  
After curing HT30 will resist temperatures of 250°C permanently and up to 300°C for short periods.



| Part No. | Description                           |
|----------|---------------------------------------|
| HTSBL    | High Temperature Silicone 310ml Black |
| HTSRE    | High Temperature Silicone 310ml Red   |

## FIRE RETARDANT

Prevents the spread of flame, smoke, toxic gases and water.  
Halogen free to reduce the risks of toxic fumes and corrosion in the event of fire.  
This product offers up to 4 hours fire protection when used in accordance with the designs specified in Fire Report J86313/1, ex Redhill Fire Research.  
Conforms to: EN1366-3 (penetration seals) and EN1366-4 (linear joints).



| Part No. | Description                         |
|----------|-------------------------------------|
| FRWH     | Fire Resistant Silicone 310ml White |

# + SEALANTS

## ACOUSTIC SEALANT

Suitable for interior sealing around drywall partitioning to reduce noise transmission and for cracks and joints with low movement.

It can also be used for sealing interior skirting boards and fixing plasterboard into partition systems to reduce vibration and movement.



| Part No. | Description            |
|----------|------------------------|
| A900     | Acoustic Sealant 900ml |

## DECORATOR FILLER

A quick drying, interior decorators caulk that remains permanently flexible and can be smoothed and over-painted within 1-2 hours of application.

Has good adhesion to most building materials including wood, plaster, brick, concrete and plasterboard



| Part No. | Description            |
|----------|------------------------|
| DC       | Decorators Caulk 310ml |

## DUCT SEALANT

Designed for the permanent sealing of low movement assembly joints in low, medium and high pressure ductwork installations to prevent loss of air pressure.

When correctly applied, the product is capable of sealing to the air leakage requirement of Class C to HVCA standard DW 144.



| Part No. | Description                  |
|----------|------------------------------|
| DS       | Duct Sealant 310ml Aluminium |

## INTUMESCENT SEALANT – BOND IT

A high performance, flexible acrylic intumescent acoustic sealant, which in the event of a fire, will swell to provide an inert barrier to smoke and flames.

Note: The fire resistance achievable with Fireshield AC depends upon the joint design, depth of sealant and substrates being sealed.

It has non-slumping and rapid skinning properties.

Solvent-free

Permanently flexible

Solvent-free

Non-shrinking

Conforms to EN 1366-3 & EN1366-4; EN ISO 10140-2: 2010.



| Part No. | Description                            |
|----------|----------------------------------------|
| IA310    | Intumescent Acoustic Filler 310ml      |
| IA900    | Intumescent Acoustic Filler 900ml      |
| IAF600   | Intumescent Acoustic Filler 600ml Foil |

## INTUMESCENT SEALANT – EVERBUILD

Everbuild Tecnic Fire Sealant 300 is an intumescent and acoustic acrylic sealant that swells when exposed to temperatures in excess of 150°C to prevent the passage of fire and smoke and has a fire rating of up to 5 hours.

Fire rated to BS 476 part 20/EN1366-4 (2006).

Typically used for sealing joints, voids and irregular holes in fire walls, partitions and other structures, maintaining the integrity of pipes and cables that penetrate them.

For internal perimeter pointing of fire rated door and window frames.

Acoustic rated to BS EN ISO 140/3.

Tested for air permeability to EN13141-1 Ventilation.

Performance testing of components/products for residential ventilation.



| Part No. | Description                            |
|----------|----------------------------------------|
| IA310E   | Intumescent Acoustic Filler 310ml      |
| IAF600E  | Intumescent Acoustic Filler 600ml Foil |

## ALL WEATHER SEALANT

A superior and highly flexible, water repellent, general purpose sealant that has excellent adhesion to all surfaces, even when damp.

This product can be over-painted with certain paints and it will not crack or slump or become brittle with age.

Suitable for use on brick, concrete, stone, all metals, painted or bare wood, glass, vinyl and most plastics.

Being rubber based this sealant is compatible with bitumen, asphalt and roofing felt and is ideal for roof repairs in damp conditions.

(Any standing water must be removed before application).

Can also be used to seal doors, windows, roofs, cladding and vehicle bodies.



| Part No. | Description                     |
|----------|---------------------------------|
| AWSBL    | All Weather Sealant 310ml Black |
| AWSCl    | All Weather Sealant 310ml Clear |
| AWSWH    | All Weather Sealant 310ml White |

## LEAD SEALANT

A fast skinning roofing sealant that reduces weather ingress.

Tile lift and noise.

Tough, resilient and compatible with lead.

Also suitable for use on metals, concrete, mortar and plaster.

Can be used to bond glass and glazing plastics as well as small sections of roofing materials under repair.

Ideally suited for sealing roof-lights, conservatories, soffits, glass house, industrial roofing systems and lead flashings.

Also has excellent UV, heat resistance and sets to a tough, resilient rubber seal.

CE Approved: Conforms to EN15651-1; F-INT.



| Part No. | Description             |
|----------|-------------------------|
| LSGR     | Lead Sealant 310ml Grey |

## POLYURETHANE SEALANT

A one-part, moisture curing, polyurethane adhesive and sealant, with a shore A hardness of 40, for the construction and transport industries.

Produces tough, elastic seals and joints with excellent adhesion which helps dampen vibration.

Also oil resistant making it ideal for the engineering industry.

CE Approved: Conforms to EN15651-1,4; F EXT-INT, PW INT.



| Part No. | Description                      |
|----------|----------------------------------|
| PU18BL   | Polyurethane Sealant 310ml Black |
| PU18GR   | Polyurethane Sealant 310ml Grey  |
| PU18WH   | Polyurethane Sealant 310ml White |

## ROOF & GUTTER SEALANT

A polymerically reinforced lap jointing sealant and adhesive used to prevent leaks in gutters and downpipes.

Forms a flexible seal.

Suitable for repairing and maintaining general roofing, roof drainage systems and crack down pipes, etc.

It is ideal for use on metal, construction grade plastics, paint, stone, timber, brick, bitumens and asphalt.



| Part No. | Description                       |
|----------|-----------------------------------|
| RGSBL    | Roof & Gutter Sealant 310ml Black |

## + SEALANTS

### SILIRUB® 2



PREMIUM QUALITY low modulus neutral cure silicone sealant. Very fast skinning time and final cure. 100% silicone, no shrinkage. Thick-bodied and excellent toolability. Primerless adhesion on all common construction materials. High movement capability. Resistant to UV, rain, snow, ozone and many chemicals. High and low temperature resistance.

- Low modulus neutral cure silicone
- Virtually odourless
- 100% silicone with no extension
- Primerless adhesion on most surfaces
- Independently tested to ISO 11600 F&G 25 LM
- Extensive colour range, including RAL® CLASSIC colours
- Compatible with sealed units



| Part No. | Description                      |
|----------|----------------------------------|
| 114580   | Silirub® 2 300ml Brilliant White |
| 114579   | Silirub® 2 300ml Clear           |
| 114578   | Silirub® 2 300ml Teak            |
|          | +21 Other Colours                |

### SILIRUB® LMN



SUPERIOR QUALITY low modulus neutral cure silicone sealant. Very fast skinning time and final cure. Thick-bodied. Excellent toolability. Primerless adhesion on all common construction materials. High movement capability. Resistant to UV, rain, snow, ozone and many chemicals. High and low temperature resistance.

- Low modulus neutral cure silicone
- Virtually odourless
- Primerless adhesion on most surfaces
- Conforms to ISO 11600 F&G 25 LM
- Extensive colour range



| Part No. | Description                      |
|----------|----------------------------------|
| 114574   | Silirub® 2 300ml Brilliant White |
| 123207   | Silirub® 2 300ml White           |
| 114573   | Silirub® 2 300ml Clear           |
|          | +11 Other Colours                |

### SILIRUB® N



GENERAL PURPOSE low modulus, neutral cure silicone sealant. Very fast skinning time and final cure. Excellent toolability. Primerless adhesion on most common construction materials. Resistant to UV, rain, snow, ozone and many chemicals.

- Low modulus neutral cure silicone
- Virtually odourless
- Primerless adhesion on most surfaces
- Extensive colour range



| Part No. | Description                      |
|----------|----------------------------------|
| 118985   | Silirub® N 300ml Brilliant White |
| 117856   | Silirub® N 300ml White           |
| 117857   | Silirub® N 300ml Clear           |
|          | +11 Other Colours                |

### SEALANT REMOVER



A ready-to-use and fast-working spray based on terpenes for removing hardened silicones and Hybrid Polymers. Can be applied on most surfaces, including aluminium, coatings, ceramics, laminated board, paint and certain plastics.

- Fast-working
- Does not drip
- Specifically for silicones and Hybrid Polymers
- Spray action



| Part No. | Description                   |
|----------|-------------------------------|
| 119709   | Sealant Remover 400ml Aerosol |

## + SEALANTS



### DECORATORS CAULK



An acrylic, solvent free dispersion that cures to form a durable, flexible seal. For internal use. Can easily be painted or papered over when dry.

- Acrylic polymer sealant and filler
- Flexible
- Paintable
- Smooth finish
- For Interior use



| Part No. | Description                  |
|----------|------------------------------|
| 121638   | Decorators Caulk 290ml White |

### MULTI-PURPOSE SILICONE



ACETOXY silicone sealant that cures to form a flexible, durable weathertight seal on many common building surfaces, including glass, metals, wood and ceramic tiles. Contains a fungicide that resists mould growth.

- Acetoxy cure silicone
- All weather use
- Mould resistant
- Flexible
- For internal & external use



| Part No. | Description                                  |
|----------|----------------------------------------------|
| 121643   | Multi-Purpose Silicone 270ml Brilliant White |
| 121644   | Multi-Purpose Silicone 270ml Clear           |
| 116713   | Multi-Purpose Silicone 270ml Brown           |
| 116824   | Multi-Purpose Silicone 270ml Black           |
| 131605   | Multi-Purpose Silicone 270ml Grey            |

## + ADHESIVES

### MITRE KIT



CYANOACRYLATE based high viscosity adhesive with aerosol activator. Particularly useful for production lines and UPVC window trim. Activator reduces blooming and odour. Fast acting. Curing will occur almost instantly. Easy to use. Non-yellowing.

- Cyanoacrylate two part adhesive with activator spray
- High bond strength
- High viscosity adhesive
- Non-yellowing
- Can be used on most non-porous substrates
- Ideal for vertical surfaces



| Part No. | Description                       |
|----------|-----------------------------------|
| 115103   | 50g Bottle & 200ml Aerosol: Clear |

### SOUDABOND EASY



POLYURETHANE foam based, single component, construction adhesive. Quick and easy to use – no mixing required. Replaces traditional powder based adhesives. Used for the bonding of many building materials such as insulation panels, plasterboard and light weight building blocks in non-load bearing applications. Lightweight and easy to transport. Available in Hand Held MEGA ADAPTOR, Genius Gun® MAX and Gun Grade with Dura Valve versions.

- Single component PU adhesive
- Up to 30% quicker than traditional methods
- Gap-filling capabilities
- No mixing required
- Porous and non-porous materials
- Hand Held, Gun Grade and Genius Gun® MAX versions



| Part No. | Description                      |
|----------|----------------------------------|
| 121734   | Soudabond Easy Gun Grade 750ml   |
| 128486   | Soudabond Easy Hand Held 750ml   |
| 130426   | Soudabond Easy Genius Gun® 750ml |



# + PANEL ADHESIVES – HIGH PERFORMANCE

## GRIPBOND PRO PANEL ADHESIVE



A totally unique “hybrid” sealant for use in areas requiring a tough elastic rubber joint or as an adhesive with superior bonding strength.

A universal, waterproof, construction adhesive and sealer for use with stone, concrete, mirrors (with an acetone resistant backing), natural stone, marble, gypsum board, poly-carbonates, polystyrene, PVC, many plastics, ceramics, copper, lead, zinc, aluminium, stainless steel, wood and glass.

- For interior and exterior applications in all weather conditions
- Remains permanently flexible
- Can be over-painted with water-based paints
- Non staining and will not discolour surfaces (excellent for use on natural stone)
- Contains no isocyanates, solvents, silicone and phthalates
- Excellent adhesion to most surfaces (even moist surfaces)
- Wet on wet application
- No odour
- Anti-pick properties (colours only)
- CE Approved: Conforms to EN15651-1; F INT

Note: This product is not recommended for use with expansion joints or for installations where the joints are continually immersed in water. If allowed to cure in dark conditions or low UV light the product may yellow.



| Part No.  | Description                      |
|-----------|----------------------------------|
| PA290GPBL | Gripbond Pro 290ml Black         |
| PA290GPCC | Gripbond Pro 290ml Crystal Clear |
| PA290GPGR | Gripbond Pro 290ml Grey          |
| PA290GPWH | Gripbond Pro 290ml White         |
| PA600GPWH | Gripbond Pro 600ml White Foil    |



## CT1 UNIQUE SEALANT & CONSTRUCTION ADHESIVE



CT1 will successfully bond:

- Metals (including lead)
- Glass
- Mirrors
- Wood
- Polystyrene

Unique adhesion on virtually any material in most applications without the need for additional fixings. CT1 is the ultimate solution for sealing.

- Excellent resistance to chemicals
- Prevents fungal growth
- UV resistant
- Excellent resistance to vibration
- Food safe – conforms to ISEGA Standards
- Works in wet or dry conditions
- Perfect for marine and boating maintenance, accident and emergency repairs
- Can be used in all salt-water environments
- Odourless
- Does not shrink
- Can be painted
- Contains no solvents
- No isocyanates
- Unique flexibility
- Environmentally compliant
- Instant repair and bonding with fibre glass and carbon fibre materials



| Part No. | Description      |
|----------|------------------|
| CT1BE    | CT1 290ml Beige  |
| CT1BL    | CT1 290ml Black  |
| CT1BR    | CT1 290ml Bronze |
| CT1BU    | CT1 290ml Blue   |
| CT1CL    | CT1 290ml Clear  |
| CT1GR    | CT1 290ml Grey   |
| CT1OA    | CT1 290ml Oak    |
| CT1SI    | CT1 290ml Silver |
| CT1WH    | CT1 290ml White  |

# + HYBRID POLYMER SEALANT / ADHESIVES



## FIX ALL HIGH TACK



SUPER STRONG sealant, adhesive and filler with high initial tack. Can be applied in all weather conditions. Internal and external use. Virtually odourless. Primerless adhesion on most construction materials, including wet and damp surfaces. Paintable with most paints. Non yellowing - UV resistant. Contains fungicides - suitable for sanitary applications. Very high final mechanical properties.

- Super strong
- High initial tack
- Very high final mechanical properties
- Mould resistant - XS2 fungicide
- Primerless adhesion
- Virtually odourless
- All weather use
- Conforms to ISO 11600 F 20 HM



| Part No. | Description                             |
|----------|-----------------------------------------|
| 101444   | Fix ALL High Tack 290ml White           |
| 101459   | Fix ALL High Tack 290ml Black           |
| 101454   | Fix ALL High Tack 290ml Grey            |
| 119270   | Fix ALL High Tack 290ml Brown           |
| 156666   | Fix ALL High Tack 290ml Anthracite Grey |

## GRIP ALL SOLVENT BASED



SOLVENT BASED, high strength gap filling grab adhesive with Soudal's unique Reinforced Bonding Technology. High initial grab - 125kg/m<sup>2</sup>. Very high final bond strength. Compatible with most building materials, porous and non-porous. The high performance adhesive replaces the need for mechanical fixings (screws and nails). Moisture resistant.

- Solvent based construction adhesive
- High initial grab - 125kg/m<sup>2</sup>
- Gap filling properties
- Fast strength build up
- Porous and non-porous materials
- Reinforced Bonding Technology



| Part No. | Description                        |
|----------|------------------------------------|
| 152706   | Grip all Solvent Based 290ml Beige |

## FIX ALL TURBO



SUPER FAST elastomeric adhesive. Rapid strength build up after 20 minutes, reaching final bond strength after 3 hours. High initial tack. Can be applied in all weather conditions (including wet and damp surfaces), internally and externally.

- Super fast
- Rapid strength build up after 20 minutes
- 3 hours - final bond strength
- Primerless adhesion
- Virtually odourless
- All weather use



| Part No. | Description               |
|----------|---------------------------|
| 122236   | Fix ALL Turbo 290ml White |
| 146505   | Fix ALL Turbo 290ml Black |
| 146506   | Fix ALL Turbo 290ml Grey  |

## FIX ALL CRYSTAL



SUPER CLEAR sealant, adhesive and filler. 100% crystal clear. Can be applied in all weather conditions. Internal and external use. Virtually odourless. Primerless adhesion on most construction materials, including wet and damp surfaces. Paintable with most paints. Non yellowing - UV resistant. Contains fungicides - suitable for sanitary applications. Food safe. Highly flexible.

- 100% crystal clear
- Primerless adhesion
- Virtually odourless
- All weather use
- Highly flexible
- Mould resistant - XS1 fungicide
- Food safe
- Tested according to FDA regulations CFR 21 & 177.2600 (e)



| Part No. | Description                     |
|----------|---------------------------------|
| LNCL100  | Low Modulus Neutral 310ml Clear |
| LNWH100  | Low Modulus Neutral 310ml White |

# **+ PANEL ADHESIVES**

## **GRIPBOND PANEL ADHESIVE**

A fast bonding, non-slumping, instant grab adhesive with good gap-filling properties even on uneven surfaces.

Can replace mechanical fixings in a wide variety of applications.

Can be used in all weather conditions and is suitable for rough and porous surfaces.

It can also be over-painted once dry.

Ideal for fixing a wide variety of materials. Bridges gaps up to 12mm.

It can be used to fix skirting boards, door surrounds and frames, decorative wall boards, metal carpet edges, automotive trims and much more.

It can be used for interior and exterior applications.



| Part No. | Description                 |
|----------|-----------------------------|
| PA350    | Gripbond 350ml              |
| PA350SF  | Gripbond Solvent Free 350ml |

## **PANEL ADHESIVE SOLVENT FREE**

Offering less impact on the environment, this solvent-free formula offers instant grab and a tough permanent bond on virtually any porous or non-porous surface.

A low odour, water clean-up construction adhesive which cures to form a high strength bond.

Extremely low VOC content. Contains no harmful raw materials, making it safer for the environment, safe for the user and safe on substrates.

Ideal for fixing panelling, plasterboard, cove base, window sills, Styrofoam, carpet tack strips, aluminium furring strips, tub surrounds, fireplaces, loose floor/wall tiles, aluminium, steel, wood, concrete, cork, general repairs to wood, fixing hardboard and plywood and as a general adhesive.

It is ideal for use on: plastics.

NOTE: Recommended for internal use only.



| Part No. | Description                       |
|----------|-----------------------------------|
| PA300SF  | Panel Adhesive Solvent Free 300ml |

## **GRIPFILL PANEL ADHESIVE**

EVO-STIK GRIPFILL is a multi-purpose, high-strength gap filling adhesive.

It's suitable for interior and exterior use (provided the bond is covered) and is specially formulated to stick a wide range of building materials including wood, plasterboard, tiles, stone, metal, breeze blocks, bricks, ceramic, concrete, UPVC and more.

Thanks to its gap filling qualities, GRIPFILL can even be used on uneven surfaces.



| Part No. | Description                 |
|----------|-----------------------------|
| G350     | Gripfill 350ml              |
| G350SF   | Gripfill Solvent Free 350ml |

## **PINKGRIP PANEL ADHESIVE**

EVERBUILD Pinkgrip will stick just about anything on a building site that needs sticking.

Its amazing grabbing strength not only removes the need to pin under the workpiece to prevent slumping, but its revolutionary initial 'Direct Bond' eliminates the need for double stick methods.

Pinkgrip can be used inside and outside and adheres to just about every building substrate.



| Part No. | Description                   |
|----------|-------------------------------|
| PG350    | Pinkgrip Panel Adhesive 350ml |

## CONTACT ADHESIVE

A premium grade, solvent-based, neoprene adhesive with high grab and long open time to enable re-positioning.

May be used to bond lightweight materials to vertical surfaces and ceilings.

It is predominantly designed for interior use but can be used externally when the adhesive is protected from direct sunlight and water.



| Part No. | Description            |
|----------|------------------------|
| CA0500   | Contact Adhesive 500ml |
| CA1000   | Contact Adhesive 1 Ltr |
| CA5000   | Contact Adhesive 5 Ltr |

## EPDM ADHESIVE – FACADE PASTE

OT015 is a high tack adhesive which is used for bonding EPDM Membrane to itself & to typical construction substrates such as aluminium, metal, zinc plated metal, wood, PVC-U, and other non-porous materials.

- Ideal for bonding of EPDM membranes in facade installations
- Cured adhesive has excellent resistance to weathering and the ageing effects of UV exposure
- Adhesive accommodates a wide fluctuation in temperature from -20°C to +80°C
- Easy, clean, fast and precise application



| Part No. | Description         |
|----------|---------------------|
| OT15     | EPDM Adhesive 600ml |

## MIRROR ADHESIVE

A low modulus neutral cure (LMN) silicone for interior mirror fixing.

Has excellent unprimed adhesion on most mirror coatings and has outstanding resistance to heat and humidity.

Not affected by sunlight, ultra violet radiation and temperature extremes.

This product will accommodate thermal expansion and is non-corrosive and odourless.

Suitable for internal bonding of mirrors, coated glass, glazed surfaces, ceramics, enamel, metals, PVCu, polycarbonate and treated or untreated wood, to most common substrates.

NOTE: Not suitable for use in the manufacture of structural glazing or for use with safety glass mirrors.



| Part No. | Description                 |
|----------|-----------------------------|
| MA310CL  | Mirror Adhesive 310ml Clear |

## MITRE MATE

A high strength bonding system comprising a cyanoacrylate adhesive with an aerosol activator to ensure full and rapid curing on acid surfaces.

Can be used for bonding MDF, wood, rubber and most plastics.

Instant bonding properties considerably reduce assembly times for mitre joints especially where precision instant bonding is required.

Cures in approximately 10 seconds.

Pack includes 1 tin of Activator (200ml) and 1 bottle of HVC Superglue

Spray aerosol lightly over one face of the joint and allow to dry.

If possible, use on the least visible face of the completed joint.

Apply adhesive to the other face and bring together immediately.

Apply gentle pressure. (50g).



| Part No. | Description        |
|----------|--------------------|
| MMC      | Mitre Mate Classic |
| MMS      | Mitre Mate Soudal  |



# **+ ADHESIVES**

## **PVA**

A high solids, high performance sealer, primer, dust-proofer and bonding agent.  
 Improves adhesion and reduces cracking in cements and plaster.  
 Primes and seals porous surfaces.  
 Quick drying, durable and has a very high bond strength.  
 Better water resistance, adhesion and flexibility.  
 Can be readily diluted without compromising quality.  
 Excellent drying at low temperatures.  
 Phthalate free formulation (safer to use).  
 Conforms to BS5270.  
 Plaster primer, porous surface primer and sealer.  
 Rendering key coat for internal applications.  
 Admixture – dust sealer.  
 General purpose adhesive for bonding all common construction materials.



| Part No. | Description |
|----------|-------------|
| PVA1000  | PVA 1 Ltr   |
| PVA5000  | PVA 5 Ltr   |

## **AEROSOL SPRAY ADHESIVE**

A high performance spray adhesive for a wide range of demanding uses.  
 A non-chlorinated, exceptionally powerful, long lasting, multi-purpose adhesive in a can.  
 Gives exceptionally strong adhesion for a wide range of demanding uses.  
 Fitted with a variable discharge spray that controls the width of the fan.  
 DCM Free.  
 Use on wood, concrete, stone, tiles, rubber, foam, metals, rigid plastics, polyethylene, canvas fabrics, cardboard, paper and cork.  
 Contains no damaging or harmful materials such as CFC's or Methylene Chloride (Dichloromethane).  
 It is ideal for perimeter bonding of carpet tiles and minor flooring installations, and for use in the furniture, and automotive industries, especially for bonding foam to a variety of surfaces.  
 Also suitable for use in repair and non-structural applications where a high strength bond is required.



| Part No. | Description                  |
|----------|------------------------------|
| AS500    | Aerosol Spray Adhesive 500ml |

## **WOOD ADHESIVE**

A fast drying, water-resistant, PVA wood adhesive with a bond strength stronger than the wood itself.  
 For use as a general purpose, joinery adhesive, or for applications where long term resistance to moisture is a pre-requisite of the adhesive.  
 Conforms to the requirements of category D3/3 and D3/4 of EN204.  
 Meets the resistance to sustained load (creep test) requirements of BS 4071 "Polyvinyl Acetate (PVA) Emulsion Adhesives for Wood".  
 Rapid bond strength development.  
 Suitable for hard and soft woods, decorative laminates, chipboard, blockwood and other engineered timber panels.  
 Can be used in applications where joints may be subjected to short term water contact or exposure to high humidity i.e. kitchen work surfaces, window frames, doors and stairs, but not permanent immersion in water.  
 Suitable for interior and exterior applications.



| Part No. | Description                |
|----------|----------------------------|
| WGW0500D | Wood Glue Waterproof 500ml |
| WGW1000D | Wood Glue Waterproof 1 Ltr |
| WGW5000D | Wood Glue Waterproof 5 Ltr |

## **SUPER GLUE**

A high viscosity cyanoacrylate adhesive, for use on porous surfaces. Also has gap-filling properties making it ideal for bonding trims and caps on PVCu windows as well as rubber, wood, metal, ceramics, MDF, leather, porcelain and card.  
 Set time range 10 to 30 seconds.



| Part No. | Description        |
|----------|--------------------|
| SG20     | Super Glue 20 Gram |
| SG50     | Super Glue 50 Gram |

## **THREAD LOCK**

Used as a locking compound for direct application to lightly oiled components.  
 Replaces spring washers and lock nuts.  
 Allows for disassembly using the correct tools.  
 Also prevents rusting or corrosion.  
 Non-drip consistency for clean, economic application.



| Part No. | Description          |
|----------|----------------------|
| TLA4325  | Thread Lock A43 25ml |
| TLA4350  | Thread Lock A43 50ml |



## + APPLICATOR TOOLS



### 400ML STANDARD SKELETON GUN



| Part No. | Description                 |
|----------|-----------------------------|
| AT400    | 400ml Applicator Tool       |
| AT400C   | 400ml Applicator Tool "COX" |

### 600ML FOIL SAUSAGE APPLICATOR TOOL



| Part No. | Description                                   |
|----------|-----------------------------------------------|
| AT600    | 600ml Foil Sausage Applicator Tool            |
| AT600HD  | 600ml Foil Sausage Applicator Tool Heavy Duty |

### 400ML HEAVY DUTY SKELETON GUN



| Part No. | Description                      |
|----------|----------------------------------|
| AT400HD  | 400ml Applicator Tool Heavy Duty |

### FOAM TOOL



| Part No. | Description                    |
|----------|--------------------------------|
| FT       | Expanding Foam Applicator Tool |

### 900ML STANDARD SKELETON GUN



| Part No. | Description           |
|----------|-----------------------|
| AT900    | 900ml Applicator Tool |

### FOAM TOOL HEAVY DUTY



| Part No. | Description                               |
|----------|-------------------------------------------|
| FTHD     | Expanding Foam Applicator Tool Heavy Duty |

## + EXPANDING FOAMS

### B1 FIRE CLASS EXPANDING FOAM



Fire rated one component, expanding polyurethane foam filler. Rapid curing. Excellent thermal and acoustic insulation properties. Excellent primerless adhesion on most construction materials.

For use in passive fire protection systems as a large gap filler; installation of fire retardant window and door frames; sealing of expansion and connection joints, penetration seals. Thermal and acoustic insulation around doors and window frames, pipe penetrations, insulation and roofing materials and general construction.

- Fire rated polyurethane foam filler
- EN1366-4 – Fire resistance, up to 4 hours depending on joint configuration
- Fire class DIN 4102 B1
- Acoustic rating – 58 dB
- Insulation factor – 36mW/mK



| Part No. | Description             |
|----------|-------------------------|
| 132728   | 750ml Hand Held: Blue   |
| 132730   | 750ml Gun Grade: Blue   |
| 135215   | 600ml Genius Gun®: Blue |

### GAP FILLER EXPANDING FOAM



Moisture curing, polyurethane expanding foam for all general purpose gap filling. Adheres to most common building materials, resistant to water, heat and ageing. Excellent thermal and acoustic insulation values. Can be cut, sanded, plastered and painted after full cure. Not UV resistant, cover once cured with sealant, paint or plaster.

Ideal for general filling and insulating of holes, voids, gaps and joints in most construction applications. Adheres to most building materials. Can also be used around window and door frames, insulation of pipes etc.

- General purpose gap filling
- High thermal & acoustic insulation
- High gap filling yield



| Part No. | Description                  |
|----------|------------------------------|
| 116744   | 750ml Hand Held: Champagne   |
| 131553   | 500ml Hand Held: Champagne   |
| 128448   | 150ml Hand Held: Champagne   |
| 135234   | 600ml Genius Gun®: Champagne |
| 152760   | 300ml Genius Gun®: Champagne |
| 116745   | 750ml Gun Grade: Champagne   |

### PU FOAM GUN



Professional grade polyurethane foam applicator gun for use with gun grade foams. For the application of PU Foams and cleaners.

- Professional grade applicator gun
- Available in red
- Compatible with all standard gun grade foams
- Durable



| Part No. | Description      |
|----------|------------------|
| 137930   | PU Foam Gun: Red |

### FOAM & GUN CLEANER



Aerosol applied, solvent based polyurethane foam cleaner. Used for the cleaning of PU Foam applicator guns. Gun applied PU Foam valves and uncured PU Foam, can also be quickly and easily removed with the attachable spray nozzle.

- Quick & easy to use
- Attachable spray nozzle
- Solvent based



| Part No. | Description                   |
|----------|-------------------------------|
| 119709   | Sealant Remover 400ml Aerosol |

## BLUE 60 FIRE RATED FOAM

Blue 60 is a specially formulated expanding foam that when used in conjunction with Blue 60 fire rated packers gives up to 60 minutes fire protection to timber doorsets without the use of additional mastics or sealants.


### Key Features:

- 30 & 60 minutes fire tested to BS EN 1634-1 & BS 476 Part 22
- Test in full size single & double doorstep, not linear gaps
- No additional mastics or sealants required
- Acoustically tested to full doorset up to 43dB
- Tested in both metal and timber stud partitioning
- Tested with softwood, MDF & hardwood frame sections
- Tested with gaps between 7mm & 30mm
- Tested in a retro-fit scenario to allow use for rectification
- Blue in colour for identification purposes
- Fire rated packers must be used in conjunction with foam
- 1mm, 3mm & 5mm colour co-ordinated fire rated packers

## FIRE RATED PACKERS

Blue60 fire rated packers give up to 60 minutes fire protection to timber doorsets without the use of additional mastics or sealants, when used in conjunction with Blue 60 fire rated frame foam.

- Provides up to 60 minute fire protection on timber doorsets
- Suitable for both metal and timber stud partitionings
- Different thicknesses can be combined to achieve a proper fitting
- Acoustically tested up to 43dB
- Tested on full-size single and double doorsets
- Available in three thicknesses to suit gaps between 7mm and 30mm
- Must be used in conjunction with Blue 60 PU foam to maintain fire rating certification
- Packers available in 1mm, 3mm & 5mm



| Part No. | Description              |
|----------|--------------------------|
| FG750B60 | Blue 60 Rated Frame Foam |

| Part No. | Description                                      |
|----------|--------------------------------------------------|
| PSF01FR  | 1mm Packing Shim Flat 15 x 100mm Flame Retardant |
| PSF03FR  | 3mm Packing Shim Flat 15 x 100mm Flame Retardant |
| PSF05FR  | 5mm Packing Shim Flat 15 x 100mm Flame Retardant |

# + FIRE PROTECTION

## FIRE BATT

Intubatt is a factory finished, unique multi-layered, low resin bonded, rock mineral fibre board.

Firetherm ablative coated on both faces with our unique Optifire-identifiable coating.

Manufactured under controlled factory conditions to ISO 9001 to the required thickness and specification.

May be over coated using a suitable emulsion or eggshell paint for decorative purposes.

### Benefits

- Water repellent core
- Fully identifiable using Optifire
- Easy to cut and flexural
- Movement up to 7.5%
- Fully tested for up to 240 minutes integrity and insulation
- Service capable
- Air pressure tested up to 2000 Pa



| Part No. | Description                                     |
|----------|-------------------------------------------------|
| I1       | Intubatt 1 Double Coated 1200mm x 600mm 180kg   |
| I2       | Intubatt 2 Double Coated 1200mm x 600mm 140kg   |
| I3       | Intubatt 3 Double Coated 1200mm x 600mm x 100mm |
| I3ZC     | Intubatt 3 Zed Clip                             |

## INTUCOMPOUND

Intucompound is a dry powder mix formed of inorganic binders, lightweight aggregates and stable additives.

The product does not contain fibres or asbestos and is halogen free.



| Part No. | Description       |
|----------|-------------------|
| I20      | Intucompound 20kg |

## INTUMASTIC

A fire rated mastic for internal use, containing acrylic emulsion, inert fillers and fungicide

- Suitable for dry internal use only
- Joint widths 0 to 35 mm linear; 30 to 150 mm movement details
- Depth to width ratios 1:1 walls and floors; 2:1 split wall seals
- Standard colours are white and grey. Can be over-painted using acrylic paints (must be fully cured before over-coating)
- Tack free time 15 to 60 minutes, depending on temperature/humidity



| Part No. | Description                                 |
|----------|---------------------------------------------|
| I310     | Intumastic Intumescent Acrylic Filler 310ml |
| I600     | Intumastic Intumescent Acrylic Filler 600ml |

## INTUCOAT

A medium viscosity paste containing acrylic emulsion, inert fillers and fungicide. To be used for internal applications only.

Allow Intucoat to dry for at least 24hrs at better than 10 degrees centigrade and less than 75% RH. before being exposed to moisture.

A mastic used to coat plain mineral fibre batts of a density exceeding 140kg/m in situations where it is more cost effective to install uncoated mineral fibre and later apply Firetherm Intucoat to a wet film thickness (WFT) of 2mm to create a dry film thickness (DFT) of 1mm.



| Part No. | Description    |
|----------|----------------|
| I05      | Intucoat 5 Ltr |

## GLASS & MIRROR CLEANER



Professional quality, sprayable cleaning agent that provides a spotless streak-free finish. Suitable for cleaning most types of glass, mirrors, plastics and other hard surfaces.

- Powerful foam action
- High yield
- Streak free
- Fast drying
- Multi-use



| Part No. | Description                          |
|----------|--------------------------------------|
| 156176   | Glass & Mirror Cleaner 750ml Aerosol |

## SWIPEX MEGA VALUE POUCH



HEAVY DUTY non-woven cleaning wipes impregnated with a mixture of solvents, biodegradable non-ionic surfactants and skin emollients.

- Heavy duty cleaning wipes
- Removes many types of contaminants
- Suitable for hands and tools
- Kind to skin



| Part No. | Description                 |
|----------|-----------------------------|
| 158898   | Mega Value Pouch: 300 Wipes |

## PVC SPRAY CLEANER



Highly effective, fast acting and drying spray cleaner that removes ingrained dirt and marks on white PVCu frames and other plastics.

- Fast acting
- Solvent based
- Pear drop odour
- Non abrasive



| Part No. | Description                     |
|----------|---------------------------------|
| 156175   | PVC Spray Cleaner 750ml Aerosol |

## FOIL SAFE SPRAY CLEANER



Highly effective, fast acting and drying spray cleaner that removes ingrained dirt and marks on white PVCu frames and other plastics. Suitable for foil frames.

- Fast acting
- Solvent based
- Pear drop odour
- Non abrasive



| Part No. | Description                           |
|----------|---------------------------------------|
| 161040   | Foil Safe Spray Cleaner 750ml Aerosol |



### ARBO® FACADE MEMBRANE

A high quality EPDM membrane used in conjunction with Membrane Adhesive to provide a robust seal to the internal interfaces between different façade components of a construction. The purpose of this seal is to reduce heat and air leakage from a building and to help prevent interstitial condensation.

Available in 0.75 mm thickness, 20 metre length rolls.  
Width – 100mm to 1,000mm in 50mm increments.



### ARBO® MEMBRANE ADHESIVE

Arbo Membrane Adhesive is a one part moisture curing, solvent free adhesive based on modified polymer technology. Membrane adhesive combines good initial grab to a variety of common construction substrates with high bond strength and good flexibility

Recommended for bonding ARBO® EPDM and other membranes including butyl sheeting to aluminium both polyester powder coated and other finishes, and PVCU suitable for both factory and site applications. Bonds to a wide variety of building substrates.

Available in 600ml foils



### ARBO® FR-RS FIRE TAPE

A high quality elastomeric modified self-adhesive butyl tape. The tape has a B-S1-D0 fire classification and creates an airtight and fire-safe detailing around the window and door frames. For ease of installation it comes with split liner, which is positioned 30mm from the edge.

Available in 100mm to 500mm (in 50mm increments).  
Reel length 10m



### ARBOSHIELD PRO® EXTERNAL PERIMETER CLASS A MEMBRANE (EPAM)®

The new and unique ARBOShield Pro® External Perimeter Class A Membrane (EPAM)® combines an industry leading self-adhesive, Class A2-s1,d0 fire protection along with a complete waterproofing and airtightness window and façade seal all in one product.

- Self-adhesive – speeds up installation and reduces on-site waste
- Class A reaction to fire
- W1 Resistance to water penetration

Available in various roll sizes



### **ARBOSIL XL1099**

Non Staining Silicone Sealant for Natural Stone

#### **Applications**

- Cladding
- Perimeter floor joints
- Aluminium
- Coated steel
- PVCU window frames Substrate or RAL no. colour matching available

Available in 380 ml cartridges in various colours



### **ARBOSIL 1090**

Low Modulus Silicone Sealant with high movement capability

#### **Applications**

- Curtain walls
- Cladding
- Aluminium
- Concrete
- Stone Brickwork
- Windows
- Marine
- Caravan sealing and gutter joints

Available in 380 ml cartridges in various colours



### **ARBOMERIC MP20**

One-Part High Modulus Modified Polymer Sealant

#### **Applications**

- Heavy cladding
- Floor joints
- Heavy trafficked area
- Prisons and secure units (supervised areas) forming anti-pick/ anti-vandalism joints, or any area that could be subject to abuse and vandal attack

Available in 380 ml cartridges in various colours



## ARBOSIL 1096-S

Arbosil 1096 S is a one part Low Modulus Neutral Cure Silicone Sealant which cures on exposure to moisture vapour to form an elastic silicone rubber.

### Applications

- Glass Wall Assemblies
- Perimeter Seals in Curtain Walls
- Perimeter Sealing of Polyester Powder Coated Frames
- Sealing of Windows in Swimming Pools
- Polycarbonate & Acrylic Sheetting

Available in 380ml cartridges in various colours



## ARBOSIL 1070

Fire Resistant, high movement capability, Low Modulus Silicone Sealant with 4 hours fire resistance (independently verified).

### Applications

- Expansion joints in Blockwork and brickwork
- Fire Retardant Glazing in conjunction with Arboseal Intumescent Tape
- Perimeter Sealing of Fire Doors & Screens

Available in 380 ml cartridges in various colours



## Upgrade to Improved ARBOSIL LMS

Experience the upgraded ARBOSIL LMS, our premium one-part Neutral Cure Silicone Sealant, now with more benefits!

1. Improved body to the product
2. Improved gunability
3. Improved toolability for the perfect finish

Ideal for sealing PVCu frames, joint seals in brickwork, glazing, insulating glass units, and more, ARBOSIL LMS delivers professional-quality results.

Make ARBO your first choice—the professional choice!

Upgrade to ARBOSIL LMS now!



| Wide colour range:                |                       |
|-----------------------------------|-----------------------|
| Anthracite (380ml fill cartridge) | Rustic Red (380ml)    |
| Black (310ml)                     | Magnolia (380ml)      |
| Brown (310ml & 380ml)             | White (310ml & 380ml) |
| Buff (380ml)                      | Light Grey (380ml)    |
| Dark Bronze (310ml)               | RAL 7016 (380ml)      |
| Grey (380ml)                      | RAL 7022 (380ml)      |
| Portland (380ml)                  | and more              |

### ARBOKOL AG2 – POURING & GUN GRADE

Two Part Polysulphide Sealant

#### Applications

- Structural Floor Joints.
- Carriageway, kerb & parapet wall joints.
- Sea Walls.
- Water Retaining Structures (Non Drinking Water)

Available in grey only.

Gun grade is a 2.5 Litre pack. Pouring grade is a 5 Litre pack.



### ARBOKOL 1025SP

A unique two part Epoxy sealant which cures to form a hard wearing and Chlorine Resistant seal. For use in a variety of internal stress relief joint systems where continual water resistance and a high degree of chemical resistance are required.

#### Applications

- Swimming Pools
- Compression Joints
- Long Term water immersed joints
- Tile to Tile joints
- Shower Rooms

Available in a 1.2 Ltr Tin



### ARBOTHANE 1245

One Part High Modulus Polyurethane Sealant

#### Applications

- Flooring
- Expansion joint
- Joints in sea walls
- Joints in trafficked floor joints where a fast cure 1 part sealant is required

Available in grey only in a 600 ml Foil Pack








## CONTENTS

|            |                              |
|------------|------------------------------|
| <b>98</b>  | CHANNEL*                     |
| <b>100</b> | BRACKETRY                    |
| <b>102</b> | CHANNEL ACCESSORIES          |
| <b>107</b> | MALLEABLE IRON PIPE SUPPORTS |
| <b>108</b> | BRASS PIPE SUPPORTS          |
| <b>109</b> | PIPE CLIPS                   |
| <b>110</b> | PLASTIC RANGE                |
| <b>111</b> | ZIP CLIP HANGER SYSTEMS      |
| <b>113</b> | LINDAPTER DECKING PRODUCTS   |
| <b>115</b> | LINDAPTER SUPPORT PRODUCTS   |
| <b>116</b> | LINDAPTER STEELWORK FIXINGS  |
| <b>118</b> | LINDAPTER CAVITY ANCHORS     |
| <b>119</b> | BIG FOOT SUPPORT SYSTEMS     |
| <b>120</b> | CABLE MANAGEMENT             |
| <b>121</b> | CABLE TRAY ACCESSORIES       |

**\* ADDITIONAL CARRIAGE  
CHARGES MAY APPLY**

# + CHANNEL

## SLOTTED CHANNEL 41 x 41 HEAVY GAUGE



| Part No. | Description                             |
|----------|-----------------------------------------|
| S11423   | 41 x 41 x 2.5 11mm slotted channel 3mtr |
| S11426   | 41 x 41 x 2.5 11mm slotted channel 6mtr |
| S13423   | 41 x 41 x 2.5 13mm slotted channel 3mtr |
| S13426   | 41 x 41 x 2.5 13mm slotted channel 6mtr |


## SLOTTED CHANNEL 41 x 21 HEAVY GAUGE



| Part No. | Description                              |
|----------|------------------------------------------|
| S11223   | 41 x 21 x 2.5 11mm slotted channel 3mtr  |
| S11226   | 41 x 21 x 2.5 11mm slotted channel 6mtr  |
| S13223   | 41 x 21 x 2.5 13mm slotted channel 3mtr* |
| S13226   | 41 x 21 x 2.5 13mm slotted channel 6mtr* |

\* 13mm available to order

## PLAIN CHANNEL 41 x 41 HEAVY GAUGE



| Part No. | Description                      |
|----------|----------------------------------|
| P423     | 41 x 41 x 2.5 plain channel 3mtr |
| P426     | 41 x 41 x 2.5 plain channel 6mtr |

## PLAIN CHANNEL 41 x 21 HEAVY GAUGE




| Part No. | Description                      |
|----------|----------------------------------|
| P223     | 41 x 21 x 2.5 plain channel 3mtr |
| P226     | 41 x 21 x 2.5 plain channel 6mtr |

## PLAIN BACK TO BACK CHANNEL



| Part No. | Description                                   |
|----------|-----------------------------------------------|
| P4423    | 41 x 41 x 2.5 plain back to back channel 3mtr |
| P4426    | 41 x 41 x 2.5 plain back to back channel 6mtr |


## SLOTTED BACK TO BACK CHANNEL



| Part No. | Description                                          |
|----------|------------------------------------------------------|
| S11623   | 41 x 41 x 2.5 11mm slotted back to back channel 3mtr |
| S11626   | 41 x 41 x 2.5 11mm slotted back to back channel 6mtr |
| S13623   | 41 x 41 x 2.5 13mm slotted back to back channel 3mtr |
| S13626   | 41 x 41 x 2.5 13mm slotted back to back channel 6mtr |

ADDITIONAL CARRIAGE CHARGES MAY APPLY

## SLOTTED CHANNEL 41 x 41 LIGHT GAUGE




| Part No. | Description                             |
|----------|-----------------------------------------|
| S11413   | 41 x 41 x 1.5 11mm slotted channel 3mtr |
| S11416   | 41 x 41 x 1.5 11mm slotted channel 6mtr |
| S13413   | 41 x 41 x 1.5 13mm slotted channel 3mtr |
| S13416   | 41 x 41 x 2.5 13mm slotted channel 6mtr |

## SLOTTED CHANNEL 41 x 21 LIGHT GAUGE



| Part No. | Description                             |
|----------|-----------------------------------------|
| S11213   | 41 x 21 x 1.5 11mm slotted channel 3mtr |
| S11216   | 41 x 21 x 1.5 11mm slotted channel 6mtr |
| S13213   | 41 x 21 x 1.5 13mm slotted channel 3mtr |
| S13216   | 41 x 21 x 1.5 13mm slotted channel 6mtr |

## PLAIN CHANNEL 41 x 41 LIGHT GAUGE



| Part No. | Description                             |
|----------|-----------------------------------------|
| P413     | 41 x 41 x 2.5 11mm slotted channel 3mtr |
| P416     | 41 x 41 x 2.5 11mm slotted channel 6mtr |

## PLAIN CHANNEL 41 x 21 LIGHT GAUGE



| Part No. | Description                      |
|----------|----------------------------------|
| P213     | 41 x 21 x 1.5 plain channel 3mtr |
| P216     | 41 x 21 x 1.5 plain channel 6mtr |

## SLOTTED CHANNEL 41 x 62 HEAVY GAUGE



| Part No. | Description                             |
|----------|-----------------------------------------|
| S11623   | 41 x 62 x 2.5 11mm slotted channel 3mtr |
| S11626   | 41 x 62 x 2.5 11mm slotted channel 6mtr |
| S13623   | 41 x 41 x 1.5 13mm slotted channel 3mtr |
| S13626   | 41 x 41 x 2.5 13mm slotted channel 6mtr |

## SLOTTED CHANNEL 41 x 82 HEAVY GAUGE




| Part No. | Description                             |
|----------|-----------------------------------------|
| S11823   | 41 x 82 x 2.5 11mm slotted channel 3mtr |
| S11826   | 41 x 82 x 2.5 11mm slotted channel 6mtr |
| S13823   | 41 x 82 x 2.5 13mm slotted channel 3mtr |
| S13826   | 41 x 82 x 2.5 13mm slotted channel 6mtr |


# + BRACKETRY

## FLAT BRACKETS


F10108



F10110




F10112



F102




F103




F104




F105



F107




F108



F109



F110



## ANGLE BRACKETS

A200



A202



A205



A206



A207



A219




A220



## BASE PLATES

B601



B602



B603/41



B603/82




## CLAMP BRACKETS

C700/21



C700/41



C700/82




C701/21



C701/41




C701/82



C703



C704



C705



C706



C708



C709



## SPLICE PLATES – CHANNEL CONNECTORS

S500/21



S500/41



S501/21




S501/41



## TOP HAT BRACKETS

U400



U401



U402



U403




## WINGED BRACKETS

W801




W802



## "Z" BRACKETS

Z300



Z301




Z302





## + CHANNEL ACCESSORIES

### CANTILEVER BRACKETS




| Part No. | Length (mm) |
|----------|-------------|
| CA0150   | 150         |
| CA0300   | 300         |
| CA0450   | 450         |
| CA0600   | 600         |
| CA0750   | 750         |
| CA1000   | 1000        |

### CHANNEL NUT – PLAIN



| Part No. | Thread Size (mm) | Description |
|----------|------------------|-------------|
| CNP06    | 6                | Plain       |
| CNP08    | 8                | Plain       |
| CNP10    | 10               | Plain       |
| CNP12    | 12               | Plain       |

### CANTILEVER BRACKETS – BACK TO BACK



| Part No. | Length (mm) | Description  |
|----------|-------------|--------------|
| CABB0300 | 300         | Back to back |
| CABB0450 | 450         | Back to back |
| CABB0600 | 600         | Back to back |
| CABB0750 | 750         | Back to back |
| CABB1000 | 1000        | Back to back |

### CHANNEL NUT – SHORT SPRING




| Part No. | Thread Size (mm) | Description  |
|----------|------------------|--------------|
| CNS06    | 6                | Short spring |
| CNS08    | 8                | Short spring |
| CNS10    | 10               | Short spring |
| CNS12    | 12               | Short spring |

### CHANNEL NUT – LONG SPRING



| Part No. | Thread Size (mm) | Description |
|----------|------------------|-------------|
| CNL06    | 6                | Long spring |
| CNL08    | 8                | Long spring |
| CNL10    | 10               | Long spring |
| CNL12    | 12               | Long spring |

## CLOSURE STRIP



| Part No. | Length (mm) | Colour |
|----------|-------------|--------|
| CSB3     | 3000        | Black  |
| CSW3     | 3000        | White  |


## CHANNEL SOCKET

The inexpensive but unique Channel Socket is a high quality specialised socket head which fits ½" drive ratchet handles. It enables you to fix slotted or drilled channel direct to walls, floors, soffits and ceilings, without the use of brackets. Because it fits ½" drive ratchet handles / impact drivers, it allows a quick and accurate torque set, ensuring high quality workmanship.



| Part No. | Size A/F (mm) | Drive   |
|----------|---------------|---------|
| S1217C21 | 17            | 41 x 21 |
| S1217C41 | 17            | 41 x 41 |
| S1219C41 | 19            | 41 x 41 |

## END CAPS



| Part No. | Length (mm) | Colour |
|----------|-------------|--------|
| ECB21    | 41 x 21     | Black  |
| ECB41    | 41 x 41     | Black  |
| ECW21    | 41 x 21     | White  |
| ECW41    | 41 x 41     | White  |

## THREADED ROD END CAPS



| Part No. | Size (mm) | Colour |
|----------|-----------|--------|
| TRC08B   | 8         | Black  |
| TRC08W   | 8         | White  |
| TRC10B   | 10        | Black  |
| TRC10W   | 10        | White  |
| TRC12B   | 12        | Black  |
| TRC12W   | 12        | White  |

## TWISTER ROOFING BOLT DRIVER

- Unique patented cruciform design is made specifically for roofing bolts
- Makes driving easier and helps prevent camming out
- 4 drive wings provide increased contact with the drive edges, dramatically reducing the risk of bolt head damage
- Rare earth magnet maximises the connection for secure holding



## TWISTER CHANNEL DRIVER

- Available in two sizes, 17mm (for use with M10 nuts and bolts) and 19mm (for use with M12 nuts and bolts)
- Machined flats allow easy access into the most commonly used size of channel (41mm x 41mm)
- Impact rated for use in an impact driver - perfect for the convenience of single handed driving



## THREADED ROD BZP



| Part No. | Size (mm)  |
|----------|------------|
| TR06     | M6 x 3000  |
| TR08     | M8 x 3000  |
| TR10     | M10 x 3000 |
| TR12     | M12 x 3000 |
| TR16     | M16 x 3000 |
| TR20     | M20 x 3000 |
| TR24     | M24 x 3000 |
| TR30     | M30 x 3000 |
| TR061000 | M6 x 1000  |
| TR081000 | M8 x 1000  |
| TR101000 | M10 x 1000 |
| TR121000 | M12 x 1000 |
| TR161000 | M16 x 1000 |
| TR201000 | M20 x 1000 |
| TR241000 | M24 x 1000 |
| TR301000 | M30 x 1000 |

## THREADED ROD A2 STAINLESS STEEL 3M

| Part No. | Size (mm)    |
|----------|--------------|
| A2TR06   | M6 X 3000MM  |
| A2TR08   | M8 X 3000MM  |
| A2TR10   | M10 X 3000MM |
| A2TR12   | M12 X 3000MM |
| A2TR16   | M16 X 3000MM |
| A2TR20   | M20 X 3000MM |
| A2TR24   | M24 X 3000MM |
| A2TR30   | M30 X 3000MM |

A4 available on request

## THREADED STUDS BZP



| Part No. | Size (mm) |
|----------|-----------|
| TS10030  | M10 x 30  |
| TS10040  | M10 x 40  |
| TS10050  | M10 x 50  |
| TS10060  | M10 x 60  |
| TS10080  | M10 x 80  |
| TS10100  | M10 x 100 |
| TS10150  | M10 x 150 |

Other lengths available on request

## THREADED ROD A2 STAINLESS STEEL 1M

| Part No.   | Size (mm)    |
|------------|--------------|
| A2TR061000 | M6 X 1000MM  |
| A2TR081000 | M8 X 1000MM  |
| A2TR101000 | M10 X 1000MM |
| A2TR121000 | M12 X 1000MM |
| A2TR161000 | M16 1000MM   |
| A2TR201000 | M20 1000MM   |
| A2TR241000 | M24 1000MM   |
| A2TR301000 | M30 1000MM   |

A4 available on request

## + CHANNEL ACCESSORIES

### EYE BOLTS BZP



| Part No. | Size (mm) |
|----------|-----------|
| EB06080  | M6 x 80   |
| EB06100  | M6 x 100  |
| EB08080  | M8 x 80   |
| EB08100  | M8 x 100  |
| EB08150  | M8 x 150  |
| EB10080  | M10 x 80  |
| EB10100  | M10 x 100 |
| EB10150  | M10 x 150 |
| EB10200  | M10 x 200 |
| EB10250  | M10 x 250 |
| EB10300  | M10 x 300 |
| EB12080  | M12 x 80  |
| EB12100  | M12 x 100 |
| EB12150  | M12 x 150 |

### ROD CONNECTORS BZP



| Part No. | Size (mm) |
|----------|-----------|
| RC06     | 6         |
| RC08     | 8         |
| RC10     | 10        |
| RC12     | 12        |
| RC16     | 16        |
| RC20     | 20        |

### ROD SWIVEL HANGER



| Part No. | Size (mm) |
|----------|-----------|
| RSH10    | 10        |
| RSH12    | 12        |

### THREADED ROD ADAPTORS



| Part No. | Description            |
|----------|------------------------|
| TA0810   | M8 Male to M10 Female  |
| TA1008   | M10 Male to M8 Female  |
| TA1012   | M10 Male to M12 Female |
| TA1210   | M12 Male to M10 Female |
| TA1216   | M12 Male to M16 Female |
| TA1612   | M16 Male to M12 Female |



# + MALLEABLE IRON PIPE SUPPORTS



## SCREW ON BRACKETS



| Part No. | Tube N.B. |
|----------|-----------|
| G010375  | 3/8"      |
| G010500  | 1/2"      |
| G010750  | 3/4"      |
| G011000  | 1"        |
| G011250  | 1 1/4"    |
| G011500  | 1 1/2"    |
| G012000  | 2"        |
| G012500  | 2 1/2"    |
| G013000  | 3"        |
| G014000  | 4"        |

## SINGLE RINGS – METRIC



| Part No. | Tube N.B. |
|----------|-----------|
| G02M0375 | 3/8"      |
| G02M0500 | 1/2"      |
| G02M0750 | 3/4"      |
| G02M1000 | 1"        |
| G02M1250 | 1 1/4"    |
| G02M1500 | 1 1/2"    |
| G02M2000 | 2"        |
| G02M2500 | 2 1/2"    |
| G02M3000 | 3"        |
| G02M4000 | 4"        |
| G02M5000 | 3"        |
| G02M6000 | 3"        |

## BACKPLATES



| Part No. | Thread size (mm) |
|----------|------------------|
| BP06     | M6               |
| BP08     | M8               |
| BP10     | M10              |
| BP12     | M12              |

## SINGLE RING METRIC – DOUBLE BOSSED



| Part No. | Thread | Tube N.B. |
|----------|--------|-----------|
| G03M0375 | M10    | 3/8"      |
| G03M0500 | M10    | 1/2"      |
| G03M0750 | M10    | 3/4"      |
| G03M1000 | M10    | 1"        |
| G03M1250 | M10    | 1 1/4"    |
| G03M1500 | M10    | 1 1/2"    |
| G03M2000 | M10    | 2"        |
| G03M2500 | M12    | 2 1/2"    |
| G03M3000 | M12    | 3"        |
| G03M4000 | M12    | 4"        |
| G03M5000 | M12    | 3"        |
| G03M6000 | M12    | 3"        |

## BACKPLATES BZP – DUAL TAPPED



| Part No. | Thread size (mm) |
|----------|------------------|
| BP0810   | M8/M10           |

## + BRASS PIPE SUPPORTS

### SCREW ON BRACKETS



| Part No. | Tube O.D. (mm) |
|----------|----------------|
| G11015   | 15             |
| G11022   | 22             |
| G11028   | 28             |
| G11035   | 35             |
| G11042   | 42             |
| G11054   | 54             |
| G11067   | 67             |
| G11076   | 76             |
| G11108   | 108            |

### SINGLE RINGS – METRIC



| Part No. | Thread | Tube N.B. |
|----------|--------|-----------|
| G12M015  | M10    | 15        |
| G12M022  | M10    | 22        |
| G12M028  | M10    | 28        |
| G12M035  | M10    | 35        |
| G12M042  | M10    | 42        |
| G12M054  | M10    | 54        |
| G12M067  | M10    | 67        |
| G12M076  | M10    | 76        |
| G12M108  | M10    | 108       |
| G12M133  | M10    | 133       |
| G12M159  | M10    | 159       |

### BACKPLATES FEMALE



| Part No. | Thread size (mm) |
|----------|------------------|
| G14M06   | M6               |
| G14M08   | M8               |
| G14M10   | M10              |

### SINGLE RING METRIC – DOUBLE BOSSED



| Part No. | Thread | Tube N.B. |
|----------|--------|-----------|
| CB1503M  | M10    | 15        |
| CB2203M  | M10    | 22        |
| CB2803M  | M10    | 28        |
| CB3503M  | M10    | 35        |
| CB4203M  | M10    | 42        |
| CB5403M  | M10    | 54        |
| CB6703M  | M10    | 67        |
| CB7603M  | M10    | 76        |
| CB9803M  | M10    | 108       |
| CB9303M  | M10    | 133       |
| CB9903M  | M10    | 159       |

### BACKPLATES MALE



| Part No. | Thread size (mm) |
|----------|------------------|
| G15M10   | M10              |

## TWO PIECE RUBBER LINED CLIP BZP – DUAL TAPPED M8/M10



| Part No. | Size Range (mm) | Tube N.B. |
|----------|-----------------|-----------|
| LC01     | 15 - 19         | 3/8"      |
| LC02     | 20 - 25         | 1/2"      |
| LC03     | 26 - 30         | 3/4"      |
| LC04     | 32 - 36         | 1"        |
| LC05     | 38 - 43         | 1.1/4"    |
| LC06     | 47 - 51         | 1.1/2"    |
| LC07     | 53 - 58         |           |
| LC08     | 60 - 64         | 2"        |
| LC09     | 67 - 72         |           |
| LC10     | 75 - 80         | 2.1/2"    |
| LC11     | 81 - 86         |           |
| LC12     | 87 - 92         | 3"        |
| LC13     | 90 - 95         |           |
| LC14     | 96 - 101        |           |
| LC15     | 99 - 105        |           |
| LC16     | 107 - 112       |           |
| LC17     | 113 - 118       | 4"        |
| LC18     | 116 - 121       |           |
| LC19     | 121 - 127       |           |
| LC20     | 125 - 130       |           |
| LC21     | 132 - 137       |           |
| LC22     | 138 - 142       | 5"        |
| LC23     | 148 - 152       |           |
| LC24     | 159 - 166       | 6"        |
| LC25     | 168 - 175       |           |
| LC26     | 176 - 185       |           |
| LC27     | 195 - 210       |           |
| LC28     | 215 - 226       | 8"        |
| LC29     | 249 - 254       |           |
| LC30     | 265 - 275       |           |
| LC40     | 315 - 325       |           |

## TWO PIECE UNLINED CLIP BZP – DUAL TAPPED M8/M10



| Part No. | Size Range (mm) | Tube N.B. |
|----------|-----------------|-----------|
| UC01     | 15 - 19         | 3/8"      |
| UC02     | 20 - 25         | 1/2"      |
| UC03     | 26 - 30         | 3/4"      |
| UC04     | 32 - 36         | 1"        |
| UC05     | 38 - 43         | 1.1/4"    |
| UC06     | 47 - 51         | 1.1/2"    |
| UC07     | 53 - 58         |           |
| UC08     | 60 - 64         | 2"        |
| UC09     | 67 - 72         |           |
| UC10     | 75 - 80         | 2.1/2"    |
| UC11     | 81 - 86         |           |
| UC12     | 87 - 92         | 3"        |
| UC13     | 90 - 95         |           |
| UC14     | 96 - 101        |           |
| UC15     | 99 - 105        |           |
| UC16     | 107 - 112       |           |
| UC17     | 113 - 118       | 4"        |
| UC18     | 116 - 121       |           |
| UC19     | 121 - 127       |           |
| UC20     | 125 - 130       |           |
| UC21     | 132 - 137       |           |
| UC22     | 138 - 142       | 5"        |
| UC23     | 148 - 152       |           |
| UC24     | 159 - 166       | 6"        |
| UC25     | 168 - 175       |           |
| UC26     | 176 - 185       |           |
| UC27     | 195 - 210       |           |
| UC28     | 215 - 226       | 8"        |
| UC29     | 249 - 254       |           |
| UC30     | 265 - 275       |           |
| UC40     | 315 - 325       |           |

## STEEL SADDLE LIGHT BZP



Also available in heavy duty.

| Part No. | Tube N.B. | Part No. | Tube N.B. |
|----------|-----------|----------|-----------|
| SSL01    | 1/4"      | SSL05    | 1.1/4"    |
| SSL02    | 1/2"      | SSL06    | 1.1/2"    |
| SSL03    | 3/4"      | SSL07    | 2"        |
| SSL04    | 1"        |          |           |

## + PLASTIC RANGE

### PUSH IN CLIP – SINGLE



| Part No. | Tube O.D. (mm) |
|----------|----------------|
| PCPS15   | 15             |
| PCPS22   | 22             |
| PCPS28   | 28             |

### SNAP OVER – SINGLE



| Part No. | Tube O.D. (mm) |
|----------|----------------|
| PCLS15   | 15             |
| PCLS22   | 22             |
| PCLS28   | 28             |

### SPACER BLOCK



| Part No. | Tube O.D. (mm) |
|----------|----------------|
| PCSB15   | 15             |
| PCSB22   | 22             |
| PCSB28   | 28             |

### NAIL IN CLIP



| Part No. | Tube O.D. (mm) |
|----------|----------------|
| PCNI10   | 10             |
| PCNI15   | 15             |
| PCNI22   | 22             |
| PCNI28   | 28             |

### PUSH IN CLIP – DOUBLE



| Part No. | Tube O.D. (mm) |
|----------|----------------|
| PCPD15   | 15             |
| PCPD22   | 22             |
| PCPD28   | 28             |

### SNAP OVER – DOUBLE



| Part No. | Tube O.D. (mm) |
|----------|----------------|
| PCLD15   | 15             |
| PCLD22   | 22             |
| PCLD28   | 28             |

### PIPE COLLARS – WHITE



| Part No. | Tube O.D. (mm) |
|----------|----------------|
| PC15W    | 15             |
| PC22W    | 22             |
| PC28W    | 28             |

## ZIP CLIP RIZE HANGER SYSTEM

The range consists of a range of wire reels and clips with a choice of Safe Working Loads:

G 10kg SWL  
S 50kg SWL  
Y 120kg SWL  
P 230kg SWL  
N 500kg SWL

### The applications

- Wrap around applications
- Suitable for use with a wide range of fixing brackets including: UNI1, UNI2, UNI3, CLA1, MA6810, T920514
- Available with stainless steel wire for specialist applications

### The technical information

- Key free release system
- No pre-site visits required
- Any spare material can be used on following projects
- Only wire cutter required
- Can be used as a wrap around application and with a wide range of brackets
- Wire supplied in dispensing box – avoiding risk of wire bird nesting

### The installation

- Cut wire to desired length for the drop required
- Pass one end of the wire through the zip-clip in the direction of the arrow and draw enough wire to go around your fixing point
- Pass the wire end back through the zip-clip leaving at least 15cm of free wire protruding
- At the other end again pass the wire through the zipclip in the direction of the arrow
- Pass the free end of wire around your suspension or through your fixing and back through the zip-clip leaving 15cm of wire protruding



| Part No.  | Description             | SWL   |
|-----------|-------------------------|-------|
| ZCKL050   | Rize KL50               | 10kg  |
| ZCRG200   | 200 Mtr G Wire          | 10kg  |
| ZCRG100SS | 100 Mtr G Wire St/Steel | 10kg  |
| ZCRG200SS | 200 Mtr G Wire St/Steel | 10kg  |
| ZCKL100   | Rize KL100              | 50kg  |
| ZCRS100   | 100 Mtr S Wire          | 50kg  |
| ZCRS200   | 200 Mtr S Wire          | 50kg  |
| ZCRS500   | 500 Mtr S Wire          | 50kg  |
| ZCRS100SS | 100 Mtr S Wire St/Steel | 45kg  |
| ZCKL150   | Rize KL150              | 120kg |
| ZCRY100   | Rize KL150              | 120kg |
| ZCRY100SS | 100 Mtr Y Wire St/Steel | 100kg |
| ZCKL200   | Rize KL200              | 230kg |
| ZCRP100   | 100 Mtr P Wire          | 230kg |
| ZCRP100SS | 100 Mtr P wire St/Steel | 200kg |





# + ZIP CLIP HANGER SYSTEMS

## ZIP CLIP LOOP-IT HANGER SYSTEM

The range consists of a range of wire reels and clips with a choice of Safe Working Loads:

G 10kg SWL  
S 45kg SWL  
Y 90kg SWL  
P 200kg SWL  
N 500kg SWL

### The applications

Suitable for wrap around applications including:

- Beams
- Purlins
- Roof Trusses
- And all other existing features

### The technical Information

- Key free release system
- Simple to use
- High tensile galvanised wire 1960N/mm<sup>2</sup> grade 7 x 7 construction
- BSEN 12385 standard

### The installation

- Pass the wire around the purlin or beam
- Pass the free end of the wire through the loop
- Pass the wire through the zip-clip in the direction of the arrow
- Pass through or around the require suspension and back through the zip-clip leaving 15 cm of wire protruding



| Part No. | Description    | SWL  |
|----------|----------------|------|
| ZCLG01   | G Wire x 1mtr  | 10kg |
| ZCLG02   | G Wire x 2mtr  | 10kg |
| ZCLG03   | G Wire x 3mtr  | 10kg |
| ZCLG04   | G Wire x 4mtr  | 10kg |
| ZCLG05   | G Wire x 5mtr  | 10kg |
| ZCLG06   | G Wire x 6mtr  | 10kg |
| ZCLG10   | G Wire x 10mtr | 10kg |

### Other sizes available:

| Part No. | Description | SWL   |
|----------|-------------|-------|
| ZCLS     | S Wire      | 45kg  |
| ZCLY     | Y Wire      | 90kg  |
| ZCLP     | P Wire      | 200kg |



# + LINDAPTER DECKING PRODUCTS



## LINDAPTER TYPE AW ALPHA WEDGE



The Alphawedge is designed for Ribdeck AL, E60 and 80 profiles manufactured by Richard Lees Steel Decking.



| Part No. | Size |
|----------|------|
| LAW06    | M6   |
| LAW08    | M8   |
| LAW10    | M10  |

## LINDAPTER TYPE MW2 MULTIWEDGE 2



The Multiwedge 2 is designed for MD60 and MD80 profiles manufactured by Kingspan Structural Products.



| Part No. | Size |
|----------|------|
| LMW06    | M6   |
| LMW08    | M8   |
| LMW10    | M10  |

## LINDAPTER TYPE TR60



The TR60 is designed for TR60 and 80 profiles manufactured by Structural Metal Decks.



| Part No. | Size |
|----------|------|
| LTR60M06 | M6   |
| LTR60M08 | M8   |
| LTR60M10 | M10  |

## LINDAPTER TYPE SD2 SLIMDEK 2



The Slimdek 2 is designed for the CF225 profile manufactured by Corus Panels and Profiles. It gives a fully flexible suspension position.



| Part No. | Size |
|----------|------|
| LSD06    | M6   |
| LSD08    | M8   |
| LSD10    | M10  |

# + LINDAPTER DECKING PRODUCTS

## LINDAPTER TYPE MF WEDGE



The Type MF is designed for MetFloor® 60 & Metfloor 80 profiles manufactured by Composite Metal Flooring (CMF®).



| Part No. | Size |
|----------|------|
| LMF06    | M6   |
| LMF08    | M8   |
| LMF10    | M10  |

## NON LINDAPTER STANDARD WEDGE NUT

For use with:  
Richard Lees Decking - Super Holorib & Holorib  
Quick Span Decking - Q51  
PMF Decking - C151  
Alpha Decking - Alpharib



| Part No. | Dimensions |
|----------|------------|
| WNS06    | M6         |
| WNS08    | M8         |
| WNS10    | M10        |

## LINDAPTER TYPE TC TOGGLE CLAMP



The toggle clamp is designed for service suspension from pre-cast hollow core slabs (minimum depth of core 75mm) as well as SHS, steel sheeting or purlins.



| Part No. | Size |
|----------|------|
| LTC08    | M8   |
| LTC10    | M10  |

## NON LINDAPTER MINI WEDGE NUT (RIB DECK 60)

For use with:  
Richard Lees Decking - Rib Deck 60  
Dimensions - 21mm x 17mm x 10mm



| Part No. | Dimensions |
|----------|------------|
| WNR6006  | M6         |
| WNR6008  | M8         |
| WNR6010  | M10        |

## LINDAPTER TYPE VN V-NUT



The V-Nut fits the re-entrant channel of several composite floor deckings.



| Part No. | Size |
|----------|------|
| LVN06    | M6   |
| LVN08    | M8   |
| LVN10    | M10  |

## NON LINDAPTER MINI WEDGE NUT

For use with:  
PMF Decking - CF70  
Kingspan Multideck - 80-V2  
Dimensions - 18mm x 10mm x 9mm



| Part No. | Dimensions |
|----------|------------|
| WNM06    | M6         |
| WNM08    | M8         |
| WNM10    | M10        |

## LINDAPTER BEAM CLAMP – TYPE FL

Beam clamp suitable for use with parallel or tapered flange beams, supplied with the back hole drilled or tapped. The type FL uses a grade 808 cup point setscrew for secure grip.



| Part No. | Size       |
|----------|------------|
| LFL08    | M6 to M8   |
| LFL10    | M8 to M10  |
| LFL12    | M10 to M12 |

## NON LINDAPTER BEAM CLAMP



| Part No. | Size |
|----------|------|
| BC08     | M6   |
| BC10     | M8   |
| BC12     | M10  |

## LINDAPTER PURLIN CLIP – TYPE Z10

A purlin clip to suit a large range of purlin sections.



| Part No. | Size |
|----------|------|
| LZ10     | M10  |

## NON LINDAPTER PURLIN CLIP



| Part No. | Size |
|----------|------|
| PC11     | M10  |

## LINDAPTER HORIZONTAL PURLIN CLIP – HCW30

The purlin clip HCW30 is suitable for horizontal purlins.



| Part No. | Size |
|----------|------|
| LHCW30   | M10  |

## NON LINDAPTER HORIZONTAL PURLIN CLIP – HPC1



| Part No. | Size |
|----------|------|
| HPC1     | M10  |

## LINDAPTER HORIZONTAL PURLIN CLIP – HCW31

A universal purlin clip suitable for multiple different applications.



| Part No. | Size |
|----------|------|
| LHCW31   | M10  |

## NON LINDAPTER HORIZONTAL PURLIN CLIP – HPC2




| Part No. | Size     |
|----------|----------|
| HPC2     | 7mm hole |

# + LINDAPTER STEELWORK FIXINGS

## LINDAPTER TYPE A RECESSED

Type A clamp allows a fast steelwork fixing connection. It has a recessed top to hold the bolt head captive whilst the nut is tightened. The skirt prevents the clamp rotating during installation. Suitable for flanges up to 8°.

**lindapter®**



| Part No. | Bolt Size | Short Tail | Medium Tail | Long Tail |
|----------|-----------|------------|-------------|-----------|
| LA08     | M8        |            | LA08M       |           |
| LA10     | M10       | LA10S      | LA10M       | LA10L     |
| LA12     | M12       | LA12S      | LA12M       | LA12L     |
| LA16     | M16       | LA16S      | LA16M       | LA16L     |
| LA20     | M20       | LA20S      | LA20M       | LA20L     |
| LA24     | M24       | LA24S      | LA24M       | LA24L     |

## LINDAPTER TYPE B FLAT TOP

Type B allows a fast steelwork fixing connection without the need for onsite drilling or welding. It is a steelwork clamp with flat top which allows the bolt head or nut to be rotated. Suitable for use with all bolts, studs, tie rods and J-bolts for flanges up to 8°.

**lindapter®**



| Part No. | Bolt Size | Short Tail | Medium Tail | Long Tail |
|----------|-----------|------------|-------------|-----------|
| LB08     | M8        |            | LB08M       |           |
| LB10     | M10       | LB10S      | LB10M       | LB10L     |
| LB12     | M12       | LB12S      | LB12M       | LB12L     |
| LB16     | M16       | LB16S      | LB16M       | LB16L     |
| LB20     | M20       | LB20S      | LB20M       | LB20L     |
| LB24     | M24       | LB24S      | LB24M       | LB24L     |



# + LINDAPTER STEELWORK FIXINGS



## LINDAPTER TYPE P1 & P2 PACKING SHIMS – SHORT



Packing used to adjust the tail length of various steelwork clamps (see related components) to meet differing beam flange thicknesses.



| Part No. | Bolt Diameter | Thickness (mm) |
|----------|---------------|----------------|
| LP1S08   | M8            | 4              |
| LP1S10   | M10           | 5              |
| LP1S12   | M12           | 6              |
| LP1S16   | M16           | 8              |
| LP1S20   | M20           | 10             |
| LP1S24   | M24           | 12             |
| LP2S08   | M8            | 8              |
| LP2S10   | M10           | 10             |
| LP2S12   | M12           | 12             |
| LP2S16   | M16           | 16             |
| LP2S20   | M20           | 20             |
| LP2S24   | M24           | 24             |

## LINDAPTER TYPE P1 & P2 PACKING SHIMS – LONG



Packing used to adjust the tail length of various steelwork clamps (see related components) to meet differing beam flange thicknesses.



| Part No. | Bolt Diameter | Thickness (mm) |
|----------|---------------|----------------|
| LP1L08   | M8            | 4              |
| LP1L10   | M10           | 5              |
| LP1L12   | M12           | 6              |
| LP1L16   | M16           | 8              |
| LP1L20   | M20           | 10             |
| LP1L24   | M24           | 12             |
| LP2L08   | M8            | 8              |
| LP2L10   | M10           | 10             |
| LP2L12   | M12           | 12             |
| LP2L16   | M16           | 16             |
| LP2L20   | M20           | 20             |
| LP2L24   | M24           | 24             |

## LINDAPTER TYPE CW CLIPPED WASHER



Packing used to adjust the tail length of various steelwork clamps (see related components) to meet differing beam flange thicknesses.



| Part No. | Size |
|----------|------|
| LCW08    | M8   |
| LCW10    | M10  |
| LCW12    | M12  |
| LCW16    | M16  |
| LCW20    | M20  |
| LCW24    | M24  |

# + LINDAPTER CAVITY ANCHORS

## LINDAPTER HEXAGONAL HOLLO-BOLT – TYPE LHB



The original expansion bolt for structural steel. Suitable for hollow sections, tubes and where access is available from one side only. The only expansion fixing to have full seismic approval for resisting wind loads and seismic loads. For corrosion protection the Hollo-Bolt comes with additional JS500 protection as standard. Also available hot dipped galvanised or stainless steel.



| Part No. | Bolt Size (mm) | Drill (mm) | Clamping Range (mm) |
|----------|----------------|------------|---------------------|
| LHB081   | 8 x 50         | 14         | 3 - 22              |
| LHB082   | 8 x 70         | 14         | 22 - 41             |
| LHB083   | 8 x 90         | 14         | 41 - 60             |
| LHB101   | 10 x 55        | 18         | 3 - 22              |
| LHB102   | 10 x 70        | 18         | 22 - 41             |
| LHB103   | 10 x 90        | 18         | 41 - 60             |
| LHB121   | 12 x 60        | 20         | 3 - 25              |
| LHB122   | 12 x 80        | 20         | 25 - 47             |
| LHB123   | 12 x 100       | 20         | 47 - 69             |
| LHB161   | 16 x 75        | 26         | 12 - 29             |
| LHB162   | 16 x 100       | 26         | 29 - 50             |
| LHB163   | 16 x 120       | 26         | 50 - 71             |
| LHB201   | 20 x 90        | 33         | 12 - 34             |
| LHB202   | 20 x 120       | 33         | 34 - 60             |
| LHB203   | 20 x 150       | 33         | 60 - 86             |

## LINDAPTER COUNTERSUNK HOLLO-BOLT – TYPE LHBC



The “Countersunk Head” version of the Hollo-Bolt is suitable for hollow sections or conventional steelwork where access is available from one side only. It also ensures that the fixing protrusion from the steelwork is kept to a minimum whilst still using a plain drilled hole in the supporting section and the outer plate/bracket.



| Part No. | Bolt Size (mm) | Drill (mm) | Clamping Range (mm) |
|----------|----------------|------------|---------------------|
| LHBC081  | 8 x 50         | 14         | 3 - 22              |
| LHBC082  | 8 x 70         | 14         | 22 - 41             |
| LHBC083  | 8 x 90         | 14         | 41 - 60             |
| LHBC101  | 10 x 50        | 18         | 3 - 22              |
| LHBC102  | 10 x 70        | 18         | 22 - 41             |
| LHBC103  | 10 x 90        | 18         | 41 - 60             |
| LHBC121  | 12 x 55        | 20         | 3 - 25              |
| LHBC122  | 12 x 80        | 20         | 25 - 47             |
| LHBC123  | 12 x 100       | 20         | 47 - 69             |
| LHBC161  | 16 x 70        | 26         | 12 - 29             |
| LHBC162  | 16 x 100       | 26         | 29 - 50             |
| LHBC163  | 16 x 120       | 26         | 50 - 71             |

## LINDAPTER FLUSH FIT HOLLO-BOLT – TYPE LFF



The flush fit version merges the technical advantages of the distinguished Hollo-Bolt with the aesthetic benefits of a discreet fixing and is suitable for hollow sections or conventional steelwork where access is available from one side only.



| Part No. | Bolt Size (mm) | Drill (mm) | Clamping Range (mm) |
|----------|----------------|------------|---------------------|
| LHBFF081 | 8 x 50         | 14         | 3 - 22              |
| LHBFF082 | 8 x 70         | 14         | 22 - 41             |
| LHBFF083 | 8 x 90         | 14         | 41 - 60             |
| LHBFF101 | 10 x 50        | 18         | 3 - 22              |
| LHBFF102 | 10 x 70        | 18         | 22 - 41             |
| LHBFF103 | 10 x 90        | 18         | 41 - 60             |
| LHBFF121 | 12 x 55        | 20         | 3 - 25              |
| LHBFF122 | 12 x 80        | 20         | 25 - 47             |
| LHBFF123 | 12 x 100       | 20         | 47 - 69             |

# + BIG FOOT SUPPORT SYSTEMS



## NON-PENETRATIVE SUPPORTS FOR PIPEWORK, DUCT AND CABLE LADDER/TRAY

### H FRAME KIT

The H Frame set is a quick, versatile and economical solution for supporting pipework, duct, cable trays or any combination of these. You provide your own strut, keeping the duct and pipe installations low cost and totally flexible by fabricating the frameworks on-site. The majority of installations require 305mm H Frames but where a greater load spread is required 450mm and 600mm H Frames are also available.



| Part No. | Description                  |
|----------|------------------------------|
| BFHF300  | H Frame Kit c/w 2 300mm pads |
| BFHF450  | H Frame Kit c/w 2 450mm pads |
| BFHF600  | H Frame Kit c/w 2 600mm pads |

### FIX IT FOOT

The seven sizes of Fix-it Foot are a neat and tidy roof top support solution. The feet have 40mm x 20mm aluminium channel recessed into the top face to allow for easy fixing of services. The Fix-it Foot is made of durable, recycled rubber, which offers built-in anti-vibration and makes it both economical and environmentally responsible.



| Part No. | Description                |
|----------|----------------------------|
| BFFF250  | Fix It Foot 250 x 180 x 95 |
| BFFF400  | Fix It Foot 400 x 180 x 95 |
| BFFF600  | Fix It Foot 600 x 220 x 95 |

### MULTI FOOT

The Multi Foot is designed to be a multipurpose support for duct, pipework and cable trays or any combination of these. This extremely versatile and cost-effective one-piece support is available in two sizes with optional rubber mats or the new integrated mat configuration.



| Part No. | Description            |
|----------|------------------------|
| BFMF400  | Multi Foot small 400mm |
| BFMF600  | Multi Foot small 600mm |

### SUPPORT SYSTEM

The LD standard product range consists of three standard modular frames, available in 1m, 2m & 3m arrangements. This ensures minimal crossmember deflection whilst maintaining structural stability; as opposed to weaker alternatives often constructed from poor quality pre galvanised strut.



| Part No. | Description           |
|----------|-----------------------|
| BFSS2U   | Support system 2 unit |
| BFSS4U   | Support system 4 unit |
| BFSS6U   | Support system 6 unit |

## + CABLE MANAGEMENT

### CABLE TRAY – MEDIUM DUTY RETURN FLANGE PG



| Part No. | Size (mm)  |
|----------|------------|
| CTM075   | 75 x 3000  |
| CTM100   | 100 x 3000 |
| CTM150   | 150 x 3000 |
| CTM225   | 225 x 3000 |
| CTM300   | 300 x 3000 |
| CTM450   | 450 x 3000 |
| CTM600   | 600 x 3000 |
| CTM750   | 750 x 3000 |
| CTM900   | 900 x 3000 |

### COUPLERS – MEDIUM DUTY



| Part No. | Description |
|----------|-------------|
| CTMC     | Medium duty |



## + CABLE TRAY ACCESSORIES



### CABLE TRAY OVERHEAD HANGERS



| Part No. | Size (mm) |
|----------|-----------|
| CTO075   | 75        |
| CTO100   | 100       |
| CTO150   | 150       |
| CTO225   | 225       |
| CTO300   | 300       |

### CABLE TRAY STAND OFF BRACKETS



| Part No. | Size (mm) |
|----------|-----------|
| CTS075   | 75        |
| CTS100   | 100       |
| CTS150   | 150       |
| CTS225   | 225       |
| CTS300   | 300       |

### ROOFING BOLT & NUT BZP



| Part No. | Size (mm) |
|----------|-----------|
| RBN06012 | M6 x 12   |
| RBN06016 | M6 x 16   |
| RBN06020 | M6 x 20   |
| RBN06025 | M6 x 25   |
| RBN06030 | M6 x 30   |
| RBN06040 | M6 x 40   |
| RBN06050 | M6 x 50   |
| RBN06060 | M6 x 60   |
| RBN06075 | M6 x 75   |
| RBN06100 | M6 x 100  |

**FP** FIXINGS PLUS

**armeg**

### TWISTER ROOFING BOLT DRIVER

- Unique patented cruciform design is made specifically for roofing bolts
- Makes driving easier and helps prevent camming out
- 4 drive wings provide increased contact with the drive edges, dramatically reducing the risk of bolt head damage
- Rare earth magnet maximises the connection for secure holding







# ENTERPRISE SYSTEM™

FOR BRICK-TIE CHANNELS

A high-performance solution for securely tying brickwork to concrete or steel frames, ensuring structural stability and long-term durability. Designed for modern construction, this system provides flexibility, ease of installation, and exceptional strength, making it ideal for a wide range of applications.

**GOLDEN THREAD READY.®**

**60 YEAR WARRANTY.**

**PROJECT-SPECIFIC TEST.**

## How it works:

The Enterprise Brick Tie Channel System is designed to create a secure and adjustable fixing between brickwork and structural elements, such as concrete frames or light/heavy gauge steel. The system consists of channel, stainless steel fasteners, and adjustable brick ties, which are inserted at the required positions, allowing for flexibility and movement while maintaining structural stability.

**LIGHT STEEL**



**CONCRETE**



**HEAVY STEEL**



## CONTENTS

|                |                                      |
|----------------|--------------------------------------|
| <b>124</b>     | WALL TIES – MASONRY TO MASONRY       |
| <b>125</b>     | FRAME CRAMPS                         |
| <b>126</b>     | SLIDING ANCHOR SYSTEMS & ACCESSORIES |
| <b>127</b>     | HEAD RESTRAINTS                      |
| <b>127</b>     | BRICKWORK REINFORCEMENT              |
| <b>128</b>     | BRICKWORK VENTILATION                |
| <b>129-130</b> | JOIST HANGERS & ANGLE BRACKETS       |
| <b>131</b>     | CARPENTRY ACCESSORIES                |
| <b>131</b>     | RESTRAINT STRAPS                     |

**ENQUIRE WITH US FOR  
BRICK CHANNEL & TIES**

# + WALL TIES – MASONRY TO MASONRY

## WALL STARTER TIES

Universal stainless steel wall starter system. The stainless steel wall starter system joins new walls to existing masonry. Suitable for both internal and external brick or block walls, the connectors can be slotted together up to a maximum of 8 metres or 3 storeys high, from 60 to 250mm thick. The pack contains the fixings necessary for a single leaf wall up to 2.4m / 8'. 2 no. Wall connectors 1.2m long, stainless steel 5 no. Plugs, coach screws and washers. 10no. Wall connector ties, stainless steel. Packed in boxes of 10.



| Part No. | Description                 |
|----------|-----------------------------|
| A2WS2400 | Wall starter pack - 2.4mtrs |

## HEAVY DUTY FORMED SAFETY TIE

Heavy duty formed safety tie.  
Constant drip feature to prevent moisture travelling across the cavity.  
Tested as type B (sound).  
Tested as type 1 (strength) to BS EN 845-1.



| Part No.  | Size (mm) |
|-----------|-----------|
| A2VST1200 | 200       |
| A2VST1225 | 225       |
| A2VST1250 | 250       |
| A2VST1275 | 275       |
| A2VST1300 | 300       |

## CAVITY TIE FLAT – SAFETY END

Heavy duty flat safety tie.  
Used in full fill cavities or where the prevention of moisture travelling across the cavity is not an issue.  
Also for collar jointed walls.  
Tested as type B (sound).  
Tested as type 1 (strength) to BS EN 845-1.



| Part No. | Size (mm) |
|----------|-----------|
| A2SPS150 | 150       |
| A2SPS175 | 175       |
| A2SPS200 | 200       |
| A2SPS225 | 225       |
| A2SPS250 | 250       |
| A2SPS275 | 275       |
| A2SPS300 | 300       |

## CAVITY TIE WITH DRIP – SAFETY END

Heavy duty dripped safety tie.  
Drip feature to prevent moisture travelling across the cavity (taking less space than vertical twist).  
Tested as type B (sound).  
Tested as type 1 (strength) to BS EN 845-1.  
Drip position 90mm from safety end as standard.



| Part No. | Size (mm) |
|----------|-----------|
| A2SDS150 | 150       |
| A2SDS175 | 175       |
| A2SDS200 | 200       |
| A2SDS225 | 225       |
| A2SDS250 | 250       |
| A2SDS275 | 275       |
| A2SDS300 | 300       |

## SAFETY END FRAME CRAMP DRILLED UPSTAND

Frame cramp (supplied in stainless or galvanised steel) for restraining masonry to new or existing structures and for building in non-structural elements (frames etc). See fixing section for details on fixing methods.



| Part No. | Size (mm) |
|----------|-----------|
| A2SPB075 | 75        |
| A2SPB100 | 100       |
| A2SPB125 | 125       |
| A2SPB150 | 150       |
| A2SPB175 | 175       |
| A2SPB200 | 200       |
| A2SPB225 | 225       |
| A2SPB250 | 250       |
| A2SPB275 | 275       |
| A2SPB300 | 300       |

## SAFETY END FRAME CRAMP DRILLED UPSTAND WITH DRIP

Frame cramp supplied with a drip to prevent moisture crossing the cavity. Drip position 90mm from safety end as standard.



| Part No. | Size (mm) |
|----------|-----------|
| A2SDB100 | 100       |
| A2SDB125 | 125       |
| A2SDB150 | 150       |
| A2SDB175 | 175       |
| A2SDB200 | 200       |
| A2SDB225 | 225       |
| A2SDB250 | 250       |
| A2SDB275 | 275       |
| A2SDB300 | 300       |

## SAFETY END FRAME CRAMP SLOTTED UPSTAND

Slotted frame cramp. As opposite, but supplied with a slot in upstand to allow various fixings.



| Part No. | Size (mm) |
|----------|-----------|
| A2SPV075 | 75        |
| A2SPV100 | 100       |
| A2SPV125 | 125       |
| A2SPV150 | 150       |
| A2SPV175 | 175       |
| A2SPV200 | 200       |
| A2SPV225 | 225       |
| A2SPV250 | 250       |
| A2SPV275 | 275       |
| A2SPV300 | 300       |

## SAFETY END FRAME CRAMP SLOTTED UPSTAND WITH DRIP

As opposite, but supplied with a slot in upstand to allow various fixings.



| Part No. | Size (mm) |
|----------|-----------|
| A2SDV100 | 100       |
| A2SDV125 | 125       |
| A2SDV150 | 150       |
| A2SDV175 | 175       |
| A2SDV200 | 200       |
| A2SDV225 | 225       |
| A2SDV250 | 250       |
| A2SDV275 | 275       |
| A2SDV300 | 300       |



## + SLIDING ANCHOR SYSTEMS & ACCESSORIES

### SOW SLIDING ONE WAY TIE

SOW is designed to be used with Vista sliding anchor systems and allow the ties to move up and down in the stem. Ties are supplied with a 3holded safety end for bonding into the mortar. The ties can slot to slide up or down the stem. (Special sizes made to order).



| Part No. | Description       |
|----------|-------------------|
| A2OWT115 | 115mm One Way Tie |
| A2OWT135 | 135mm One Way Tie |



## + ACCESSORIES

### INSULATION RETAINING CLIP

Universal insulation retaining clip used to hold insulation material against the inner wall of a cavity.



| Part No. | Description               |
|----------|---------------------------|
| IRC      | Insulation retaining clip |

### DEBONDING SLEEVES

Debonding sleeve to allow for movement of the ties listed above (a 25mm wide sleeve is required for channel ties). Debonding sleeves should have a 10mm gap left at end to allow for movement once installed.



| Part No. | Size (mm) |
|----------|-----------|
| DS20100  | 20 x 100  |
| DS20120  | 20 x 120  |
| DS20150  | 20 x 150  |
| DS20200  | 20 x 200  |



## + HEAD RESTRAINTS



### INTERNAL HEAD RESTRAINT

The IHRV head restraint is designed to resist lateral movement in wall heads, restraining them to structural soffits whilst allowing vertical movement (in order, for instance, to accommodate beam deflection).



| Part No. | Size (mm) |
|----------|-----------|
| A2IHRV   | 215       |

### HEAD RESTRAINT

The FHR is a very simple, economical head restraint product. Twice holed to accommodate 100 or 140mm walls. Vertical movement can be accommodated only by allowing clearance between the top of the blockwork panel and the underside of the restraint angle. Can also be manufactured to fit 215mm blockwork.



| Part No. | Size (mm) |
|----------|-----------|
| A2FHR140 | 100 - 140 |
| A2FHR215 | 215       |

## + BRICKWORK REINFORCEMENT

### COIL MESH

An expanded metal mesh available in various widths, stainless or galvanised steel. Designed to be incorporated into masonry for crack control.



| Part No. | Roll Size     | Material        |
|----------|---------------|-----------------|
| A2BR065  | 63mm x 20mtr  | Stainless steel |
| A2BR115  | 112mm x 20mtr | Stainless steel |
| A2BR178  | 175mm x 20mtr | Stainless steel |
| A2BR225  | 225mm x 20mtr | Stainless steel |

| Part No. | Roll Size     | Material   |
|----------|---------------|------------|
| GBR065   | 63mm x 20mtr  | Galvanised |
| GBR115   | 112mm x 20mtr | Galvanised |
| GBR178   | 175mm x 20mtr | Galvanised |
| GBR225   | 225mm x 20mtr | Galvanised |
| GBR305   | 305mm x 20mtr | Galvanised |

# + BRICKWORK VENTILATION

## LOUVRE VENTS

Plastic louvre grille. Room and cupboard ventilator. Low profile fixed open louvres allow a high air flow. Embossed with DO NOT BLOCK. Compatible with Rytons 9x3 AirLiners®. For internal and external use. U.V. stabilised to slow down the effects of sunlight. BBA approved - your independent assurance that the product meets building regulations and standards and will last. Available plain or bagged and barcoded for display.



| Part No. | Description          | Colour     |
|----------|----------------------|------------|
| LV93WH   | 9" x 3" Louvre panel | White      |
| LV93BR   | 9" x 3" Louvre panel | Brown      |
| LV93TC   | 9" x 3" Louvre panel | Terracotta |
| LV96WH   | 9" x 6" Louvre panel | White      |
| LV96BR   | 9" x 6" Louvre panel | Brown      |
| LV96TC   | 9" x 6" Louvre panel | Terracotta |
| LV99WH   | 9" x 9" Louvre panel | White      |
| LV99BR   | 9" x 9" Louvre panel | Brown      |
| LV99TC   | 9" x 9" Louvre panel | Terracotta |

## MULTIFIX AIRBRICKS

Robust interlocking air brick. One size can form a unit 9x6, 9x9 etc. Textured finish maintains aesthetic appearance. Use with Rytons Periscope® underfloor ventilator (PUFV) and AirLiners® 9x3, 9x6 and 9x9. U.V. stabilised to slow down the effects of sunlight. BBA approved - your independent assurance that the product meets building regulations and standards and will last.



| Part No. | Description               | Colour     |
|----------|---------------------------|------------|
| MFABWH   | 9" x 3" Multifix airbrick | White      |
| MFABBR   | 9" x 3" Multifix airbrick | Brown      |
| MFABTC   | 9" x 3" Multifix airbrick | Terracotta |
| MFABBL   | 9" x 3" Multifix airbrick | Black      |
| MFABGR   | 9" x 3" Multifix airbrick | Grey       |
| MFABBS   | 9" x 3" Multifix airbrick | Buff/Sand  |
| MFABBB   | 9" x 3" Multifix airbrick | Blue/Black |

## LOUVRE VENTS WITH FLYSCREEN


Plastic louvre grille with detachable flyscreen. Room and cupboard ventilator. Low profile fixed open louvres allow a high air flow. Flyscreen helps prevent the ingress of insects and spiders as well as reducing light and draughts. Embossed with DO NOT BLOCK. Compatible with Rytons 9x3 AirLiners®. For internal and external use. U.V. stabilised to slow down the effects of sunlight. Available plain or bagged and barcoded for display. **Louvre ventilators with flyscreens must not be used to supply combustion and cooling air to boilers, stoves and fires.**



| Part No. | Description                        | Colour     |
|----------|------------------------------------|------------|
| LVF93WH  | 9" x 3" Louvre panel c/w flyscreen | White      |
| LVF93BR  | 9" x 3" Louvre panel c/w flyscreen | Brown      |
| LVF93TC  | 9" x 3" Louvre panel c/w flyscreen | Terracotta |
| LVF96WH  | 9" x 6" Louvre panel c/w flyscreen | White      |
| LVF96BR  | 9" x 6" Louvre panel c/w flyscreen | Brown      |
| LVF96TC  | 9" x 6" Louvre panel c/w flyscreen | Terracotta |
| LVF99WH  | 9" x 9" Louvre panel c/w flyscreen | White      |
| LVF99BR  | 9" x 9" Louvre panel c/w flyscreen | Brown      |
| LVF99TC  | 9" x 9" Louvre panel c/w flyscreen | Terracotta |

## SOFFIT VENT MESH

A mesh to use over vents to exclude birds and insects. This mesh is an economical material for the purpose. It is readily adaptable to various eaves details, is light in weight and easy to handle on site. Coils of mesh in convenient dispensers make site work easier and avoid wastage.



| Part No. | Description                                   |
|----------|-----------------------------------------------|
| A2SVM075 | Soffit vent mesh 75mm x 30mtr stainless steel |
| SVM075   | Soffit vent mesh 75mm x 30mtr plastic         |

## TIMBER TO TIMBER MINI HANGER

Support of short span joists, trap hatches and in-fill timbers in roof space. Designed for fast and economical light duty applications.



| Part No. | Description            |
|----------|------------------------|
| JHM038   | Joist hanger mini 38mm |
| JHM044   | Joist hanger mini 44mm |
| JHM047   | Joist hanger mini 47mm |
| JHM050   | Joist hanger mini 50mm |

## TIMBER TO TIMBER SHORT LEG

A quick and safe method of joist trimming for light and medium applications such as supporting floor joists, trimming stair wells. They have increased hole centres to spread load over greater area.



| Part No.   | Description                          |
|------------|--------------------------------------|
| JHS185/038 | Joist hanger short leg 185mm x 38mm  |
| JHS185/044 | Joist hanger short leg 185mm x 44mm  |
| JHS185/047 | Joist hanger short leg 185mm x 47mm  |
| JHS185/050 | Joist hanger short leg 185mm x 50mm  |
| JHS185/063 | Joist hanger short leg 185mm x 63mm  |
| JHS185/075 | Joist hanger short leg 185mm x 75mm  |
| JHS185/089 | Joist hanger short leg 185mm x 89mm  |
| JHS185/100 | Joist hanger short leg 185mm x 100mm |
| JHS185/125 | Joist hanger short leg 185mm x 125mm |

## TIMBER TO TIMBER STANDARD LEG

A quick and safe method of joist trimming for light medium and heavy applications such as supporting floor joists, trimming stair wells, and underslung joists. They have increased hole centres to spread load over greater area.



| Part No.   | Description                             |
|------------|-----------------------------------------|
| JHS270/038 | Joist hanger standard leg 270mm x 38mm  |
| JHS270/044 | Joist hanger standard leg 270mm x 44mm  |
| JHS270/047 | Joist hanger standard leg 270mm x 47mm  |
| JHS270/050 | Joist hanger standard leg 270mm x 50mm  |
| JHS270/063 | Joist hanger standard leg 270mm x 63mm  |
| JHS270/075 | Joist hanger standard leg 270mm x 75mm  |
| JHS270/089 | Joist hanger standard leg 270mm x 89mm  |
| JHS270/100 | Joist hanger standard leg 270mm x 100mm |
| JHS270/125 | Joist hanger standard leg 270mm x 125mm |
| JHS270/150 | Joist hanger standard leg 270mm x 150mm |

## TIMBER TO TIMBER LONG LEG

Long leg, thicker construction for all heavy duty applications.



| Part No.   | Description                         |
|------------|-------------------------------------|
| JHL450/038 | Joist hanger long leg 450mm x 38mm  |
| JHL450/044 | Joist hanger long leg 450mm x 44mm  |
| JHL450/047 | Joist hanger long leg 450mm x 47mm  |
| JHL450/050 | Joist hanger long leg 450mm x 50mm  |
| JHL450/063 | Joist hanger long leg 450mm x 63mm  |
| JHL450/075 | Joist hanger long leg 450mm x 75mm  |
| JHL450/089 | Joist hanger long leg 450mm x 89mm  |
| JHL450/100 | Joist hanger long leg 450mm x 100mm |
| JHL450/125 | Joist hanger long leg 450mm x 125mm |
| JHL450/150 | Joist hanger long leg 450mm x 150mm |

# + JOIST HANGERS & ANGLE BRACKETS

## TIMBER TO TIMBER GIRDER TRUSS SHOE

Used to attach and support roof truss from girder truss. Higher qualified load performance and increased hole centres to spread load over a greater area. Manufactured from 1.2mm thick material.



| Part No. | Description             |
|----------|-------------------------|
| GTS038   | Girder truss shoe 38mm  |
| GTS044   | Girder truss shoe 44mm  |
| GTS047   | Girder truss shoe 47mm  |
| GTS050   | Girder truss shoe 50mm  |
| GTS063   | Girder truss shoe 63mm  |
| GTS075   | Girder truss shoe 75mm  |
| GTS089   | Girder truss shoe 89mm  |
| GTS100   | Girder truss shoe 100mm |

## JOIST HANGER UNIVERSAL

Supports multiple trusses from primary girder, purlin to beam connections and main trimmer joists. Used for joining timber to timber, masonry or concrete. Available in all timber widths. For higher overall load performance.



| Part No. | Description                  |
|----------|------------------------------|
| JHU240/  | Joist hanger universal 240mm |
| JHU340/  | Joist hanger universal 340mm |
| JHU380/  | Joist hanger universal 380mm |
| JHU500/  | Joist hanger universal 500mm |
| JHU620/  | Joist hanger universal 620mm |

**NOTE:** To select the correct size of hanger required multiply the timber depth being fitted x 2 then add the timber width. The correct MH size will be smaller or equal to the result i.e. for a 50mm for 200mm joist the sum = 450MM so that an MH380/50 will be the correct size to use (MH500/50 would leave the hanger above the joist top 25mm each leg).

## JOIST HANGER MASONRY

Standard masonry joist hangers BS6178:Part 1:1990 (Min 2.8N/mm<sup>2</sup>). For supporting timber joists and structural composite timber from masonry walls. A non-welded construction to BS6178. Increased safe working loads, higher side flange and resists rotation.



| Part No. | Description                |
|----------|----------------------------|
| JHM100/  | Joist hanger masonry 100mm |
| JHM125/  | Joist hanger masonry 125mm |
| JHM150/  | Joist hanger masonry 150mm |
| JHM175/  | Joist hanger masonry 175mm |
| JHM200/  | Joist hanger masonry 200mm |
| JHM225/  | Joist hanger masonry 225mm |
| JHM250/  | Joist hanger masonry 250mm |

## ANGLE BRACKETS

Heavy duty angle brackets. A multi-purpose fixing for most 90° connections, ideal for use on site for many substrates. Adjustable, inexpensive and versatile with reinforced ribs for added strength.



| Part No.     | Description                                   |
|--------------|-----------------------------------------------|
| AB1501506325 | Angle bracket<br>150mm x 150mm x 63mm x 2.5mm |
| AB1500906325 | Angle bracket<br>150mm x 90mm x 63mm x 2.5mm  |
| AB0900906325 | Angle bracket<br>90mm x 90mm x 63mm x 2.5mm   |
| AB0600406325 | Angle bracket<br>60mm x 40mm x 63mm x 2.5mm   |

## DOUBLE SIDED TIMBER CONNECTOR

For all applications to enhance bolt performance by reducing timber rotation and joint movement. Place between timbers on an M12 bolt prior to tightening.



| Part No. | Description |
|----------|-------------|
| TCDS1250 | 12mm x 50mm |
| TCDS1263 | 12mm x 63mm |

## SQUARE PLATE WASHER

For use with timber connectors above to reinforce timber on either side when tightening with bolts.



| Part No.      | Description              |
|---------------|--------------------------|
| SPW1005005003 | 10mm x 50mm x 50mm x 3mm |
| SPW1205005003 | 12mm x 50mm x 50mm x 3mm |
| SPW1605005003 | 16mm x 50mm x 50mm x 3mm |
| SPW2005005003 | 20mm x 50mm x 50mm x 3mm |

# + RESTRAINT STRAPS

## RESTRAINT STRAPS – HEAVY DUTY

RSH heavy duty restraint strap. 30mm x 5.0mm multi-holed straps supplied in 100mm increments. 6mm holes at 25mm offset centres. Available straight, bent or twisted or in combinations as required in both galvanised and stainless steel.



| Part No. | Overall Length (mm) | Bend (mm) |
|----------|---------------------|-----------|
| RSH06B10 | 600                 | 100       |
| RSH06B15 | 600                 | 150       |
| RSH10B10 | 1000                | 100       |
| RSH10B15 | 1000                | 150       |
| RSH12B10 | 1200                | 100       |
| RSH12B15 | 1200                | 150       |
| RSH15B10 | 1500                | 100       |
| RSH15B15 | 1500                | 150       |

## RESTRAINT STRAPS – LIGHT DUTY

RSL light duty restraint strap. 30mm x 2.5mm multi-holed straps supplied in 100mm increments. 6mm holes at 25mm offset centres. Available straight, bent or twisted or in combinations as required in both galvanised and stainless steel.



| Part No. | Overall Length (mm) | Bend (mm) |
|----------|---------------------|-----------|
| RSL03B05 | 300                 | 50        |
| RSL03B10 | 300                 | 100       |
| RSL06B10 | 600                 | 100       |
| RSL10B10 | 1000                | 100       |
| RSL12B10 | 1200                | 100       |





# **+ TECHNOLOGIES, TOOLS & ACCESSORIES**



## CONTENTS

|                     |                                             |
|---------------------|---------------------------------------------|
| <b>135</b>          | GAS TECHNOLOGY – PULSA                      |
| <b>138</b>          | PULSA 40E/27E ATTACHMENTS                   |
| <b>141-144, 146</b> | PASLODE GAS TECHNOLOGY                      |
| <b>145</b>          | FIRMAHOLD GAS TECHNOLOGY                    |
| <b>150</b>          | POWDER ACTUATED TOOL (P.A.T.) CONSUMABLES   |
| <b>151</b>          | HILTI COMPATIBLE CARTRIDGE TOOL CONSUMABLES |



IF YOU CAN'T FIND WHAT  
YOU'RE LOOKING FOR  
CONTACT OUR SALES OFFICE



**t** 0121 333 7288  
**e** [sales@fixingsplus.co.uk](mailto:sales@fixingsplus.co.uk)

**FP** FIXINGS PLUS — Distributor of  
Paslode & SPIT



**Paslode®** **spit**

**NEVER STOP BUILDING**





## PULSA 27E

The Palsa 27E is a premium and enhanced cordless nailer for MEP applications. The most versatile, compact and well balanced tool for maximum productivity in fixing cable management and other M&E applications.

### Advantages

- Save money and time: up to 8 times faster than traditional methods of fixing
- Powerful yet compact design: Access the tightest of spaces with 10,000 shots per battery charge
- Safety without compromise: Reduce hand arm vibration & dust through mitigating drilling
- One tool for multiple applications: Instantly fix all sorts of cable, conduit, trunking, junction/ back boxes and much more, directly in to concrete, steel, masonry and timber
- Designed for comfort: A well balanced tool to work faster with less fatigue
- 3 years warranty as standard: 70 years of tool innovation to guarantee reliability

### Applications

- Fixing of pipes, cables and wiring accessories
- Direct fixing of electrical trunking & junction boxes
- Floors, walls & overhead fixings into: standard & pre-stressed concrete, brick & steel



| Part No. | Description                               |
|----------|-------------------------------------------|
| P27E     | Palsa 27E Gas Nailer for MEP applications |

## PULSA 27E ACCESSORIES

| Part No.  | Description                                               | Box Qty           |
|-----------|-----------------------------------------------------------|-------------------|
| P815HCSFH | 15mm Nail & Fuel pack<br>Hard concrete & steel flush head | 500 pins & 1 cell |
| P817HCSFH | 17mm Nail & Fuel pack<br>Hard concrete & steel flush head | 500 pins & 1 cell |
| P822HCSFH | 22mm Nail & Fuel pack<br>Hard concrete & steel flush head | 500 pins & 1 cell |
| P827HCSFH | 27mm Nail & Fuel pack<br>Hard concrete & steel flush head | 500 pins & 1 cell |



## + GAS TECHNOLOGY – PULSA

### PULSA 40P+ CORDLESS GAS NAILER – 20 PIN MAGAZINE



The Pula 40P+ is a new and enhanced cordless gas nailer for drywall applications into concrete, steel and masonry.

#### Advantages

- Work more, charge less with a battery capacity of 3500 shots per charge.
- Reliability you can count on with an extended 3 years warranty.
- Maximise productivity - 8 times faster than traditional methods of fixing.
- Increased Power - an excellent stick rate in the hardest materials and up to 16% more powerful with gas technology.
- Light tools make light work - up to 10% lighter than battery motor alternatives.
- Start & Go Technology - saving you energy to work throughout the day without interruption.
- On Site Tool Maintenance - easy to self maintain on site with minimal downtime.

#### Applications

- Direct fixing of drywall track into concrete, steel & masonry.



| Part No. | Description                                                |
|----------|------------------------------------------------------------|
| P40P     | Pulsa 40P+ gas nailer for drywall and general construction |

### PULSA 40P+ ACCESSORIES



| Part No. | Description                        |
|----------|------------------------------------|
| 014641   | Magnetic pin guide                 |
| 014642   | Flat magnetic pin guide            |
| 014640   | 50 pin magazine                    |
| 014623   | 20 pin magazine                    |
| 018484   | All-in-one LITHIUM battery charger |
| 018483   | 3.7V 2.2Ah LITHIUM battery         |
| 018424   | Pulsa 40P pin guide                |

| Part No. | Description                        |
|----------|------------------------------------|
| 018490   | Single shot blanking plate         |
| 011773   | Fuel cell blister pack (pack of 2) |
| 013690   | NEW Impulse/Pulsa cleaning kit     |
| 115251   | Impulse/Pulsa cleaner 300ml spray  |
| 401482   | Impulse/Pulsa lubricating oil      |
| 900507   | In-car battery charger             |
| 014121   | Safety glasses to EN166:F          |

### PULSA 40P+ & 40E PIN & FUELS PACKS C6 pins – standard concrete (C25) substrate



| Part No. | Description                               | Box Qty                |
|----------|-------------------------------------------|------------------------|
| P820C    | 20mm nail & fuel pack concrete            | 500 pins & 1 fuel cell |
| P825C    | 25mm nail & fuel pack concrete            | 500 pins & 1 fuel cell |
| P830C    | 30mm nail & fuel pack concrete            | 500 pins & 1 fuel cell |
| P835C    | 35mm nail & fuel pack concrete            | 500 pins & 1 fuel cell |
| P840CFH  | 40mm nail & fuel pack concrete flush head | 500 pins & 1 fuel cell |

### PULSA 40P+ & 40E PIN & FUEL PACKS HC6 pins – hard concrete (>C25) and steel substrates



| Part No. | Description                                 | Box Qty                |
|----------|---------------------------------------------|------------------------|
| P815HCS  | 15mm nail & fuel pack hard concrete & steel | 500 pins & 1 fuel cell |
| P817HCS  | 17mm nail & fuel pack hard concrete & steel | 500 pins & 1 fuel cell |
| P822HCS  | 22mm nail & fuel pack hard concrete & steel | 500 pins & 1 fuel cell |
| P827HCS  | 27mm nail & fuel pack hard concrete & steel | 500 pins & 1 fuel cell |
| P832HCS  | 32mm nail & fuel pack hard concrete & steel | 500 pins & 1 fuel cell |

Also suitable for Pulsa 800P/E/PULSA 65



## PULSA 65

The Palsa 65 is a premium and innovative cordless nailer solution for drywall and deflection head applications.

### Advantages

- One tool for all jobs: The largest range of pin lengths, covering all base materials and drywall applications.
- Work faster with less recoil: Most efficient and fastest fixing solution for deflection head application while minimised risk of injury.
- Eliminate supply chain complexity: Safer storage with no PAT and one tool fits full PULSA pin range.
- Fast & cost saving: Up to 8 times faster than anchoring.
- Health & Safety: Almost dust-free and less vibrations.
- Work more, charge less: Up to 10000 shots per charge.
- No downtime on site: Trusted, high performing and well proven technology for more than 35 years.

### Applications

- Fixing metal drywall tracks systems
- Floors, walls & overhead fixings especially deflection head
- applications into: standard & pre-stressed concrete, brick & steel.



| Part No. | Description                                                                                                |
|----------|------------------------------------------------------------------------------------------------------------|
| P65      | Palsa 65 is a premium and innovative cordless nailer solution for drywall and deflection head applications |

## HIGH PERFORMANCE PINS WITH GAS for steel, hard and pre-stressed concrete



| Part No. | Description            | Box Qty           |
|----------|------------------------|-------------------|
| P6550HCS | 50mm HCS collated nail | 500 pins & 1 cell |
| P6557HCS | 57mm HCS collated nail | 500 pins & 1 cell |
| P6565HCS | 65mm HCS collated nail | 500 pins & 1 cell |



**FP** **FIXINGS PLUS**

**MORE OPTIONS AVAILABLE**  
ENQUIRE AT  
FIXINGS PLUS

**t** 0121 333 7288

**e** sales@fixingsplus.co.uk



## + PULSA 40E/27E ATTACHMENTS

### D-LINE F-CLIP



| Part No. | Description       |
|----------|-------------------|
| 923642   | D-Line F-Clip 30  |
| 923643   | D-Line F-Clips 40 |
| 923644   | D-Line F-Clips 50 |

### D-LINE U-CLIP



| Part No. | Description      |
|----------|------------------|
| 923645   | D-Line U-Clip 30 |
| 923647   | D-Line U-Clip 40 |

### D-LINE RED U-CLIP



| Part No. | Description          |
|----------|----------------------|
| 923646   | D-Line Red U-Clip 30 |

### E-CLIP



| Part No. | Description                    |
|----------|--------------------------------|
| 923687   | Metal Clip Elec (Non Snap-off) |
| 923689   | Metal Clip Elec (Snap-off)     |



# +PULSA 40E/27E ATTACHMENTS



## CLIP ELEC – ALL PURPOSE CABLE TIE CLIP



| Part No. | Description                     |
|----------|---------------------------------|
| PCE      | Clip Elec all-purpose cable tie |

## CABLE TIES NYLON



| Part No. | Size (mm) | Colour |
|----------|-----------|--------|
| CT36200B | 3.6 x 200 | Black  |
| CT36200W | 3.6 x 200 | White  |
| CT48300B | 4.8 x 300 | Black  |
| CT48300W | 4.8 x 300 | White  |
| CT76370B | 7.6 x 370 | Black  |
| CT76370W | 7.6 x 370 | White  |
| CT90540B | 9.0 x 540 | Black  |
| CT90540W | 9.0 x 540 | White  |

Other sizes available on request

## METAL CEILING CLIP



| Part No. | Description          |
|----------|----------------------|
| 155721   | Metal cable tie base |

## CABLE TIES STAINLESS STEEL



| Part No.  | Size (mm) |
|-----------|-----------|
| A4CT46150 | 4.6 x 150 |
| A4CT46200 | 4.6 x 200 |
| A4CT46300 | 4.6 x 300 |
| A4CT46520 | 4.6 x 520 |

Other sizes available on request

## E CLIP CONDUIT CLIP



| Part No. | Description |
|----------|-------------|
| PECG16   | C9 16mm     |
| PECG20   | C9 20mm     |
| PECG25   | C9 25mm     |
| PECG32   | C9 32mm     |
| PECG40   | C9 40mm     |

## P CLIP FOR CONDUIT AND PIPEWORK



| Part No. | Description                     |
|----------|---------------------------------|
| PPCGS16  | P clip grey plastic single 16mm |
| PPCGS20  | P clip grey plastic single 20mm |
| PPCGS25  | P clip grey plastic single 25mm |
| PPCGD16  | P clip grey plastic double 16mm |
| PPCGD20  | P clip grey plastic double 20mm |

## CT CLIP



| Part No. | Description                   |
|----------|-------------------------------|
| PCTCG    | Cable tie clip grey 16mm-32mm |

## + PULSA 40E/27E ATTACHMENTS

### STEEL P CLIP FOR CONDUIT AND PIPEWORK



| Part No. | Description              |
|----------|--------------------------|
| PPCSS08  | P clip steel single 8mm  |
| PPCSS10  | P clip steel single 10mm |
| PPCSS16  | P clip steel single 16mm |
| PPCSS20  | P clip steel single 20mm |
| PPCSS22  | P clip steel single 22mm |
| PPCSS25  | P clip steel single 25mm |
| PPCSS28  | P clip steel single 28mm |
| PPCSS32  | P clip steel single 32mm |

### PRYSMIAN FIREFIX CLIP



| Part No. | Description                       |
|----------|-----------------------------------|
| FFCS01   | Firefix single clip size 01 Red   |
| FFCD02   | Firefix double clip size 02 Red   |
| FFCD04   | Firefix double clip size 04 Red   |
| FFCS01W  | Firefix single clip size 01 White |
| FFCD02W  | Firefix double clip size 02 White |
| FFCD04W  | Firefix double clip size 04 White |

### CABLE BOW FIXING



| Part No. | Description                     |
|----------|---------------------------------|
| PCBS     | Single cable bow                |
| PCBSFR   | Single cable bow fire retardant |
| PCBD     | Double cable bow                |
| PCBDFR   | Double cable bow fire retardant |

### ALL-PURPOSE STEEL BANDING



| Part No. | Description                          |
|----------|--------------------------------------|
| PSB12    | All-purpose steel banding 12mm x 10M |
| PSB17    | All-purpose steel banding 17mm x 10M |

### THREADED ROD HANGER



| Part No. | Description                  |
|----------|------------------------------|
| PTRH0608 | Threaded rod hanger M6 - M8  |
| PTRH0810 | Threaded Rod hanger M8 - M10 |

### STEEL WASHER FOR USE WITH MAGNETIC PIN GUIDE



| Part No. | Description       |
|----------|-------------------|
| PW25     | Steel washer 25mm |



## PASLODE IM360Ci LITHIUM FRAMING NAILER

The professional's choice - the IM360Ci is powered by an intelligent electronic fuel injection system similar to the IM90i. Offering unrivalled cold weather performance, with a working threshold of -15°C to +49°C. The nail and gas packs are the same for both nailers. Start & Go technology, fuel and battery gauge, quick charge, long life lithium battery and the best power to weight ratio on the market today. 105 joules of power, providing users with the ability to drive 90mm Ring Shank Nails.

### Advantages of the IM360Ci

- Start & Go® - Innovative movement sensor means no battery discharge when not in use.
- Fuel & Battery Gauge - the tool alerts you to your last 300 shots of use
- Quick charge, long life Lithium battery - 1 hour charge provides up to 7,500 shots
- Best power to weight ratio - IM360Ci provides the best power to weight ratio for the nailing market
- Extended cleaning intervals - 50,000 shots before cleaning light blinks

### Applications

- Joists
- Roof battening
- Stud work
- Cladding
- Floor boarding
- Decking
- Fencing




| Part No. | Description            |
|----------|------------------------|
| IM360CI  | IM360Ci Framing nailer |

## ACCESSORIES



| Part No. | Description                       |
|----------|-----------------------------------|
| 018880   | LITHIUM battery                   |
| 018882   | LITHIUM battery charger           |
| 300348   | SERIES-i fuel cell (pack of 1)    |
| 018889   | Standard magazine                 |
| 013225   | Long magazine                     |
| 013211   | No-Mar cladding probe             |
| 013256   | No-Mar cladding probe rubber tip  |
| 210610   | No-Mar tip                        |
| 013221   | Tongue and groove probe           |
| 013223   | Steel tile probe                  |
| 013690   | NEW Impulse/Pulsa cleaning kit    |
| 115251   | Impulse/Pulsa cleaner 300ml spray |
| 401482   | Impulse/Pulsa lubricating oil     |
| 900507   | In-car battery charger            |
| 014974   | Ci tool carry case                |

## NAIL FUEL PACKS – INDOORS NOT HEATED, OUTDOORS PROTECTED – Euro Code 5 Service Class 1 & 2



| Part No. | Description                   | Box Qty                   |
|----------|-------------------------------|---------------------------|
| 142007   | 51 x 2.8mm Ring Galv Plus     | 3750 nails & 3 fuel cells |
| 142062   | 51 x 2.8mm Ring Galv Plus     | 1250 nails & 1 fuel cell  |
| 142013   | 63 x 2.8mm Ring Galv Plus     | 3750 nails & 3 fuel cells |
| 142063   | 63 x 2.8mm Ring Galv Plus     | 1250 nails & 1 fuel cell  |
| 142024   | 63 x 3.1mm Ring Galv Plus     | 2500 nails & 2 fuel cells |
| 142030   | 75 x 3.1mm Ring Galv Plus     | 2500 nails & 2 fuel cells |
| 142037   | 90 x 3.1mm Straight Galv Plus | 2500 nails & 2 fuel cells |
| 142065   | 90 x 3.1mm Straight Galv Plus | 1250 nails & 1 fuel cell  |
| 142038   | 90 x 3.1mm Ring Galv Plus     | 2500 nails & 2 fuel cells |

## NAIL FUEL PACKS – INDOORS Euro Code 5 Service Class 1



| Part No. | Description                | Box Qty                   |
|----------|----------------------------|---------------------------|
| 142005   | 51 x 2.8mm Ring Bright     | 3750 Nails & 3 Fuel Cells |
| 142011   | 63 x 2.8mm Ring Bright     | 3750 Nails & 3 Fuel Cells |
| 142029   | 75 x 3.1mm Ring Bright     | 2500 Nails & 2 Fuel Cells |
| 142035   | 90 x 3.1mm Straight Bright | 2500 Nails & 2 Fuel Cells |
| 142036   | 90 x 3.1mm Ring Bright     | 2500 Nails & 2 Fuel Cells |

## NAIL FUEL PACKS – OUTDOORS, EXPOSED TO WEATHER – Euro Code 5 Service Class 1, 2 & 3



| Part No. | Description              | Box Qty                   |
|----------|--------------------------|---------------------------|
| 142014   | 63 x 2.8mm Ring HDGV     | 3750 Nails & 3 Fuel Cells |
| 142025   | 63 x 3.1mm Ring HDGV     | 2500 Nails & 2 Fuel Cells |
| 142031   | 75 x 3.1mm Ring HDGV     | 2500 Nails & 2 Fuel Cells |
| 142039   | 90 x 3.1mm Straight HDGV | 2500 Nails & 2 Fuel Cells |
| 142040   | 90 x 3.1mm Ring HDGV     | 2500 Nails & 2 Fuel Cells |




# + PASLODE GAS TECHNOLOGY

## IM350+ ACCESSORIES



| Part No. | Description                                                                 |
|----------|-----------------------------------------------------------------------------|
| 404717   | IM350+ Battery                                                              |
| 900200   | Battery Charger Base & AC/DC Adaptor                                        |
| 035460   | Battery Charger Base                                                        |
| 900506   | Battery AC/DC Adaptor                                                       |
| 300346   | IM350+ Fuel Cells (Pack of 2)                                               |
| 404705   | No- Mar Work Contact Element Adaptor Kit (Allen key type deth & drive)      |
| 012082   | No- Mar Work Contact Element Adaptor Kit (Butterfly clip type deth & drive) |
| 013690   | NEW Impulse/Pulsa Cleaning Kit                                              |
| 115251   | Impulse/Pulsa Cleaner 300ml Spray                                           |
| 401482   | Impulse/Pulsa Lubricating Oil                                               |
| 900507   | In-car Battery Charger                                                      |
| 014961   | IM350/IM350+ Tool Carry Case                                                |

## NAIL FUEL PACKS – INDOORS NOT HEATED, OUTDOORS PROTECTED – Euro Code 5 Service Class 1 & 2



| Part No. | Description                   | Box Qty                    |
|----------|-------------------------------|----------------------------|
| 141256   | 51 x 2.8mm Ring Galv Plus     | 1,100 Nails & 1 Fuel Cells |
| 141204   | 51 x 2.8mm Ring Galv Plus     | 3,300 Nails & 3 Fuel Cells |
| 141259   | 63 x 2.8mm Ring Galv Plus     | 1,100 Nails & 1 Fuel Cells |
| 141210   | 63 x 2.8mm Ring Galv Plus     | 3,300 Nails & 3 Fuel Cells |
| 141263   | 63 x 3.1mm Ring Galv Plus     | 1,100 Nails & 1 Fuel Cells |
| 141221   | 63 x 3.1mm Ring Galv Plus     | 2,200 Nails & 2 Fuel Cells |
| 141227   | 75 x 3.1mm Ring Galv Plus     | 2,200 Nails & 2 Fuel Cells |
| 141234   | 90 x 3.1mm Straight Galv Plus | 2,200 Nails & 2 Fuel Cells |

## NAIL FUEL PACKS – INDOORS Euro Code 5 Service Class 1



| Part No. | Description            | Box Qty                    |
|----------|------------------------|----------------------------|
| 141202   | 51 x 2.8mm Ring Bright | 3,300 Nails & 3 Fuel Cells |
| 141208   | 63 x 2.8mm Ring Bright | 3,300 Nails & 3 Fuel Cells |
| 141226   | 75 x 3.1mm Ring Bright | 2,200 Nails & 2 Fuel Cells |
| 141233   | 90 x 3.1mm Straight    | 2,200 Nails & 2 Fuel Cells |

## NAIL FUEL PACKS – OUTDOORS, EXPOSED TO WEATHER – Euro Code 5 Service Class 1, 2 & 3



| Part No. | Description              | Box Qty                    |
|----------|--------------------------|----------------------------|
| 141205   | 51 x 2.8mm Ring HDGV     | 1,100 Nails & 1 Fuel Cells |
| 141260   | 63 x 2.8mm Ring HDGV     | 3,300 Nails & 3 Fuel Cells |
| 141211   | 63 x 2.8mm Ring HDGV     | 1,100 Nails & 1 Fuel Cells |
| 141222   | 63 x 3.1mm Ring HDGV     | 3,300 Nails & 3 Fuel Cells |
| 141265   | 63 x 3.1mm Ring HDGV     | 1,100 Nails & 1 Fuel Cells |
| 141228   | 75 x 3.1mm Ring HDGV     | 2,200 Nails & 2 Fuel Cells |
| 141267   | 90 x 3.1mm Straight HDGV | 2,200 Nails & 2 Fuel Cells |
| 141235   | 90 x 3.1mm Straight HDGV | 2,200 Nails & 2 Fuel Cells |
| 141236   | 90 x 3.1mm Straight HDGV |                            |

## PASLODE IM65 F16 LITHIUM BRAD NAILER

The professional's choice for cordless second fix nailing applications. The IM65 F16 straight Brad Nailer features a small, light shell with nail lockout, depth of jam clearance.

### Advantages of IM65 F16 Brad Nailer

- Lightweight - Helps reduce operator fatigue
- Powerful - Drives 16 - 63mm brads
- Sequential operation - 2 - 3 brads per second for limited periods
- Quick clear nose cover - Quick easy access in the unlikely event of a jam
- No-mar contact with sight lines - For accurate placement and reduced damage to wood
- Tool free depth of drive adjustment - Provides precise control of brad depth
- Nail Lockout - Preventing blank firing and minimises wood damage

### Applications

- Door stops
- Tongue and groove panelling
- Architraves
- Window casing
- Dado rail
- Skirting boards
- Beading
- Stair rails
- MDF fixings



| Part No. | Description      |
|----------|------------------|
| IM65     | IM65 Brad Nailer |

## IM65 ACCESSORIES



| Part No. | Description                       |
|----------|-----------------------------------|
| 404717   | Battery                           |
| 035460   | Paslode Charger Base              |
| 900506   | Paslode AC/DC Adaptor             |
| 219236   | Nose Tips (Pack of 3)             |
| 300341   | Fuel Cell 2pk                     |
| 013690   | NEW Impulse/Pulsa Cleaning Kit    |
| 115251   | Impulse/Pulsa Cleaner 300ml Spray |
| 401482   | Impulse/Pulsa Lubricating Oil     |
| 900507   | In-car Battery Charger            |

## F16 BRAD NAIL ELGV & FUEL PACKS



| Part No. | Description   | Box Qty                   |
|----------|---------------|---------------------------|
| 404717   | 16mm 16g ELGV | 2000 Brads & 2 Fuel Cells |
| 035460   | 19mm 16g ELGV | 2000 Brads & 2 Fuel Cells |
| 900506   | 25mm 16g ELGV | 2000 Brads & 2 Fuel Cells |
| 219236   | 32mm 16g ELGV | 2000 Brads & 2 Fuel Cells |
| 300341   | 38mm 16g ELGV | 2000 Brads & 2 Fuel Cells |
| 013690   | 45mm 16g ELGV | 2000 Brads & 2 Fuel Cells |
| 115251   | 50mm 16g ELGV | 2000 Brads & 2 Fuel Cells |
| 401482   | 63mm 16g ELGV | 2000 Brads & 2 Fuel Cells |

## F16 BRAD NAIL ST/STEEL & FUEL PACKS



| Part No. | Description       | Box Qty                   |
|----------|-------------------|---------------------------|
| 921593   | 25mm 16g St/Steel | 2000 Brads & 2 Fuel Cells |
| 921594   | 38mm 16g St/Steel | 2000 Brads & 2 Fuel Cells |
| 921595   | 50mm 16g St/Steel | 2000 Brads & 2 Fuel Cells |
| 921596   | 63mm 16g St/Steel | 2000 Brads & 2 Fuel Cells |

# + PASLODE GAS TECHNOLOGY

## PASLODE IM65A F16 LITHIUM ANGLED BRAD NAILER



A distinctive angled brad nailer designed specifically for working in tight spaces and corners. Benefits are a small, light shell, nail lockout, excellent depth of drive adjuster & easy jam clearance.

### Advantages of IM65A F16 Brad Nailer

- Lightweight - Helps reduce operator fatigue
- Powerful - Drives 16 - 63mm brads
- Sequential operation - 2 - 3 brads per second for limited periods
- Compact design - Allows for easy access
- Quick clear nose cover - Quick easy access in the unlikely event of a jam
- No-mar contact with sight lines - For accurate placement and reduced damage to wood
- Tool free depth of drive adjustment - Provides precise control of brad depth
- Nail Lockout - Preventing blank firing and minimises wood damage

### Applications

- Door stops
- Tongue and groove panelling
- Architraves
- Window casing
- Dado rail
- Skirting boards
- Beading
- Stair rails
- MDF fixings



| Part No. | Description              |
|----------|--------------------------|
| IM65A    | IM65A Angled Brad Nailer |

## IM65A ACCESSORIES



| Part No. | Description                       |
|----------|-----------------------------------|
| 404717   | Battery                           |
| 035460   | Paslode Charger Base              |
| 900506   | Paslode AC/DC Adaptor             |
| 219236   | Nose Tips (Pack of 3)             |
| 300341   | Fuel Cell 2pk                     |
| 013690   | NEW Impulse/Pulsa Cleaning Kit    |
| 115251   | Impulse/Pulsa Cleaner 300ml Spray |
| 401482   | Impulse/Pulsa Lubricating Oil     |
| 900507   | In-car Battery Charger            |

## F16 ANGLED BRAD NAIL ELGV & FUEL PACKS



| Part No. | Description   | Box Qty                   |
|----------|---------------|---------------------------|
| 300270   | 32mm 16g ELGV | 2000 Brads & 2 Fuel Cells |
| 300271   | 38mm 16g ELGV | 2000 Brads & 2 Fuel Cells |
| 300272   | 45mm 16g ELGV | 2000 Brads & 2 Fuel Cells |
| 300273   | 51mm 16g ELGV | 2000 Brads & 2 Fuel Cells |
| 300274   | 63mm 16g ELGV | 2000 Brads & 2 Fuel Cells |

## F16 ANGLED BRAD NAIL ST/STEEL & FUEL PACKS



| Part No. | Description       | Box Qty                   |
|----------|-------------------|---------------------------|
| 300276   | 32mm 16g St/Steel | 2000 Brads & 2 Fuel Cells |
| 300277   | 38mm 16g St/Steel | 2000 Brads & 2 Fuel Cells |
| 300279   | 50mm 16g St/Steel | 2000 Brads & 2 Fuel Cells |
| 300280   | 64mm 16g St/Steel | 2000 Brads & 2 Fuel Cells |

## F16 STRAIGHT BRAD NAIL GALV & CELLS



Ideal for internal applications such as skirting, architrave, tongue and groove fixing with a T head for a concealed finish.

- Straight collation
- T Head to give a concealed fixing
- Shank Design: Low penetration resistance into all materials

2<sup>nd</sup> Fix



| Part No. | Description   | Box Qty                   |
|----------|---------------|---------------------------|
| BG1619G  | 19mm 16g Galv | 2000 Brads & 2 Fuel Cells |
| BG1625G  | 25mm 16g Galv | 2000 Brads & 2 Fuel Cells |
| BG1632G  | 32mm 16g Galv | 2000 Brads & 2 Fuel Cells |
| BG1638G  | 38mm 16g Galv | 2000 Brads & 2 Fuel Cells |
| BG1645G  | 45mm 16g Galv | 2000 Brads & 2 Fuel Cells |
| BG1650G  | 50mm 16g Galv | 2000 Brads & 2 Fuel Cells |
| BG1664G  | 64mm 16g Galv | 2000 Brads & 2 Fuel Cells |

## COLLATED CLIPPED HEAD NAILS & FUEL CELLS – RING SHANK



For use in structural applications using high quality paper collation for reduced nail jams. Rust protection to comply with building regulations and meet with service classes.

- 34° collation angle
- Diamond point for maximum penetration
- Clipped head to increase the number of nails per strip and therefore reduce tool loading times
- Suitable for indoor applications
- Conforms to Eurocode 5 and Service Class 1
- Ring shank type

1<sup>st</sup> Fix



| Part No. | Description     | Box Qty             |
|----------|-----------------|---------------------|
| CFGT50G  | 2.8 x 50mm Galv | 3300 & 3 Fuel Cells |
| CFGT63G  | 2.8 x 63mm Galv | 3300 & 3 Fuel Cells |
| CFGT75G  | 3.1 x 75mm Galv | 2200 & 2 Fuel Cells |

## F16 ANGLED BRAD NAIL GALV & FUEL CELLS



Ideal for internal applications such as skirting, architrave, tongue and groove fixing with a T head for a concealed finish.

- 20° collation angle
- T Head to give a concealed fixing
- Shank Design: Low penetration resistance into all materials

2<sup>nd</sup> Fix



| Part No. | Description   | Box Qty                   |
|----------|---------------|---------------------------|
| ABG1632G | 32mm 16g Galv | 2000 Brads & 2 Fuel Cells |
| ABG1638G | 38mm 16g Galv | 2000 Brads & 2 Fuel Cells |
| ABG1645G | 45mm 16g Galv | 2000 Brads & 2 Fuel Cells |
| ABG1650G | 50mm 16g Galv | 2000 Brads & 2 Fuel Cells |
| ABG1664G | 64mm 16g Galv | 2000 Brads & 2 Fuel Cells |

## COLLATED CLIPPED HEAD NAILS & FUEL CELLS – PLAIN SHANK



For use in structural applications using high quality paper collation for reduced nail jams. Rust protection to comply with building regulations and meet with service classes.

- 34° collation angle
- Diamond point for maximum penetration
- Clipped head to increase the number of nails per strip and therefore reduce tool loading times
- Suitable for indoor applications
- Conforms to Eurocode 5 and Service Class 1
- Plain shank type

1<sup>st</sup> Fix



| Part No. | Description     | Box Qty             |
|----------|-----------------|---------------------|
| CFGT90G  | 3.1 x 90mm Galv | 2200 & 2 Fuel Cells |



# + PASLODE GAS TECHNOLOGY

## PASLODE IM50 F18 LITHIUM FINE FINISH BRAD NAILER



The Paslode IM50 brad nailer is ideal for fine finish applications and features an excellent depth of drive adjustment. Suitable for shop and kitchen fitting, secret nailing and glazing.

### Features

- 1 x 1.2Ah Li-Ion Battery
- 60min Charger
- Fires 18ga
- 19-50mm Brads
- Up to 180 Fasteners/min
- Sequential Trigger Action
- Non-Marking Quick-Release Nose for Jam Clearance
- Reload Indicator / Fastener Refill Window
- Fine Depth Adjustment
- Soft-Grip Handle
- Live Tool Indicator

### Product contents

- IM50 F18, battery
- battery charger
- cleaning solution
- lubricant
- safety specs
- Allen key and carry case



| Part No. | Description      |
|----------|------------------|
| IM50     | IM50 Brad Nailer |

## IM50 ACCESSORIES



| Part No. | Description                       |
|----------|-----------------------------------|
| 404717   | Battery                           |
| 035460   | Paslode Charger Base              |
| 900506   | Paslode AC/DC Adaptor             |
| 300341   | Fuel Cell 2pk                     |
| 901048   | Hard Contact Element              |
| 901067   | Soft contact Element              |
| 013690   | NEW Impulse/Pulsa Cleaning Kit    |
| 115251   | Impulse/Pulsa Cleaner 300ml Spray |
| 401482   | Impulse/Pulsa Lubricating Oil     |
| 900507   | In-car Battery Charger            |

## F18 BRAD NAIL & FUEL PACKS



| Part No. | Description   | Box Qty                   |
|----------|---------------|---------------------------|
| 395192   | 16mm 18g ELGV | 2000 Brads & 2 Fuel Cells |
| 395193   | 25mm 18g ELGV | 2000 Brads & 2 Fuel Cells |
| 395194   | 32mm 18g ELGV | 2000 Brads & 2 Fuel Cells |
| 395195   | 38mm 18g ELGV | 2000 Brads & 2 Fuel Cells |
| 395196   | 50mm 18g ELGV | 2000 Brads & 2 Fuel Cells |



## PASLODE IM200/50 S16 STAPLER



Paslode IM200 Heavy Duty Cordless Stapler is used for medium to heavy duty stapling applications.

### Advantages of IM200 Stapler

- Cordless, self powered
- No hoses, no compressors, no setting up time
- Compact - Advanced body design enables work in cramped, overhead and hard to reach places
- Tough - Constructed from heavy duty, reinforced durable housing, guaranteed for five years
- Lightweight - Centrally balanced body with textured 'Sure Grip' handle
- Easy maintenance - Solid state circuitry ensures dependability
- Sequential actuation - Safe operation

### Applications

- Wood
- Plasterboard to wood stud



| Part No. | Description      |
|----------|------------------|
| IM200/50 | IM200/50 Stapler |

## IM200/50 ACCESSORIES



| Part No. | Description                       |
|----------|-----------------------------------|
| 402500   | Battery                           |
| 035460   | Paslode Charger Base              |
| 900506   | Paslode AC/DC Adaptor             |
| 300341   | IM200 Fuel Cell 2pk               |
| 013690   | NEW Impulse/Pulsa Cleaning Kit    |
| 115251   | Impulse/Pulsa Cleaner 300ml Spray |
| 401482   | Impulse/Pulsa Lubricating Oil     |
| 900507   | In-car Battery Charger            |

## GS16 STAPLE & FUEL PACKS



| Part No. | Description       | Box Qty                   |
|----------|-------------------|---------------------------|
| 054520   | 16mm 16g CH ELGV  | 3000 Brads & 3 Fuel Cells |
| 012306   | 25mm 16g DIV ELGV | 3000 Brads & 3 Fuel Cells |
| 054522   | 35mm 16g CH ELGV  | 3000 Brads & 3 Fuel Cells |
| 012302   | 50mm 16g CH ELGV  | 3000 Brads & 3 Fuel Cells |

# + PASLODE GAS TECHNOLOGY

## PASLODE PPNXi LITHIUM POSITIVE PLACEMENT NAILER



The first gas joist hanger or positive placement nailer on the market, the PPNXi makes light work of fixing joist hangers, truss clips, connector plates and strapping in even the tightest spaces. Three times faster than using a hammer and nails, this revolutionary tool pays for itself in just six working days, based on the reduced labour required on site.

### Advantages of the PPNXi

- Self Locating Probe - The tool nose piece successfully locates the hole, even where joists are spaced only 300mm apart and at angles of up to 35°. When the tool is fired the 'probe' kicksout of the way, driving the nail into the hole.
- Depth Adjuster - The tool-free depth adjuster with it's unique locking system means consistent nail embedment every time.
- Temperature performance - Intelligent fuel injection system delivers unrivalled cold weather performance with a working threshold of -15°C to +49°C.
- Fuel cell loading - The patented locking system means the fuel cell self-locates into the lock position, making loading a simple operation.
- Removable magazine - Makes light work of clearing jams and debris from the tool.

### Applications

- Joists hangers
- Sole brackets
- Connector plates
- Strapping and Truss Clips



| Part No. | Description               |
|----------|---------------------------|
| PPNXi    | Positive Placement Nailer |

## PPN35Ci ACCESSORIES



| Part No. | Description                       |
|----------|-----------------------------------|
| 018880   | Lithium Battery                   |
| 018882   | Lithium Battery Charger           |
| 300348   | SERIES-i Fuel Cell (Pack of 1)    |
| 014099   | PPN35Ci/PPN35i Probe Kit          |
| 013690   | NEW Impulse/Pulsa Cleaning Kit    |
| 115251   | Impulse/Pulsa Cleaner 300ml Spray |
| 401482   | Impulse/Pulsa Lubricating Oil     |
| 900507   | In-car Battery Charger            |
| 014974   | Ci Tool Carry Case                |

## NAIL FUEL PACKS – INDOORS NOT HEATED, OUTDOORS PROTECTED Euro Code 5 Service Class 1 & 2



| Part No. | Description             | Box Qty                   |
|----------|-------------------------|---------------------------|
| 141185   | 35 x 3.4mm Twisted ELGV | 2500 Nails & 2 Fuel Cells |
| 141189   | 35 x 3.4mm Twisted ELGV | 1250 Nails & 2 Fuel Cells |

## PASLODE IM45 GN LITHIUM COIL NAILER



Premium next generation cordless coil nailer for metal roofing and multi-use applications. Cordless gas nailer for 0° plastic coil nails from 25 to 45 mm

### Advantages of the IM45 GN Coil Nailer

- Quick charge lithium battery: Up to 4,200 shots per full charge (1h30mn)
- Fires a range of ring nails, drywall nails and Nailscrews
- 0° nail collation: provides high quality finish and no debris
- High nail capacity of 125 nails
- Tool free depth adjustment for perfect finishing
- Last nail lockout to avoid blankfires and surface damage
- Nose design for tight corners and no-mar rubber tip

### Applications

- Metal Roof Clip Installation
- Flashing
- Edge Protection
- Fibre Cement Cladding
- Packaging
- Plasterboard to Timber
- Fencing
- Hoarding



| Part No. | Description         |
|----------|---------------------|
| IM45GN   | IM45 GN Coil Nailer |

## IM45 GN ACCESSORIES



| Part No. | Description           |
|----------|-----------------------|
| 018880   | Battery               |
| 018882   | Paslode Charger Base  |
| 575722   | Paslode AC/DC Adaptor |
| 013690   | IM200 Fuel Cell 2pk   |

| Part No. | Description                       |
|----------|-----------------------------------|
| 115251   | NEW Impulse/Pulsa Cleaning Kit    |
| 401482   | Impulse/Pulsa Cleaner 300ml Spray |
| 900507   | Impulse/Pulsa Lubricating Oil     |

## 0° PLASTIC COIL ELECTROGALV NAIL OUTDOORS PROTECTED, Service Class 2



| Part No. | Description          | Box Qty |
|----------|----------------------|---------|
| 142208   | 2.5mm x 45mm Unilock | 750     |

## 0° PLASTIC COIL HOT DIPPED GALVO GALV NAIL OUTDOORS, Service Class 3



| Part No. | Description             | Box Qty |
|----------|-------------------------|---------|
| 142200   | 2.8mm x 25mm Ring Shank | 1000    |

## 0° PLASTIC COIL STAINLESS STEEL A2 NAIL OUTDOORS, Service Class 3



| Part No. | Description             | Box Qty |
|----------|-------------------------|---------|
| 142207   | 2.5mm x 35mm Ring Shank | 1000    |
| 142201   | 2.8mm x 25mm Ring Shank | 1000    |
| 142202   | 2.8mm x 32mm Ring Shank | 1000    |

## 0° PLASTIC COIL ELECTROGALV NAIL/SCREW OUTDOORS PROTECTED, Service Class 2



| Part No. | Description            | Box Qty |
|----------|------------------------|---------|
| 142205   | 2.5mm x 35mm Removable | 1000    |
| 142206   | 2.5mm x 40mm Removable | 750     |

# + POWDER ACTUATED TOOL (P.A.T.) CONSUMABLES

## P370/P200 SC9 SINGLE SHOT PINS – STEEL & CONCRETE SUBSTRATE



| Part No. | Description |
|----------|-------------|
| SNC25    | C9 25mm     |
| SNC30    | C9 30mm     |
| SNC35    | C9 35mm     |
| SNC40    | C9 40mm     |
| SNC50    | C9 50mm     |
| SNC60    | C9 60mm     |
| SNC70    | C9 70mm     |
| SNC80    | C9 80mm     |
| SNC90    | C9 90mm     |

## P370/P200 COLLATED PINS – CONCRETE SUBSTRATE



| Part No. | Description |
|----------|-------------|
| SNC20C   | C9 20mm     |
| SNC25C   | C9 25mm     |
| SNC30C   | C9 30mm     |
| SNC35C   | C9 35mm     |
| SNC40C   | C9 40mm     |
| SNC50C   | C9 50mm     |
| SNC55C   | C9 55mm     |
| SNC60C   | C9 60mm     |

## P370/P200 SINGLE SHOT PINS STEEL & CONCRETE SUBSTRATE



| Part No. | Description |
|----------|-------------|
| SNS15    | SC9 15mm    |
| SNS20    | SC9 20mm    |
| SNS25    | SC9 25mm    |
| SNS30    | SC9 30mm    |
| SNS35    | SC9 35mm    |
| SNS40    | SC9 40mm    |
| SNS50    | SC9 50mm    |
| SNS60    | SC9 60mm    |
| SNS70    | SC9 70mm    |

## P370/P200 COLLATED PINS – STEEL & CONCRETE SUBSTRATE



| Part No. | Description |
|----------|-------------|
| SNS15C   | SC9 15mm    |
| SNS20C   | SC9 20mm    |
| SNS25C   | SC9 25mm    |
| SNS30C   | SC9 30mm    |
| SNS35C   | SC9 35mm    |
| SNS40C   | SC9 40mm    |
| SNS50C   | SC9 50mm    |
| SNS60C   | SC9 60mm    |

## P370/P200 SINGLE SHOT PINS C/W 14mm STEEL WASHER – CONCRETE SUBSTRATE



| Part No. | Description |
|----------|-------------|
| SNC25W   | CR9 25mm    |
| SNC30W   | CR9 30mm    |
| SNC40W   | CR9 40mm    |
| SNC50W   | CR9 50mm    |

## P370/P200 SINGLE SHOT PINS C/W 34mm PLASTIC WASHER, DRAINAGE & WATERPROOFING CONCRETE SUBSTRATE



| Part No. | Description |
|----------|-------------|
| SNC30SW  | CR9 30mm P  |
| SNC40SW  | CR9 40mm P  |
| SNC50SW  | CR9 50mm P  |

## P370 SINGLE SHOT PINS C/W 65mm TUBE WASHER, FIXING RIGID INSULATION – CONCRETE SUBSTRATE



| Part No. | Description |
|----------|-------------|
| SNCI050  | CI6 50mm    |
| SNCI060  | CI6 60mm    |
| SNCI070  | CI6 70mm    |
| SNCI080  | CI6 80mm    |
| SNCI090  | CI6 90mm    |
| SNCI100  | CI6 100mm   |
| SNCI120  | CI6 120mm   |

# **+ HILTI COMPATIBLE CARTRIDGE TOOL CONSUMABLES**



## **STRIP FEED CARTRIDGES**



| Part No. | Description            | Strength |
|----------|------------------------|----------|
| DXCG     | Strip Cartridge Green  | Very Low |
| DXCY     | Strip Cartridge Yellow | Low      |
| DXCR     | Strip Cartridge Red    | Medium   |
| DXCB     | Strip Cartridge Black  | High     |

## **COLLATED PINS**



| Part No. | Description |
|----------|-------------|
| DX46016  | 16mm        |
| DX46019  | 19mm        |
| DX46022  | 22mm        |
| DX46027  | 27mm        |
| DX46032  | 32mm        |
| DX46042  | 42mm        |
| DX46052  | 52mm        |
| DX46072  | 72mm        |

## **CEILING HANGER**



| Part No. | Description |
|----------|-------------|
| CH32     | 32mm        |

## **SINGLE SHOT PINS C/W METAL WASHER**



| Part No. | Description |
|----------|-------------|
| DX45016  | 16mm        |
| DX45019  | 19mm        |
| DX45022  | 22mm        |
| DX45027  | 27mm        |
| DX45032  | 32mm        |
| DX45037  | 37mm        |
| DX45042  | 42mm        |
| DX45047  | 47mm        |
| DX45052  | 52mm        |
| DX45057  | 57mm        |
| DX45062  | 62mm        |
| DX45072  | 72mm        |
| DX45082  | 82mm        |


## **SINGLE SHOT PINS C/W PLASTIC WASHER**



| Part No. | Description |
|----------|-------------|
| DXA4016  | 16mm        |
| DXA4019  | 19mm        |
| DXA4022  | 22mm        |
| DXA4027  | 27mm        |
| DXA4032  | 32mm        |
| DXA4037  | 37mm        |
| DXA4042  | 42mm        |
| DXA4047  | 47mm        |
| DXA4052  | 52mm        |
| DXA4057  | 57mm        |
| DXA4062  | 62mm        |
| DXA4072  | 72mm        |



**FP** **FIXINGS**  
**PLUS**



**POWER TOOLS ACCESSORIES AVAILABLE ON REQUEST  
FROM ALL THE LEADING BRANDS**

 **BOSCH**

**DEWALT**

**Milwaukee**

**Makita**

 **DORMER**

**ABRACS**  
abrasives and accessories

**evOLUTION**

**trend**  
tool technology

 **DART**  
Your tool, but better.

**IRWIN**

**heller**  
get a bit more

**HiKOKI**

# **+ POWER TOOL ACCESSORIES**



## **CONTENTS**

|            |                                           |
|------------|-------------------------------------------|
| <b>154</b> | SCREWDRIVER INSERT BITS                   |
| <b>158</b> | SDS+ DRILL BITS                           |
| <b>159</b> | SDS+ DRILL BITS & STEELS                  |
| <b>161</b> | DRY DIAMOND CORE BIT SYSTEM               |
| <b>162</b> | STRAIGHT SHANK DRILL BITS                 |
| <b>163</b> | HIGH SPEED STEEL (HSS) DRILL BITS         |
| <b>166</b> | HOLESAWS                                  |
| <b>169</b> | WOOD DRILLING                             |
| <b>170</b> | CIRCULAR SAW BLADES                       |
| <b>172</b> | TCT CIRCULAR SAW BLADES                   |
| <b>175</b> | ABRASIVES                                 |
| <b>176</b> | DIAMOND BLADES                            |
| <b>178</b> | JIGSAW BLADES                             |
| <b>181</b> | RECIPROCATING SAW BLADES                  |
| <b>182</b> | ROUTER BITS & PLANER BLADES               |
| <b>183</b> | POWERTOOL ACCESSORIES – MULTI-TOOL BLADES |

## + SCREWDRIVER INSERT BITS

### POZI DRIVE INSERT BITS



| Part No. | Description       |
|----------|-------------------|
| PZ125    | Pozi No 1 x 25mm  |
| PZ150    | Pozi No 1 x 50mm  |
| PZ225    | Pozi No 2 x 25mm  |
| PZ250    | Pozi No 2 x 50mm  |
| PZ2100   | Pozi No 2 x 100mm |
| PZ2150   | Pozi No 2 x 150mm |
| PZ325    | Pozi No 3 x 25mm  |
| PZ350    | Pozi No 3 x 50mm  |
| PZ3100   | Pozi No 3 x 100mm |
| PZ425    | Pozi No 4 x 25mm  |

### PHILLIPS DRIVE INSERT BITS



| Part No. | Description           |
|----------|-----------------------|
| PH125    | Phillips No 1 x 25mm  |
| PH150    | Phillips No 1 x 50mm  |
| PH225    | Phillips No 2 x 25mm  |
| PH250    | Phillips No 2 x 50mm  |
| PH270    | Phillips No 2 x 70mm  |
| PH2100   | Phillips No 2 x 100mm |
| PH2150   | Phillips No 2 x 150mm |
| PH2157   | Phillips No 2 x 157mm |
| PH2160   | Phillips No 2 x 160mm |
| PH2175   | Phillips No 2 x 175mm |
| PH2200   | Phillips No 2 x 200mm |
| PH325    | Phillips No 3 x 25mm  |
| PH350    | Phillips No 3 x 50mm  |
| PH3100   | Phillips No 3 x 100mm |
| PH3150   | Phillips No 3 x 150mm |

### POZI DRIVE INSERT BITS IMPACT



| Part No. | Description      |
|----------|------------------|
| PZ1025i  | Pozi No 1 x 25mm |
| PZ2025i  | Pozi No 2 x 25mm |
| PZ3025i  | Pozi No 3 x 25mm |
| PZ4032i  | Pozi No 4 x 32mm |

### PHILLIPS DRIVE INSERT BITS IMPACT



| Part No. | Description          |
|----------|----------------------|
| PH1025i  | Phillips No 1 x 25mm |
| PH2025i  | Phillips No 2 x 25mm |
| PH3025i  | Phillips No 3 x 25mm |

Other lengths available on request

**FIXINGS PLUS**

**HAVE YOU VISITED OUR  
TRADE COUNTER YET?**

1 Mill Street  
Aston  
Birmingham  
B6 4BS

**what3words**  
///cube.bunks.crib



## PHILLIPS INSERT BIT – SQUARE DRIVE



| Part No. | Description                       |
|----------|-----------------------------------|
| PH250SD  | Phillips No 2 x 50mm Square Drive |

## TORX DRIVE INSERT BITS



| Part No. | Description     |
|----------|-----------------|
| T0825    | Torx T8 x 25mm  |
| T1025    | Torx T10 x 25mm |
| T1525    | Torx T15 x 25mm |
| T2025    | Torx T20 x 25mm |
| T2525    | Torx T25 x 25mm |
| T3025    | Torx T30 x 25mm |
| T4025    | Torx T40 x 25mm |
| T5025    | Torx T50 x 25mm |

## MAGNETIC BIT HOLDERS



| Part No. | Description                      |
|----------|----------------------------------|
| MBH      | Magnetic Bit Holder              |
| MBH060   | Magnetic Bit Holder 60mm         |
| MBH150   | Magnetic Bit Holder 150mm        |
| MBH300   | Magnetic Bit Holder 300mm        |
| MBH060i  | Magnetic Bit Holder 60mm Impact  |
| MBH150i  | Magnetic Bit Holder 150mm Impact |

## SECURITY INSERT BIT SET – 33 PIECE

1 x Bit holder  
3 x Torq set bit (6, 8 and 10mm)  
4 x Spanner bit (4, 6, 8 and 10mm)  
4 x 3 Try-wing bit (1, 2, 3 and 4mm)  
6 x Hex security bit (2, 2.5, 3, 4, 5 and 6mm)  
6 x Hex security bit (5/64, 3/32, 7/64, 1/8, 9/64 and 5/32")  
9 x Torx security bit (T8, T10, T15, T20, T25, T27, T30, T35 and T40)



| Part No. | Description                      |
|----------|----------------------------------|
| IBSS33   | Insert bit set Security 33 piece |

## HEXAGON DRIVE ADAPTORS



| Part No.  | Description                        |
|-----------|------------------------------------|
| HDA14     | 1/4" Hex Drive Adaptor             |
| HDA516    | 5/16" Hex Drive Adaptor            |
| HDA516100 | 5/16" Hex Drive Adaptor 100mm long |
| HDA38     | 3/8" Hex Drive Adaptor             |
| HDA07     | 7mm Hex Drive Adaptor              |
| HDA10     | 10mm Hex Drive Adaptor             |
| HDA11     | 11mm Hex Drive Adaptor             |
| HDA13     | 13mm Hex Drive Adaptor             |
| HDA17     | 17mm Hex Drive Adaptor             |

## HEXAGON DRIVE ADAPTORS IMPACT



| Part No. | Description             |
|----------|-------------------------|
| HDA14I   | 1/4" Hex Drive Adaptor  |
| HDA516I  | 5/16" Hex Drive Adaptor |
| HDA38I   | 3/8" Hex Drive Adaptor  |
| HDA07I   | 7mm Hex Drive Adaptor   |
| HDA10I   | 10mm Hex Drive Adaptor  |
| HDA13I   | 13mm Hex Drive Adaptor  |
| HDA17I   | 17mm Hex Drive Adaptor  |

## TORX DRIVE INSERT BITS IMPACT



| Part No. | Description     |
|----------|-----------------|
| T1025i   | Torx T10 x 25mm |
| T1525i   | Torx T15 x 25mm |
| T2025i   | Torx T20 x 25mm |
| T2525i   | Torx T25 x 25mm |
| T2725i   | Torx T27 x 25mm |
| T3025i   | Torx T30 x 25mm |
| T4025i   | Torx T40 x 25mm |
| T4536i   | Torx T45 x 36mm |



# DANGER


evolution

## DON'T USE AN IMPACT DRIVER!

WHEN FIXING  
EVOLUTION®  
SCREWS.

THE **REPETITIVE IMPACTING FORCES** OF IMPACT & HAMMER TOOLS WILL LEAD TO A LOSS OF DRILLING PERFORMANCE OR FAILURE:

- Reduced self-drilling and tapping capacity
- Reduced mechanical performance in pull-out and lap-shearing
- Damage to the fasteners' coating and accelerated corrosion issues
- Stripping of recesses and moulded/painted heads




CONTACT FIXINGS PLUS ON:

0121 333 7288

[SALES@FIXINGSPLUS.CO.UK](mailto:SALES@FIXINGSPLUS.CO.UK)





**FP** FIXINGS  
PLUS

**heller**  
PREMIUM TOOLS

**FIXINGS PLUS -**

**IN PARTNERSHIP WITH**

**HELLER TOOLS**



[www.fixingsplus.co.uk](http://www.fixingsplus.co.uk)

# + SDS+ DRILL BITS

## SDS+ DRILL BITS

### Advantages

For all concrete and stone applications. Effective removal of dust thanks to aggressive tip and spiral design. Certified by the Prüfgemeinschaft Mauerbohrer (PGM) in accordance with the requirements of the Deutsches Institut für Bautechnik (DIBt).

### Types of Materials

Concrete, Sand-lime brick, Brickwork, Stone.



| Part No.  | Size (mm) | Drilling Depth (mm) |
|-----------|-----------|---------------------|
| SDS040110 | 4 x 110   | 50                  |
| SDS040160 | 4 x 160   | 100                 |
| SDS050110 | 5 x 110   | 50                  |
| SDS050160 | 5 x 160   | 100                 |
| SDS050210 | 5 x 210   | 150                 |
| SDS050310 | 5 x 310   | 250                 |
| SDS055110 | 5.5 x 110 | 50                  |
| SDS055160 | 5.5 x 160 | 100                 |
| SDS055210 | 5.5 x 210 | 150                 |
| SDS055260 | 5.5 x 260 | 200                 |
| SDS060110 | 6 x 110   | 50                  |
| SDS060160 | 6 x 160   | 100                 |
| SDS060210 | 6 x 210   | 150                 |
| SDS060260 | 6 x 260   | 200                 |
| SDS060310 | 6 x 310   | 250                 |
| SDS065110 | 6.5 x 110 | 50                  |
| SDS065160 | 6.5 x 160 | 100                 |
| SDS065210 | 6.5 x 210 | 150                 |
| SDS065260 | 6.5 x 260 | 200                 |
| SDS065310 | 6.5 x 310 | 250                 |
| SDS070110 | 7 x 110   | 50                  |
| SDS070160 | 7 x 160   | 100                 |
| SDS070210 | 7 x 210   | 150                 |
| SDS080110 | 8 x 110   | 50                  |
| SDS080160 | 8 x 160   | 100                 |
| SDS080210 | 8 x 210   | 150                 |
| SDS080260 | 8 x 260   | 200                 |
| SDS080310 | 8 x 310   | 250                 |
| SDS080460 | 8 x 460   | 400                 |
| SDS080610 | 8 x 610   | 550                 |
| SDS090160 | 9 x 160   | 100                 |
| SDS090210 | 9 x 210   | 150                 |
| SDS100110 | 10 x 110  | 50                  |
| SDS100160 | 10 x 160  | 100                 |
| SDS100210 | 10 x 210  | 150                 |
| SDS100260 | 10 x 260  | 200                 |
| SDS100310 | 10 x 310  | 250                 |
| SDS100360 | 10 x 360  | 300                 |
| SDS100460 | 10 x 460  | 400                 |

| Part No.  | Size (mm) | Drilling Depth (mm) |
|-----------|-----------|---------------------|
| SDS100610 | 10 x 610  | 550                 |
| SDS101000 | 10 x 1000 | 950                 |
| SDS110160 | 11 x 160  | 100                 |
| SDS110210 | 11 x 210  | 150                 |
| SDS120160 | 12 x 160  | 100                 |
| SDS120210 | 12 x 210  | 150                 |
| SDS120260 | 12 x 260  | 200                 |
| SDS120310 | 12 x 310  | 250                 |
| SDS120360 | 12 x 360  | 300                 |
| SDS120460 | 12 x 460  | 400                 |
| SDS120610 | 12 x 610  | 550                 |
| SDS121000 | 12 x 1000 | 950                 |
| SDS130160 | 13 x 160  | 100                 |
| SDS130210 | 13 x 210  | 150                 |
| SDS130260 | 13 x 260  | 200                 |
| SDS140160 | 14 x 160  | 100                 |
| SDS140210 | 14 x 210  | 150                 |
| SDS140260 | 14 x 260  | 200                 |
| SDS140310 | 14 x 310  | 250                 |
| SDS140460 | 14 x 460  | 400                 |
| SDS150160 | 15 x 160  | 100                 |
| SDS150210 | 15 x 210  | 150                 |
| SDS160160 | 16 x 160  | 100                 |
| SDS160210 | 16 x 210  | 150                 |
| SDS160260 | 16 x 260  | 200                 |
| SDS160310 | 16 x 310  | 250                 |
| SDS160460 | 16 x 460  | 400                 |
| SDS160610 | 16 x 610  | 550                 |
| SDS161000 | 16 x 1000 | 950                 |
| SDS180210 | 18 x 210  | 150                 |
| SDS180260 | 18 x 260  | 200                 |
| SDS180310 | 18 x 310  | 250                 |
| SDS180460 | 18 x 460  | 400                 |
| SDS180610 | 18 x 610  | 550                 |
| SDS181000 | 18 x 1000 | 950                 |
| SDS200210 | 20 x 210  | 150                 |
| SDS200260 | 20 x 260  | 200                 |
| SDS200310 | 20 x 310  | 250                 |
| SDS200460 | 20 x 460  | 400                 |

| Part No.  | Size (mm) | Drilling Depth (mm) |
|-----------|-----------|---------------------|
| SDS200610 | 20 x 610  | 550                 |
| SDS201000 | 20 x 1000 | 950                 |
| SDS220260 | 22 x 260  | 200                 |
| SDS220310 | 22 x 310  | 250                 |
| SDS220460 | 22 x 460  | 400                 |
| SDS220610 | 22 x 610  | 550                 |
| SDS221000 | 22 x 1000 | 950                 |
| SDS240260 | 24 x 260  | 200                 |
| SDS240460 | 24 x 460  | 400                 |
| SDS250260 | 25 x 260  | 200                 |
| SDS250310 | 25 x 310  | 250                 |
| SDS250460 | 25 x 460  | 400                 |
| SDS250610 | 25 x 610  | 550                 |
| SDS251000 | 25 x 1000 | 950                 |
| SDS260260 | 26 x 260  | 200                 |
| SDS260460 | 26 x 460  | 400                 |
| SDS280460 | 28 x 460  | 400                 |
| SDS300450 | 30 x 450  | 400                 |

# + SDS+ DRILL BITS & STEELS



## TRIJET SDS+ DRILL BITS

### SUPERIOR PERFORMANCE – TOTALLY IN COMMAND

#### Advantages

New generation of hammer bits: powerful, fast & consistent. Impeller cutting edge with 3 blades for more effective material removal. Long service life thanks to extremely wear-resistant single-phase tungsten carbide alloy. Robust head geometry thanks to embedded tungsten carbide head will withstand multi impacts with reinforcement. Extremely fast removal of dust without blow-out thanks to wide spiral form. Optimised low-vibration triple spiral DuraTec hardening technique.

#### Types of Materials

Heavy concrete, B45 Reinforced concrete, Prestressed concrete, Asphalt, Concrete, Sand-lime brick, Clinker, Marble, Brickwork, Natural stone, Granite.



| Part No.   | Size (mm) | Drilling Depth (mm) |
|------------|-----------|---------------------|
| SDST050110 | 5 x 110   | 50                  |
| SDST050160 | 5 x 160   | 100                 |
| SDST055110 | 5.5 x 110 | 50                  |
| SDST055160 | 5.5 x 160 | 100                 |
| SDST060110 | 6 x 110   | 50                  |
| SDST060160 | 6 x 160   | 100                 |
| SDST060210 | 6 x 210   | 150                 |
| SDST060260 | 6 x 260   | 200                 |
| SDST065110 | 6.5 x 110 | 50                  |
| SDST065160 | 6.5 x 160 | 100                 |
| SDST070160 | 7 x 160   | 100                 |
| SDST070210 | 7 x 210   | 150                 |
| SDST080160 | 8 x 160   | 100                 |
| SDST080210 | 8 x 210   | 150                 |
| SDST080260 | 8 x 260   | 200                 |
| SDST080450 | 8 x 450   | 400                 |
| SDST100160 | 10 x 160  | 100                 |
| SDST100210 | 10 x 210  | 150                 |

| Part No.   | Size (mm) | Drilling Depth (mm) |
|------------|-----------|---------------------|
| SDST100260 | 10 x 260  | 200                 |
| SDST100310 | 10 x 310  | 250                 |
| SDST100450 | 10 x 450  | 400                 |
| SDST120160 | 12 x 160  | 100                 |
| SDST120210 | 12 x 210  | 150                 |
| SDST120260 | 12 x 260  | 200                 |
| SDST120310 | 12 x 310  | 250                 |
| SDST120450 | 12 x 450  | 400                 |
| SDST140160 | 14 x 160  | 100                 |
| SDST140200 | 14 x 200  | 150                 |
| SDST140250 | 14 x 250  | 200                 |
| SDST140300 | 14 x 300  | 250                 |
| SDST140450 | 14 x 450  | 400                 |
| SDST160200 | 16 x 200  | 150                 |
| SDST160250 | 16 x 250  | 200                 |
| SDST160300 | 16 x 300  | 250                 |
| SDST160450 | 16 x 450  | 400                 |
| SDST160600 | 16 x 600  | 550                 |

## SDS+ STEELS

### THE SMALL CHISEL THAT PACKS A MIGHTY PUNCH!

#### Advantages

Considerably higher stock removal rate thanks to smaller, lighter chisel design. Quicker results thanks to increased power transmission via reduced chisel length. Extremely long service life thanks to increased hardness of the cutting edge. No risk of breakage through improper use thanks to the shorter chisel length. Improved safety in the workplace thanks to shorter chiselling times and lower physical stress for the operator. Hammer drill used is subjected to lower loads.

#### Types of Materials

Concrete, Gas concrete/YTONG, Sand-lime brick, Clinker, Aerated concrete & Brickwork Stone.



| Part No. | Description               |
|----------|---------------------------|
| SDSP     | 250mm Bull Point          |
| SDSC     | 20mm x 250mm Flat Chisel  |
| SDSB     | 40mm x 200mm Flat Bolster |

| Part No. | Description                     |
|----------|---------------------------------|
| SDSSC    | 40mm x 200mm Spade Chisel       |
| SDSMRC   | 26mm x 250mm Mortar Rake Chisel |
| SDSAC    | 40mm x 200mm Angled Chisel      |

# + SDS MAX DRILL BITS & STEELS

## SDS MAX DRILL BITS

### THE VALUE FOR MONEY ALTERNATIVE FOR FAST RESULTS

#### Advantages

High drilling speed thanks to an optimised tip geometry. Precise drilling performance by means of a special cutting edge design. A broad spiral shape ensures good drilling progress. Certified by the Masonry Drill Bit Testing Association (PGM) according to the requirements of the German Institute for Building Technology (DIBt).

#### Types of Materials

Concrete, Sand-lime brick, Clinker, Brickwork, Stone



| Part No.  | Size (mm) | Drilling Depth (mm) |
|-----------|-----------|---------------------|
| MAX120340 | 12 x 340  | 200                 |
| MAX120540 | 12 x 540  | 400                 |
| MAX120740 | 12 x 740  | 600                 |
| MAX130340 | 13 x 340  | 200                 |
| MAX130540 | 13 x 540  | 400                 |
| MAX140340 | 14 x 340  | 200                 |
| MAX140540 | 14 x 540  | 400                 |
| MAX150340 | 15 x 340  | 200                 |
| MAX160340 | 16 x 340  | 200                 |
| MAX160540 | 16 x 540  | 400                 |
| MAX180340 | 18 x 340  | 200                 |
| MAX180540 | 18 x 540  | 400                 |
| MAX200320 | 20 x 320  | 200                 |
| MAX200520 | 20 x 520  | 400                 |

| Part No.  | Size (mm) | Drilling Depth (mm) |
|-----------|-----------|---------------------|
| MAX220320 | 22 x 320  | 200                 |
| MAX220520 | 22 x 520  | 400                 |
| MAX240320 | 24 x 320  | 200                 |
| MAX240520 | 24 x 520  | 400                 |
| MAX250320 | 25 x 320  | 200                 |
| MAX250520 | 25 x 520  | 400                 |
| MAX280320 | 28 x 320  | 200                 |
| MAX280520 | 28 x 520  | 400                 |
| MAX300320 | 30 x 320  | 200                 |
| MAX300520 | 30 x 520  | 400                 |
| MAX320320 | 32 x 320  | 200                 |
| MAX320520 | 32 x 520  | 400                 |
| MAX350520 | 35 x 520  | 400                 |
| MAX400520 | 40 x 520  | 400                 |

## SDS MAX STEELS

### THE CHISEL THAT PACKS A MIGHTY PUNCH!

#### Advantages

Considerably higher stock removal rate thanks to smaller, lighter chisel design. Quicker results from increased power transmission via reduced chisel length. Extremely long service life thanks to increased hardness of the cutting edge. No risk of breakage through improper use, thanks to the shorter chisel length. Improved safety in the workplace, thanks to shorter chiselling times and lower physical stress for the operator. Hammer drill used is subjected to lower loads. Available versions: Pointed chisel 140 mm, Flat chisel 22 x 140 mm, Spade chisel 30 x 140 mm

#### Types of Materials

Concrete, Gas concrete/YTONG, Sand-lime brick, Clinker, Aerated concrete & Brickwork Stone.



| Part No. | Description                     |
|----------|---------------------------------|
| MAXP400  | 400mm Point                     |
| MAXP600  | 600mm Point                     |
| MAXMRC   | 10mm x 300mm Mortar Rake Chisel |
| MAXC400  | 25mm x 400mm Flat Chisel        |

| Part No. | Description                |
|----------|----------------------------|
| MAXC600  | 25mm x 600mm Flat Chisel   |
| MAXB050  | 50mm x 400mm Spade Chisel  |
| MAXB080  | 80mm x 300mm Spade Chisel  |
| MAXB115  | 115mm x 350mm Spade Chisel |

# + DRY DIAMOND CORE BIT SYSTEM



## DRY DIAMOND CORE BITS

### CLEAN CUTTING – FAST RESULT

Diamond core bit for universal use in brickwork, concrete and reinforced concrete. Turbo-effect for extremely high drilling speed thanks to the use of only the highest quality materials. Outstanding service life even in the hardest materials thanks to laser-welded pointed segments. Extremely strong high-end diamond cutting edges for high levels of material removal. Optimised for applications using cooling water in concrete and highly compressed building materials, also suitable for dry use in light and medium density building materials.



| Part No. | Drill Diameter (mm) |
|----------|---------------------|
| DDCB022  | 22                  |
| DDCB028  | 28                  |
| DDCB032  | 32                  |
| DDCB038  | 38                  |
| DDCB048  | 48                  |
| DDCB052  | 52                  |
| DDCB065  | 65                  |
| DDCB078  | 78                  |
| DDCB091  | 91                  |
| DDCB107  | 107                 |
| DDCB117  | 117                 |
| DDCB127  | 127                 |
| DDCB152  | 152                 |
| DDCB162  | 162                 |

Wet Diamond Core Bits Available on Request - other sizes available.

## ACCESSORIES



| Part No. | Description           |
|----------|-----------------------|
| DDCBAPH  | Hex Adaptor Pack      |
| DDCBAPS  | SDS Plus Adaptor Pack |



| Part No.  | Description                     |
|-----------|---------------------------------|
| DDCBAH    | Hex Adaptor                     |
| DDCBAS    | SDS Plus Adaptor                |
| DDCBHE150 | Hex Extension Rod 150mm         |
| DDCBSE150 | SDS Extension Rod 150mm         |
| DDCBE200  | Extension 200mm                 |
| DDCBE300  | Extension 300mm                 |
| DDCBP     | A Taper Pilot Guide 9mm x 200mm |



# + STRAIGHT SHANK DRILL BITS

## MASONRY DRILL BITS

The high-speed drill bit – ideal for use with cordless drills. Rapid removal of drillings thanks to 4-spiral flute body. Long service life thanks to robust tungsten carbide insert and special surface hardening. Optimised for repetitive applications in brickwork.



| Part No.  | Size (mm) | Drilling Depth (mm) |
|-----------|-----------|---------------------|
| MAS040075 | 4 x 75    | 35                  |
| MAS040150 | 4 x 110   | 110                 |
| MAS050085 | 5 x 85    | 45                  |
| MAS050150 | 5 x 150   | 110                 |
| MAS055095 | 5.5 x 95  | 50                  |
| MAS055150 | 5.5 x 150 | 110                 |
| MAS060100 | 6 x 100   | 60                  |
| MAS060150 | 6 x 150   | 110                 |
| MAS065100 | 6.5 x 100 | 60                  |
| MAS070100 | 7 x 100   | 60                  |
| MAS070150 | 7 x 150   | 110                 |
| MAS080120 | 8 x 120   | 80                  |
| MAS080200 | 8 x 200   | 135                 |
| MAS100120 | 10 x 120  | 80                  |
| MAS100200 | 10 x 200  | 135                 |
| MAS120150 | 12 x 150  | 90                  |
| MAS120220 | 12 x 220  | 150                 |
| MAS140150 | 14 x 150  | 90                  |
| MAS160150 | 16 x 150  | 90                  |
| MAS180160 | 18 x 160  | 100                 |
| MAS200160 | 20 x 160  | 100                 |

## TILE DRILL BITS – DIAMOND GRIT

Vacuum Brazed Diamond Drill Bits. Premium Grade Diamond, Hardened Steel Blank. 8.5mm Hex Shank Fitting. 30mm Working Length. Wet or Dry Use.



| Part No. | Description |
|----------|-------------|
| TBD05    | 5           |
| TBD06    | 6           |
| TBD08    | 8           |
| TBD10    | 10          |
| TBD12    | 12          |

## TILE DRILL BITS – ARROW HEAD

Tungsten carbide tip drill bits for clean cutting through tile, porcelain, glass and mirror.



| Part No.  | Size (mm) | Overall Length (mm) |
|-----------|-----------|---------------------|
| TDB03060  | 3         | 60                  |
| TDB04060  | 4         | 60                  |
| TDB05065  | 5         | 65                  |
| TDB06065  | 6         | 65                  |
| TDB065075 | 6.5       | 75                  |
| TDB07070  | 7         | 70                  |
| TDB08070  | 8         | 70                  |
| TDB09090  | 9         | 70                  |
| TDB10080  | 10        | 80                  |

## TILE DRILL BITS – PORCELAIN

Tile max drill bits have a newly designed and unique asymmetric tip which has been diamond ground from the best quality tungsten. This enables the user to drill through a wide range of materials such as: PEI 5 class porcelain, ceramics, fine stoneware, marble, concrete, engineering brick and even granite.



| Part No.   | Size (mm) | Overall Length (mm) |
|------------|-----------|---------------------|
| TDBF050085 | 5         | 85                  |
| TDBF055100 | 5.5       | 100                 |
| TDBF060100 | 6         | 100                 |
| TDBF065100 | 6.5       | 100                 |
| TDBF070100 | 7         | 100                 |
| TDBF080120 | 8         | 120                 |
| TDBF100120 | 10        | 120                 |

# + HIGH SPEED STEEL (HSS) DRILL BITS



## HSS COBALT DRILL BITS

### FOR THE TOUGHEST JOBS IN STAINLESS STEEL AND METAL

For a large number of drill holes in high-alloy steel and stainless steel. Split point and 135° point angle for optimum, extremely accurate starting. Use of a special HSS steel with 5% cobalt. Precision tool compliant with DIN 338 RN for outstanding hole dimensional accuracy. High true-running accuracy to DIN 1414.



| Part No. | Size (mm) | Drilling Depth (mm) | Overall Length (mm) | Tap Diameter M |
|----------|-----------|---------------------|---------------------|----------------|
| HSSC010  | 1.0       | 12                  | 34                  |                |
| HSSC015  | 1.5       | 18                  | 40                  |                |
| HSSC016  | 1.6       | 20                  | 43                  |                |
| HSSC020  | 2.0       | 24                  | 49                  |                |
| HSSC025  | 2.5       | 30                  | 57                  | M3             |
| HSSC028  | 2.8       | 33                  | 61                  |                |
| HSSC030  | 3.0       | 33                  | 61                  |                |
| HSSC032  | 3.2       | 36                  | 65                  |                |
| HSSC033  | 3.3       | 36                  | 65                  | M4             |
| HSSC035  | 3.5       | 39                  | 70                  |                |
| HSSC036  | 3.6       | 39                  | 70                  |                |
| HSSC040  | 4.0       | 43                  | 75                  |                |
| HSSC041  | 4.1       | 43                  | 75                  |                |
| HSSC042  | 4.2       | 43                  | 75                  | M5             |
| HSSC045  | 4.5       | 47                  | 80                  |                |
| HSSC048  | 4.8       | 52                  | 86                  |                |
| HSSC050  | 5.0       | 52                  | 86                  | M6             |
| HSSC052  | 5.2       | 52                  | 86                  |                |
| HSSC055  | 5.5       | 57                  | 93                  |                |
| HSSC060  | 6.0       | 57                  | 93                  | M7             |
| HSSC063  | 6.3       | 63                  | 101                 |                |
| HSSC065  | 6.5       | 63                  | 101                 |                |
| HSSC068  | 6.8       | 69                  | 109                 | M8             |
| HSSC070  | 7.0       | 69                  | 109                 |                |
| HSSC075  | 7.5       | 69                  | 109                 |                |
| HSSC078  | 7.8       | 75                  | 117                 |                |
| HSSC080  | 8.0       | 75                  | 117                 |                |
| HSSC085  | 8.5       | 75                  | 117                 | M10            |
| HSSC090  | 9.0       | 81                  | 125                 |                |
| HSSC095  | 9.5       | 81                  | 125                 | M11            |
| HSSC100  | 10.0      | 87                  | 133                 |                |
| HSSC102  | 10.2      | 87                  | 133                 | M12            |
| HSSC105  | 10.5      | 87                  | 133                 |                |
| HSSC110  | 11.0      | 94                  | 142                 |                |
| HSSC120  | 12.0      | 101                 | 151                 | M14            |
| HSSC125  | 12.5      | 101                 | 151                 |                |
| HSSC130  | 13.0      | 101                 | 151                 |                |

## HSS GROUND DRILL BITS

### THE BEST POINT FOR METAL

Ideal for drilling in alloyed and unalloyed steels. Precision point to DIN 338 RN for outstanding hole dimensional accuracy. Split point and 135° point angle for optimum centering when starting. High true-running accuracy to DIN 1414.



| Part No. | Size (mm) | Drilling Depth (mm) | Overall Length (mm) | Tap Diameter M |
|----------|-----------|---------------------|---------------------|----------------|
| HSSG010  | 1.0       | 12                  | 34                  |                |
| HSSG015  | 1.5       | 18                  | 40                  |                |
| HSSG016  | 1.6       | 20                  | 43                  |                |
| HSSG020  | 2.0       | 24                  | 49                  |                |
| HSSG025  | 2.5       | 30                  | 57                  | M3             |
| HSSG028  | 2.8       | 33                  | 61                  |                |
| HSSG030  | 3.0       | 33                  | 61                  |                |
| HSSG032  | 3.2       | 36                  | 65                  |                |
| HSSG033  | 3.3       | 36                  | 65                  | M4             |
| HSSG035  | 3.5       | 39                  | 70                  |                |
| HSSG036  | 3.6       | 39                  | 70                  |                |
| HSSG040  | 4.0       | 43                  | 75                  |                |
| HSSG041  | 4.1       | 43                  | 75                  |                |
| HSSG042  | 4.2       | 43                  | 75                  | M5             |
| HSSG045  | 4.5       | 47                  | 80                  |                |
| HSSG048  | 4.8       | 52                  | 86                  |                |
| HSSG050  | 5.0       | 52                  | 86                  | M6             |
| HSSG052  | 5.2       | 52                  | 86                  |                |
| HSSG055  | 5.5       | 57                  | 93                  |                |
| HSSG060  | 6.0       | 57                  | 93                  | M7             |
| HSSG063  | 6.3       | 63                  | 101                 |                |
| HSSG065  | 6.5       | 63                  | 101                 |                |
| HSSG068  | 6.8       | 69                  | 109                 | M8             |
| HSSG070  | 7.0       | 69                  | 109                 |                |
| HSSG075  | 7.5       | 69                  | 109                 |                |
| HSSG078  | 7.8       | 75                  | 117                 |                |
| HSSG080  | 8.0       | 75                  | 117                 |                |
| HSSG085  | 8.5       | 75                  | 117                 | M10            |
| HSSG090  | 9.0       | 81                  | 125                 |                |
| HSSG095  | 9.5       | 81                  | 125                 | M11            |
| HSSG100  | 10.0      | 87                  | 133                 |                |
| HSSG102  | 10.2      | 87                  | 133                 | M12            |
| HSSG105  | 10.5      | 87                  | 133                 |                |
| HSSG110  | 11.0      | 94                  | 142                 |                |
| HSSG120  | 12.0      | 101                 | 151                 | M14            |
| HSSG125  | 12.5      | 101                 | 151                 |                |
| HSSG130  | 13.0      | 101                 | 151                 |                |

# + HIGH SPEED STEEL (HSS) DRILL BITS

## HSS GROUND LONG SERIES

Extra long for great hole depths, e.g., for drilling through drill bushes. Precision-ground grooves and diameter for outstanding centering. Manufactured to DIN 340. Strengthened web, making them highly resistant to breakage.



| Part No. | Size (mm) | Drilling Depth (mm) | Overall Length (mm) |
|----------|-----------|---------------------|---------------------|
| HSSL030  | 3.0       | 66                  | 100                 |
| HSSL040  | 4.0       | 78                  | 119                 |
| HSSL042  | 4.2       | 78                  | 119                 |
| HSSL050  | 5.0       | 78                  | 132                 |
| HSSL060  | 6.0       | 91                  | 139                 |
| HSSL070  | 7.0       | 102                 | 156                 |
| HSSL080  | 8.0       | 109                 | 165                 |
| HSSL100  | 10.0      | 121                 | 184                 |
| HSSL120  | 12.0      | 134                 | 205                 |
| HSSL130  | 13.0      | 134                 | 205                 |

## HSS GROUND BLACKSMITH BITS

Shank form and tool length optimised for use with pillar-type drills. Ground HSS bit with maximum precision. Ideal for drilling in alloyed and unalloyed steels up to 1100 N/mm<sup>2</sup>. Web thinning with 118° point angle for maximum service life.



| Part No. | Size (mm) | Drilling Depth (mm) | Overall Length (mm) |
|----------|-----------|---------------------|---------------------|
| HSSB130  | 13.0      | 76                  | 156                 |
| HSSB135  | 13.5      | 76                  | 156                 |
| HSSB140  | 14.0      | 76                  | 156                 |
| HSSB145  | 14.5      | 76                  | 156                 |
| HSSB150  | 15.0      | 76                  | 156                 |
| HSSB155  | 15.5      | 76                  | 156                 |
| HSSB160  | 16.0      | 76                  | 156                 |
| HSSB165  | 16.5      | 76                  | 156                 |
| HSSB170  | 17.0      | 76                  | 156                 |
| HSSB175  | 17.5      | 76                  | 156                 |
| HSSB180  | 18.0      | 76                  | 156                 |
| HSSB185  | 18.5      | 76                  | 156                 |
| HSSB190  | 19.0      | 76                  | 156                 |
| HSSB195  | 19.5      | 76                  | 156                 |
| HSSB200  | 20.0      | 76                  | 156                 |
| HSSB220  | 22.0      | 76                  | 156                 |
| HSSB240  | 24.0      | 76                  | 156                 |
| HSSB250  | 25.0      | 76                  | 156                 |
| HSSB320  | 32.0      | 76                  | 156                 |

## HSS STEP DRILL BITS

Precision tool for the professional. Ideal for drilling in cable ducts and for switch cabinets. Diameter marked on the drill bit. Extremely long service life.



| Part No. | Size (mm) | Drilling Depth (mm) | Overall Length (mm) | Tap Diameter M |
|----------|-----------|---------------------|---------------------|----------------|
| SD04012  | 4 > 12    | 9                   | 65                  | 6              |
| SD04020  | 4 > 20    | 9                   | 75                  | 8              |
| SD04030  | 4 > 30    | 14                  | 100                 | 10             |
| SD04039  | 4 > 39    | 7                   | 107                 | 10             |

## HSS DEBURRING COUNTERSINKS

Precision tool of professional quality. Long service life. Deburs and countersinks at the same time.




| Part No. | Size (mm) | Overall Length (mm) | Shank Diameter (mm) |
|----------|-----------|---------------------|---------------------|
| HSSDC063 | 6.3       | 45                  | 5                   |
| HSSDC083 | 8.3       | 50                  | 6                   |
| HSSDC104 | 10.4      | 50                  | 6                   |
| HSSDC124 | 12.4      | 56                  | 8                   |
| HSSDC165 | 16.5      | 60                  | 8                   |
| HSSDC205 | 20.5      | 63                  | 10                  |
| HSSDC250 | 25.0      | 67                  | 10                  |



**FP** FIXINGS  
PLUS



**DART**®



**POWER TOOL ACCESSORIES  
ENGINEERED FOR THE PROFESSIONAL**

# + HOLESAWS

## HSS BI-METAL HOLE SAW



### WITH SHARP TEETH FOR RELIABLE RESULTS

Variable pitched bi-metal holesaw suitable for multi use. This holesaw offers a smooth and fast cutting action. The holesaw has a 38mm cutting depth and precision set teeth for aggressive material penetration and swarf clearance. The holesaw can be used to cut a wide range of thin and thick gauge materials including Steel, Aluminium, Sheet Metals, Mild Metals, Non-ferrous Metals, Cast Iron, Hard and Soft Wood and PVC.



| Part No. | Size (mm) |
|----------|-----------|
| HS014    | 14        |
| HS016    | 16        |
| HS017    | 17        |
| HS019    | 19        |
| HS020    | 20        |
| HS021    | 21        |
| HS022    | 22        |
| HS024    | 24        |
| HS025    | 25        |
| HS027    | 27        |
| HS029    | 29        |
| HS030    | 30        |
| HS032    | 32        |
| HS033    | 33        |
| HS035    | 35        |
| HS037    | 37        |
| HS038    | 38        |
| HS040    | 40        |
| HS041    | 41        |
| HS043    | 43        |
| HS044    | 44        |
| HS046    | 46        |
| HS048    | 48        |
| HS050    | 50        |
| HS051    | 51        |
| HS052    | 52        |
| HS054    | 54        |
| HS057    | 57        |
| HS059    | 59        |
| HS060    | 60        |
| HS064    | 64        |
| HS065    | 65        |
| HS067    | 67        |
| HS068    | 68        |
| HS070    | 70        |
| HS073    | 73        |
| HS076    | 76        |
| HS079    | 79        |

| Part No. | Size (mm) |
|----------|-----------|
| HS083    | 83        |
| HS086    | 86        |
| HS089    | 89        |
| HS092    | 92        |
| HS095    | 95        |
| HS098    | 98        |
| HS102    | 102       |
| HS105    | 105       |
| HS108    | 108       |
| HS111    | 111       |
| HS114    | 114       |
| HS121    | 121       |
| HS127    | 127       |
| HS140    | 140       |
| HS152    | 152       |
| HS160    | 160       |
| HS165    | 165       |
| HS168    | 168       |
| HS177    | 177       |
| HS200    | 200       |
| HS210    | 210       |

### ACCESSORIES



| Part No. | Description                              |
|----------|------------------------------------------|
| HSA1     | Holesaw Arbor 14 - 30mm 11mm Hex Shank   |
| HSA2     | Holesaw Arbor 32 - 152mm 11mm Hex Shank  |
| HSA11    | Holesaw Arbor 14 - 30mm 9.5mm Hex Shank  |
| HSA22    | Holesaw Arbor 32 - 152mm 9.5mm Hex Shank |
| HSA3     | Holesaw Arbor 14 - 30mm SDS Plus Shank   |
| HSA4     | Holesaw Arbor 32 - 152mm SDS Plus Shank  |
| HSE11    | Holesaw Extension 320mm 11mm Hex Shank   |
| HSE95    | Holesaw Extension 320mm 9.5mm Hex Shank  |
| HSP06071 | Holesaw Pilot Drill 6.35 x 71mm          |



# + HOLESAWS



## BOSCH PROGRESSOR HOLESAW



HSS bi-metal holesaws with 8% cobalt alloy for a longer life. Progressive tooth strip ensures high cutting performance. For wood, metal, aluminium, PVC and mild or stainless steel. Use with Bosch powerchange adaptor for one-click holesaw changes.



| Part No. | Size (mm) |
|----------|-----------|
| HS014P   | 14        |
| HS016P   | 16        |
| HS017P   | 17        |
| HS019P   | 19        |
| HS020P   | 20        |
| HS021P   | 21        |
| HS022P   | 22        |
| HS024P   | 24        |
| HS025P   | 25        |
| HS027P   | 27        |
| HS029P   | 29        |
| HS030P   | 30        |
| HS032P   | 32        |
| HS035P   | 35        |
| HS037P   | 37        |
| HS040P   | 40        |
| HS044P   | 44        |
| HS046P   | 46        |
| HS048P   | 48        |
| HS051P   | 51        |
| HS054P   | 54        |

| Part No. | Size (mm) |
|----------|-----------|
| HS057P   | 57        |
| HS060P   | 60        |
| HS064P   | 64        |
| HS067P   | 67        |
| HS070P   | 70        |
| HS076P   | 76        |
| HS079P   | 79        |
| HS083P   | 83        |
| HS086P   | 86        |
| HS089P   | 89        |
| HS095P   | 95        |
| HS102P   | 102       |
| HS105P   | 105       |
| HS111P   | 111       |
| HS114P   | 114       |
| HS127P   | 127       |
| HS140P   | 140       |
| HS152P   | 152       |
| HS168P   | 168       |
| HS177P   | 177       |
| HS210P   | 210       |

## BOSCH PROGRESSOR HOLESAW – ACCESSORIES



| Part No. | Description                             |
|----------|-----------------------------------------|
| HSAPH    | Holesaw Arbor 14 - 152mm Hex Shank      |
| HSAPS    | Holesaw Arbor 14 - 152mm SDS Plus Shank |
| HSPP     | Holesaw Pilot Drill 6.35 x 71mm         |

# + HOLESAWS

## ANNULAR CUTTER

HSS Annular Cutter.

Suitable for all magnetic drilling machines.

Tungsten Carbide Tipped (TCT) also available for longer tool life.



| Part No. | Size (mm) | Length |
|----------|-----------|--------|
| RC012S   | 12        | Short  |
| RC013S   | 13        | Short  |
| RC014S   | 14        | Short  |
| RC015S   | 15        | Short  |
| RC016S   | 16        | Short  |
| RC017S   | 17        | Short  |
| RC018S   | 18        | Short  |
| RC019S   | 19        | Short  |
| RC020S   | 20        | Short  |
| RC021S   | 21        | Short  |
| RC022S   | 22        | Short  |
| RC024S   | 24        | Short  |
| RC026S   | 26        | Short  |
| RC028S   | 28        | Short  |
| RC030S   | 30        | Short  |
| RC035S   | 35        | Short  |
| RC040S   | 40        | Short  |
| RC050S   | 50        | Short  |

| Part No. | Size (mm) | Length |
|----------|-----------|--------|
| RC012L   | 12        | Long   |
| RC013L   | 13        | Long   |
| RC014L   | 14        | Long   |
| RC015L   | 15        | Long   |
| RC016L   | 16        | Long   |
| RC017L   | 17        | Long   |
| RC018L   | 18        | Long   |
| RC019L   | 19        | Long   |
| RC020L   | 20        | Long   |
| RC021L   | 21        | Long   |
| RC022L   | 22        | Long   |
| RC024L   | 24        | Long   |
| RC026L   | 26        | Long   |
| RC028L   | 28        | Long   |
| RC030L   | 30        | Long   |
| RC035L   | 35        | Long   |
| RC040L   | 40        | Long   |
| RC050L   | 50        | Long   |

## SHORT PINS

| Part No. | Description                                         |
|----------|-----------------------------------------------------|
| RCP12S   | Annular Cutter Pin to suit 12mm Short Cutter        |
| RCPS     | Annular Cutter Pin to suit Short Cutters above 12mm |

## LONG PINS

| Part No. | Description                                        |
|----------|----------------------------------------------------|
| RCP12L   | Annular Cutter Pin to suit 12mm Long Cutter        |
| RCPL     | Annular Cutter Pin to suit Long Cutters above 12mm |

## QUICKBIT FLAT WOOD BITS

Perfect for all applications in wood and derived timber products. Fast and exact cutting. Extremely accurate starting without tear-out at the edge of the hole. Heller QuickBIT® products: customised for use with cordless drills. ¼" hex. shank prevents the drill bit from slipping in the drill chuck.



| Part No. | Size (mm) | Drilling Depth (mm) | Overall Length (mm) |
|----------|-----------|---------------------|---------------------|
| FWB06    | 6         | 100                 | 152                 |
| FWB08    | 8         | 100                 | 152                 |
| FWB10    | 10        | 100                 | 152                 |
| FWB12    | 12        | 100                 | 152                 |
| FWB13    | 13        | 100                 | 152                 |
| FWB14    | 14        | 100                 | 152                 |
| FWB16    | 16        | 100                 | 152                 |
| FWB17    | 17        | 100                 | 152                 |
| FWB18    | 18        | 100                 | 152                 |
| FWB19    | 19        | 100                 | 152                 |
| FWB20    | 20        | 100                 | 152                 |
| FWB22    | 22        | 100                 | 152                 |
| FWB24    | 24        | 100                 | 152                 |
| FWB25    | 25        | 100                 | 152                 |
| FWB26    | 26        | 100                 | 152                 |
| FWB28    | 28        | 100                 | 152                 |
| FWB30    | 30        | 100                 | 152                 |
| FWB32    | 32        | 100                 | 152                 |
| FWB34    | 34        | 100                 | 152                 |
| FWB35    | 35        | 100                 | 152                 |
| FWB36    | 36        | 100                 | 152                 |
| FWB38    | 38        | 100                 | 152                 |
| FWB40    | 40        | 100                 | 152                 |

| Part No.   | Description                  |
|------------|------------------------------|
| FWBE150H   | Wood Bit Extension 150mm HEX |
| FWBE300H   | Wood Bit Extension 300mm HEX |
| FWBE082SDS | Wood Bit Extension 82mm SDS  |
| FWBE300SDS | Wood Bit Extension 300mm SDS |

## LEWIS AUGER BITS

Self-feed screw point for extremely accurate drilling. Fast advance thanks to the extra sharp cutting lip. Hardened cutter and major cutting edge ensures long service life. Lewis spiral is proven to remove chips extremely fast.



| Part No. | Size (mm) | Drilling Depth (mm) |
|----------|-----------|---------------------|
| WAH06235 | 6 x 235   | 200                 |
| WAH06460 | 6 x 460   | 380                 |
| WAH08235 | 8 x 235   | 200                 |
| WAH08460 | 8 x 460   | 380                 |
| WAH10235 | 10 x 235  | 200                 |
| WAH10460 | 10 x 460  | 380                 |
| WAH12235 | 12 x 235  | 200                 |
| WAH12460 | 12 x 460  | 380                 |
| WAH13235 | 13 x 235  | 200                 |
| WAH13460 | 13 x 460  | 380                 |
| WAH14235 | 14 x 235  | 200                 |
| WAH14460 | 14 x 460  | 380                 |
| WAH15235 | 15 x 235  | 200                 |
| WAH16235 | 16 x 235  | 200                 |
| WAH16460 | 16 x 460  | 380                 |
| WAH18235 | 18 x 235  | 200                 |
| WAH18460 | 18 x 460  | 380                 |
| WAH20235 | 20 x 235  | 200                 |
| WAH20460 | 20 x 460  | 380                 |
| WAH22235 | 22 x 235  | 200                 |
| WAH22460 | 22 x 460  | 380                 |
| WAH24235 | 24 x 235  | 200                 |
| WAH24460 | 24 x 460  | 380                 |
| WAH25235 | 25 x 235  | 200                 |
| WAH25460 | 25 x 460  | 380                 |
| WAH26235 | 26 x 235  | 200                 |
| WAH26460 | 26 x 460  | 380                 |
| WAH28235 | 28 x 235  | 200                 |
| WAH28460 | 28 x 460  | 380                 |
| WAH30235 | 30 x 235  | 200                 |
| WAH30460 | 30 x 460  | 380                 |
| WAH32235 | 32 x 235  | 200                 |
| WAH32460 | 32 x 460  | 380                 |

# + CIRCULAR SAW BLADES

## EVOLUTION BLADE RANGE



**FULL BLADE RANGE AVAILABLE**  
MILD, STAINLESS & THIN STEEL, ALUMINUM & WOOD



# + CIRCULAR SAW BLADES



## EVOLUTION MULTI MATERIAL BLADES

Evolution premium multi-material cutting Mitre & Table Saw blade.



Multi-Material cutting technology.

Designed to cut mild steel, aluminium, plastic, wood and even wood with embedded nails. Evolution saw blades are designed to deliver maximum performance by using the highest grade carbide, hardened blade bodies & ultra high-grade brazing techniques.

Virtually no sparks, no heat and burrs.

All offer premium quality to increase production & performance!

Full range available.





# + TCT CIRCULAR SAW BLADES

## WOOD

Professional TCT blades featuring an Alternate Top Bevel (ATB) tooth configuration for universal wood cutting applications.

- Reamed bore ensures precise fit to spindle.
- Body hardened and tempered to maintain trueness.
- Range includes blades from 150mm to 305mm diameter for coarse cutting through to fine cutting.
- Suitable for cutting softwood, hardwood, particle board, MDF, hardboard and plywood.
- Reducing rings available.



| Part No.        | Diameter (mm) | Bore (mm) | No. Teeth |
|-----------------|---------------|-----------|-----------|
| TCT1362020TDART | 136           | 20        | 20        |
| TCT1602048TDART | 160           | 20        | 48        |
| TCT1602060TDART | 160           | 20        | 60        |
| TCT1652024TDART | 165           | 20        | 24        |
| TCT1652040TDART | 165           | 20        | 40        |
| TCT1841624TDART | 184           | 16        | 24        |
| TCT1841640TDART | 184           | 16        | 40        |
| TCT1843024TDART | 184           | 30        | 24        |
| TCT1843040TDART | 184           | 30        | 40        |
| TCT1903024TDART | 190           | 30        | 24        |
| TCT1903040TDART | 190           | 30        | 40        |
| TCT2163040TDART | 216           | 30        | 40        |
| TCT2163060TDART | 216           | 30        | 60        |
| TCT2303024TDART | 230           | 30        | 24        |
| TCT2303040TDART | 230           | 30        | 40        |
| TCT2353024TDART | 235           | 30        | 24        |
| TCT2353040TDART | 235           | 30        | 40        |
| TCT2503040TDART | 250           | 30        | 40        |
| TCT2503060TDART | 250           | 30        | 60        |
| TCT3053060TDART | 305           | 30        | 60        |
| TCT3053096TDART | 305           | 30        | 96        |

## REDUCING RINGS

Quality reducing rings to ensure that blades fit safely to your machine when the bore size is different - accurately machined with reamed bores and splined outside edges for precision fit. Must be inserted correctly; pressed or glued into the body of the blade. Do not use a reducing ring when the saw flange is not more than 5mm diameter bigger than the original saw blade bore size. 1.8mm Thick.



| Part No.   | Outside (Dia) (mm) | Inside (Dia) (mm) |
|------------|--------------------|-------------------|
| DBW201618  | 20                 | 16                |
| DBW252018  | 25                 | 20                |
| DBW3012718 | 30                 | 12.7              |
| DBW3015918 | 30                 | 15.9              |
| DBW301618  | 30                 | 16                |
| DBW302018  | 30                 | 20                |
| DBW302518  | 30                 | 25                |
| DBW3025418 | 30                 | 25.4              |

## METAL – COLD CUT

Quality TCT blades featuring a Triple Chip Ground (TCG) tooth configuration for fast and clean cuts in various metal sections. Featuring an anti-kick tooth for smooth action and increased safety during use and a hardened steel body with lock embedded tungsten tip giving a spark free cut. Reamed bore ensures precise fit to spindle. The range includes blades from 136mm to 355mm diameter with 32 teeth to 72 teeth suitable for cutting construction steel, aluminium, stainless steel, metal tube, U-steel, H-profiles and sheet metal cased insulation panels.



| Part No.         | Diameter (mm) | Bore (mm) | No. Teeth |
|------------------|---------------|-----------|-----------|
| TCT1362032TMCDT  | 136           | 20        | 32        |
| TCT1502032TMCDT  | 150           | 20        | 32        |
| TCT1652040TMCDT  | 165           | 20        | 40        |
| TCT1802036TMCDT  | 180           | 20        | 36        |
| TCT1853038TMCDT  | 185           | 30        | 38        |
| TCT23025444TMCDT | 230           | 25.4      | 44        |
| TCT25525444TMCDT | 255           | 25.4      | 44        |
| TCT30525460TMCDT | 305           | 25.4      | 60        |
| TCT35525472TMCDT | 355           | 25.4      | 72        |
| TCT3553072TMCDT  | 355           | 30        | 72        |

# + TCT CIRCULAR SAW BLADES



## ALUMINIUM

For clean cuts in non-ferrous metals such as aluminium. Also suitable for cutting plastics and epoxy, raw chipboard, acoustic panels, lightweight building panels, abrasive panel materials laminated on one or two sides, and fibre materials such as MDF and OSB boards. Microteq teeth for a long lifetime.



| Part No.     | Diameter (mm) | Bore size (mm) | No. Teeth |
|--------------|---------------|----------------|-----------|
| TCT1843056TA | 184           | 30             | 56        |
| TCT1903056TA | 190           | 30             | 56        |
| TCT2103054TA | 210           | 30             | 54        |
| TCT2163064TA | 216           | 30             | 64        |
| TCT2303064TA | 230           | 30             | 64        |
| TCT2353080TA | 235           | 30             | 80        |
| TCT2503080TA | 250           | 30             | 80        |
| TCT2543080TA | 254           | 30             | 80        |
| TCT2552580TA | 255           | 25             | 80        |
| TCT3003096TA | 300           | 30             | 96        |
| TCT3053096TA | 305           | 30             | 96        |
| TCT3153096TA | 315           | 30             | 96        |

## MULTI MATERIAL

The perfect blade for powerful cuts with clean cut edges in all different kinds of materials.



| Part No.      | Diameter (mm) | Bore size (mm) | No. Teeth |
|---------------|---------------|----------------|-----------|
| TCT1602042TMM | 160           | 20             | 42        |
| TCT1843048TMM | 184           | 30             | 48        |
| TCT1903054TMM | 190           | 30             | 54        |
| TCT2163080TMM | 216           | 30             | 80        |
| TCT2303064TMM | 230           | 30             | 64        |
| TCT2353064TMM | 235           | 30             | 64        |
| TCT2543096TMM | 254           | 30             | 96        |
| TCT3053096TMM | 305           | 30             | 96        |
| TCT3503096TMM | 350           | 30             | 96        |

## FIBRE CEMENT

Quality Poly Crystalline Diamond (PCD) fibre cement saw blades with flat teeth configuration for use in specialist applications, providing durability and long life. Cutting is smoother, cleaner, and more accurate with an extra large gullet design minimises dust and improves removal of material.



| Part No.       | Diameter (mm) | Bore size (mm) | No. Teeth |
|----------------|---------------|----------------|-----------|
| TCT11509504TFC | 115           | 9.5            | 4         |
| TCT1602004TFC  | 160           | 20             | 4         |
| TCT1602008TFC  | 160           | 20             | 8         |
| TCT1652004TFC  | 165           | 20             | 4         |
| TCT1653004TFC  | 165           | 30             | 4         |
| TCT1851604TFC  | 185           | 16             | 4         |
| TCT1902004TFC  | 190           | 20             | 4         |
| TCT1903004TFC  | 190           | 30             | 4         |
| TCT1903008TFC  | 190           | 30             | 8         |
| TCT2163004TFC  | 216           | 30             | 4         |
| TCT2163008TFC  | 216           | 30             | 8         |
| TCT2303006TFC  | 230           | 30             | 6         |
| TCT2503006TFC  | 250           | 30             | 6         |
| TCT3003008TFC  | 300           | 30             | 8         |

## EVOLUTION BLADES

### Evolution RAGE® Multipurpose Tungsten Carbide Tipped Blades

All Evolution multipurpose TCT saw blades are made in Japan and are of premium quality and performance.

Designed specifically for Evolution RAGE® saws, these blades are ideal for the construction professional and for daily use on a construction site.



Designed to cut mild steel\*, aluminium, plastics and wood, even wood containing embedded nails with a single RAGE blade! Perfect for cutting hard & softwood, decking, laminate flooring, mild steel angle, unistrut and conduit, plywood, mdf, aluminium checker plate, plastic pipes and sheet, plus many other materials.

| Part No.      | Diameter (mm) | Bore size (mm) | No. Teeth |
|---------------|---------------|----------------|-----------|
| TCT1652018TE  | 165           | 20             | 18        |
| TCT1852020TE  | 185           | 20             | 20        |
| TCT21025424TE | 210           | 25.4           | 24        |
| TCT25525428TE | 255           | 25.4           | 28        |
| TCT35525436TE | 355           | 25.4           | 36        |

# + TCT CIRCULAR SAW BLADES

## EVOLUTION ALTERNATIVE BLADES

### Ti-Tech

Ti-Tech are a Multi-Cut product designed for dry steel cutting chop saws.

The unique metallurgy of the carbide tips and the titanium coating, combined with triple chip geometry of the teeth and precise manufacturing quality, creates a saw blade that makes more cuts than any other sawblade you can attach to a power tool.

### MULTI PURPOSE



| Part No.      | Diameter (mm) | Bore size (mm) | No. Teeth |
|---------------|---------------|----------------|-----------|
| TCT1852020TT  | 185           | 20             | 20        |
| TCT21025424TT | 210           | 25.4           | 24        |
| TCT23025448TT | 230           | 25.4           | 48        |
| TCT25525428TT | 255           | 25.4           | 28        |
| TCT35525466TT | 355           | 25.4           | 36        |

### STEEL



| Part No.       | Diameter (mm) | Bore size (mm) | No. Teeth |
|----------------|---------------|----------------|-----------|
| TCT1802036TT   | 180           | 20             | 36        |
| TCT23025448TT  | 230           | 25.4           | 48        |
| TCT30525460TT  | 305           | 25.4           | 60        |
| TCT35525466TT3 | 355           | 25.4           | 66        |

### STAINLESS STEEL



| Part No.      | Diameter (mm) | Bore size (mm) | No. Teeth |
|---------------|---------------|----------------|-----------|
| TCT1802048TT  | 180           | 20             | 48        |
| TCT23025460TT | 230           | 25.4           | 60        |
| TCT30525480TT | 305           | 25.4           | 80        |
| TCT35525490TT | 355           | 25.4           | 90        |

### ALUMINIUM



| Part No.      | Diameter (mm) | Bore size (mm) | No. Teeth |
|---------------|---------------|----------------|-----------|
| TCT1802054TT  | 180           | 20             | 54        |
| TCT23025480TT | 230           | 25.4           | 80        |
| TCT35525480TT | 355           | 25.4           | 80        |

## METAL CUTTING & GRINDING BLADES

Bonded, fully re-inforced premium quality cut-off wheels, manufactured to the highest European standards. A specialist wheel for use on stainless steel and hard metals, mainly in the shipbuilding, chemical and nuclear industries. These wheels are iron, sulphur and chlorine free to avoid contamination during cutting, i.e. prevention of rust. The cut-off wheels are designed to give a minimal stock removal, fast, accurate and clean cut, whilst maintaining a long life.

### METAL CUTTING FLAT CENTRE



| Part No. | Diameter (mm) | Bore (mm) | Thickness (mm) |
|----------|---------------|-----------|----------------|
| MC100    | 100           | 16        | 3.0            |
| MC115    | 115           | 22        | 3.0            |
| MC125    | 125           | 22        | 3.0            |
| MC180    | 180           | 22        | 3.0            |
| MC230    | 230           | 22        | 3.0            |
| MC300    | 300           | 20        | 3.5            |

### METAL GRINDING DEPRESSED CENTRE



| Part No. | Diameter (mm) | Bore (mm) | Thickness (mm) |
|----------|---------------|-----------|----------------|
| MG100    | 100           | 16        | 6.4            |
| MG115    | 115           | 22        | 6.4            |
| MG125    | 125           | 22        | 6.4            |
| MG180    | 180           | 22        | 6.4            |
| MG230    | 230           | 22        | 6.4            |

### METAL CUTTING – ULTRA THIN FLAT CENTRE



| Part No. | Diameter (mm) | Bore (mm) | Thickness (mm) |
|----------|---------------|-----------|----------------|
| UT100    | 100           | 16        | 1.0            |
| UT115    | 115           | 22        | 1.0            |
| UT125    | 125           | 22        | 1.0            |
| UT230    | 230           | 22        | 1.6            |

## STONE CUTTING & GRINDING BLADES

Bonded, fully re-inforced premium quality stone cutting and grinding wheels, manufactured to the highest European standards. Suitable for all stone working applications, including non-ferrous metals. The grinding wheels are designed for a high stock removal, whilst the cutting give a fast and accurate cut, both maintain a long life.

### STONE CUTTING FLAT CENTRE



| Part No. | Diameter (mm) | Bore (mm) | Thickness (mm) |
|----------|---------------|-----------|----------------|
| SC100    | 100           | 16        | 3.2            |
| SC115    | 115           | 22        | 3.2            |
| SC125    | 125           | 22        | 3.2            |
| SC180    | 180           | 22        | 3.2            |
| SC230    | 230           | 22        | 3.2            |
| SC300    | 300           | 20        | 3.2            |

### STONE GRINDING DEPRESSED CENTRE



| Part No. | Diameter (mm) | Bore (mm) | Thickness (mm) |
|----------|---------------|-----------|----------------|
| SG100    | 100           | 16        | 6.4            |
| SG115    | 115           | 22        | 6.4            |
| SG125    | 125           | 22        | 6.4            |
| SG180    | 180           | 22        | 6.4            |
| SG230    | 230           | 22        | 6.4            |

### METAL CUTTING – ULTRA THIN FLAT CENTRE – PACK OF 10

50mm x 50mm (14mm Slot)



| Part No.     | Diameter (mm) | Bore (mm) | Thickness (mm) |
|--------------|---------------|-----------|----------------|
| UT115DART010 | 115           | 22.23     | 1.0            |
| FAI11510MUL  | 115           | 22.23     | 1.0            |



# + DIAMOND BLADES

## GENERAL PURPOSE

What the Diatech CVR10 Diamond Blade for Concrete Cuts.  
Concrete, Kerbs, Paviers  
Slabs, General Building Materials.  
Some Natural Stone.

This diamond cutting disc for concrete, is an economical option for smaller jobs, and is capable of 500 cuts. It is easily identifiable with distinct markings and has 10mm sintered segments. Outlasting its low-priced rivals makes this diamond cutting disc for concrete an all round winner.



| Part No.   | Diameter (mm) | Bore (mm) |
|------------|---------------|-----------|
| DB115CVR10 | 115           | 22.23     |
| DB125CVR10 | 125           | 22.23     |
| DB230CVR10 | 230           | 22.23     |
| DB300CVR10 | 300           | 20        |

## GENERAL PURPOSE-ECO-UNIVERSAL

Eco for Universal Segmented Diamond Disc is the preferred choice for reliable cuts in general construction materials.  
Concrete.  
Brick.  
Limestone.  
Roofing Tile.

The Bosch diamond cutting blade is the preferred choice for creating reliable cuts in general construction materials such as concrete, brick and roofing tile with your angle grinder. It has been manufactured with sintered diamond cutting segments for greater cutting performance and long life.



| Part No.    | Diameter (mm) | Bore (mm) |
|-------------|---------------|-----------|
| DB115EUB    | 115           | 22.23     |
| DB125EUB    | 125           | 22.23     |
| DB150EUB    | 150           | 22.23     |
| DB180EUB    | 180           | 22.23     |
| DB230EUB    | 230           | 22.23     |
| DB300EUB    | 300           | 20        |
| DB300EUB254 | 300           | 25.40     |
| DB350EUB    | 350           | 20        |
| DB350EUB254 | 350           | 25.40     |

## GENERAL PURPOSE

What the F2 Multi Materials Diamond Blade Cuts  
Brick and Engineered Brick.  
Reinforced Concrete.  
Concrete Blocks, Paviers.  
Abrasive Materials,  
Sandstone, Asphalt & Tar.

The Multi Materials Cutting Disk F2 blade's 22 castellated 15mm segments, enable the blade to master the hugely varied range of materials found on UK construction sites. The centre plate is pitted with cooling holes to allow consistent sawing capabilities.



| Part No. | Diameter (mm) | Bore (mm) |
|----------|---------------|-----------|
| DB230F2  | 230           | 22.23     |
| DB300F2  | 300           | 20        |
| DB350F2  | 350           | 20        |

## GENERAL PURPOSE-TURBO DIAMOND

Applications.  
Precast Concrete Products.  
Clays Products.  
Indian Sandstone.  
Engineering Brick.  
Limestone and slate.

The OX Semi continuous rim turbo blade for fast cutting of universal and general building products.  
10mm segment heights.



| Part No.   | Diameter (mm) | Bore (mm) |
|------------|---------------|-----------|
| XLT-115/22 | 115           | 22.23     |
| XLT-230/22 | 230           | 22.23     |
| XLT-300/20 | 300           | 20        |



## + DIAMOND BLADES



### MORTAR RAKING



| Part No. | Diameter (mm) | Bore (mm) | Thickness (mm) |
|----------|---------------|-----------|----------------|
| MRA115T  | 115           | 22.23     | 6.4            |
| 19536    | 115           | 22.23     | 8              |
| STM-10   | 115           | 22.23     | 10             |

### CUP WHEEL – DOUBLE ROW

Diamond Grinding Disc is ideal for grinding and polishing on stone, granite and marble. Suitable for use with all makes of angle grinders.



| Part No. | Diameter (mm) | Bore (mm) |
|----------|---------------|-----------|
| CG115    | 115           | 22.23     |
| CG125    | 125           | 22.23     |
| CG180    | 180           | 22.23     |

### CONTINUOUS RIM

- Sintered Continuous Rim
- 8mm Segment Height
- Fine Diamond Grit
- Precision Cutting
- Hardened, Ground & Balanced Blank
- Other bore sizes available to order



| Part No. | Diameter (mm) | Bore (mm) |
|----------|---------------|-----------|
| DB115CR  | 115           | 22.23     |
| DB125CR  | 125           | 22.23     |
| DB150CR  | 150           | 22.23     |
| DB180CR  | 180           | 22.23     |
| DB230CR  | 230           | 22.23     |

### DIAMOND EDGE – FOR METAL

Extreme Diamond edge is made with metal cutting diamonds bonded to the wheel's surface. They deliver 1,000 + cuts. For a wide range of steel cutting.



| Part No. | Diameter (mm) | Bore (mm) |
|----------|---------------|-----------|
| DT40251  | 115           | 22.23     |

### MORTAR RAKING – M14

For removing mortar between brick & stonework.  
Use with suitable guide plate.  
Fits angle grinders with M14 threads.



| Part No. | Diameter (mm) |
|----------|---------------|
| 660430   | 8             |
| 665443   | 10            |
| 335445   | 12            |



# + JIGSAW BLADES

## T SHANK JIGSAW BLADES FOR WOOD



| Part No.   | Teeth per Inch   | O/L    | Type                         | Application                                                                                     | Type of Cut                                                                            |
|------------|------------------|--------|------------------------------|-------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| JBT1018AFP | 24               | 10"    | Precision for Metal Sandwich | Wood / metal sandwich materials                                                                 | Deep, clean cuts without blade deflection                                              |
| JBT101AO   | 20               | 3.25"  | Clean for Wood               | Double-sided laminates, laminated particle board, MDF, hard/soft woods, plywood 5/64" - 3/4"    | Curved cuts and splinter free on both sides of the surface                             |
| JBT101AOF  | 20               | 3.25"  | Special for Laminate         | Laminate flooring                                                                               | Scroll blade for curved, splinter free cuts. Ideal for jig saws without orbital action |
| JBT101B    | 10               | 4"     | Clean for Wood               | Hard/soft woods, plastics, OSB, plywood, laminated particle board 3/16" - 1-1/4"                | Straight, fine cuts                                                                    |
| JBT101BF   | 10               | 4"     | Clean for Hardwood           | Hard/soft woods, plastics, plywood, laminated particle board 3/16" - 1-1/4"                     | Long life, straight, fine cuts                                                         |
| JBT101BIF  | 14               | 3.25"  | Special for Laminate         | Laminate flooring                                                                               | Straight, splinter-free cuts                                                           |
| JBT101BR   | 10               | 4"     | Clean for Wood               | Hard/soft woods, plastics, OSB, plywood, laminated particle board 3/16" - 1-1/4"                | Reverse tooth, splinter-free cuts on top of surface                                    |
| JBT101D    | 5-6 Progressive  | 4"     | Clean for Wood               | Hard/soft woods, plywood, OSB, plastics 1/4" - 2-3/8"                                           | Straight, clean cuts                                                                   |
| JBT101DP   | 6                | 4"     | Precision for Wood           | Hard/soft woods, plywood, particle board and plastics 1/4" - 2-3/8"                             | Precise right angle cuts                                                               |
| JBT1044DP  | 6                | 10"    | Precision for Wood           | Wood                                                                                            | Precise cuts without blade deflection                                                  |
| JBT111C    | 8                | 4"     | Basic for Wood               | Softwood, OSB, plywood 7/32" - 2-3/8"                                                           | Fast, course cuts. Ideal for jig saws without orbital action                           |
| JBT119BO   | 12               | 3.25"  | Basic for Wood               | Softwood, OSB, plywood 5/64" - 1/4"                                                             | Scroll blade for curved cuts                                                           |
| JBT144D    | 5-6 Progressive  | 4"     | Speed for Wood               | Hard/soft woods, OSB, plywood 1/4" - 2-3/8"                                                     | Straight and very fast cuts                                                            |
| JBT144DF   | 5-6 Progressive  | 4"     | Speed for Hardwood           | Hard/soft woods, OSB, plywood, wood with nails 1/4" - 2-3/8"                                    | Straight, very fast cuts with long life                                                |
| JBT144DP   | 6                | 4"     | Precision for Wood           | Hard/soft woods, laminated particle board, plywood 3/16" - 2"                                   | Precise right angle cuts                                                               |
| JBT234X    | 8-12 Progressive | 4.5"   | Progressor for Wood          | Thick/thin, hard/soft woods including laminated particle board, OSB, plywood and particle board | Straight, accurate, splinter free cuts                                                 |
| JBT244D    | 5-6 Progressive  | 4"     | Speed for Wood               | Hard/soft woods, OSB, plywood 1/4" - 2-3/8"                                                     | Scroll blade for curved and fast cuts                                                  |
| JBT301CD   | 8                | 4.625" | Clean for Wood               | Hard/soft woods, plywood, laminated particle board 3/16" - 2-3/8" and plastics 3/16" - 1-1/4"   | Straight, medium-fine cuts                                                             |
| JBT301DL   | 8                | 5"     | Clean for Wood               | Hard/soft woods, OSB, plywood, plastics 1/4" - 3-3/8"                                           | Straight, clean cuts                                                                   |
| JBT308B    | 12               | 4.5"   | Xtra-Clean for Wood™         | Wood, laminated particle board and MDF                                                          | Straight, tear-free cuts on both top and bottom of workpiece                           |
| JBT308BFP  | 12               | 4.5"   | Precision for Hardwood       | Hardwood                                                                                        | Extra clean without blade deflection                                                   |
| JBT308BO   | 12               | 4.5"   | Xtra-Clean for Wood™         | Wood, laminated particle board and MDF                                                          | Scroll blade for curved cuts                                                           |
| JBT308BP   | 12               | 4.5"   | Precision for Wood           | Wood                                                                                            | Extra clean without blade deflection                                                   |
| JBT344D    | 6                | 6"     | Precision for Wood           | Hard/soft woods up to 4"                                                                        | Straight and very fast cuts                                                            |
| JBT344DF   | 6                | 6"     | Speed for Hardwood           | Hard/soft woods, OSB, plywood, wood with nails 1/4" - 4"                                        | Straight, very fast cuts with long life                                                |
| JBT344DP   | 6                | 6"     | Precision for Wood           | Hard/soft woods, laminated particle board, plywood 3/16" - 4"                                   | Precise right angle cuts                                                               |
| JBT744D3   | 6                | 7"     | Speed for Wood               | Hard/soft woods up to 5-5/16"                                                                   | Straight and very fast cuts                                                            |

## T-SHANK JIGSAW BLADES FOR METAL



| Part No.  | Teeth per Inch    | O/L    | Application                 | Type of Cut                       |
|-----------|-------------------|--------|-----------------------------|-----------------------------------|
| JBT118A   | 17-24 Progressive | 3.625" | Basic for Metal             | Straight cuts                     |
| JBT118AF  | 17-24 Progressive | 3.625" | Flexible for Metal          | Straight cuts and long life       |
| JBT118B   | 11-14 Progressive | 3.625" | Basic for Metal             | Straight cuts                     |
| JBT118E   | 14/18             | 3.625" | Basic for Metal             | Straight cuts                     |
| JBT118EF  | 14-18 Progressive | 3.625" | Flexible for Metal          | Straight cuts and long life       |
| JBT118G   | 36                | 3.625" | Basic for Metal             | Straight cuts                     |
| JBT121AF3 | 21                | 3.625" | Speed for Metal             | Very fast, straight cuts          |
| JBT121BF3 | 12                | 3.625" | Speed for Metal             | Very fast, straight cuts          |
| JBT121GF3 | 30                | 3.625" | Speed for Metal             | Very fast, straight cuts          |
| JBT123X3  | 10-24 Progressive | 4"     | Progressor for Metal        | Fast cuts and long life           |
| JBT127D   | 8                 | 4"     | Special for Aluminum        | Fast, straight cuts               |
| JBT127DF  | 8                 | 4"     | Flexible for Aluminum       | Fast, straight cuts and long life |
| JBT218A   | 17-24 Progressive | 3.625" | Basic for Metal             | Curved cuts                       |
| JBT227D   | 8                 | 4"     | Special for Aluminum        | Fast, curved cuts                 |
| JBT318A   | 24                | 5.25"  | Basic for Metal             | Straight cuts                     |
| JBT318B   | 14                | 5.25"  | Basic for Metal             | Straight cuts                     |
| JBT321AF3 | 21                | 5.25"  | Speed for Metal             | Very fast, straight cuts          |
| JBT321BF3 | 12                | 5.25"  | Speed for Metal             | Very fast, straight cuts          |
| JBT718BF3 | 14                | 7"     | Flexible for Metal Sandwich | Straight cuts and long life       |

## T-SHANK JIGSAW BLADES – ALL PURPOSE



| Part No. | Teeth per Inch   | O/L   | Application                                                                                                                           | Type                         |
|----------|------------------|-------|---------------------------------------------------------------------------------------------------------------------------------------|------------------------------|
| JBT111CF | 8                | 4"    | Wood with nails, OSB, plastic 3/16" - 1-1/4"                                                                                          | Accurate for Wood with Nails |
| JBT211HF | 8                | 3"    | Wood with nails, plastic 1/8" - 1-1/4"<br>non-ferrous metal and aluminum 1/8" - 1/2"                                                  | Accurate for Wood with Nails |
| JBT345XF | 5-10 Progressive | 5.25" | Thick and thin materials like wood with nails, plywood,<br>particle board 3/16"-3-5/8" non-ferrous metal and<br>aluminum 5/64"-1-1/4" | Progressor for All Purpose   |

# + JIGSAW BLADES

## T-SHANK JIGSAW BLADES – SPECIALTY APPLICATIONS



| Part No.   | Teeth per Inch                | O/L    | Application                   | Type of Cut                                   |
|------------|-------------------------------|--------|-------------------------------|-----------------------------------------------|
| JBT101A3   | 14                            | 4"     | Special for Plexiglass        | Fine and straight cuts                        |
| JBT113A3   | Knife Edge for Soft Materials | 4"     | Special for Soft Materials    | Fast, coarse cuts                             |
| JBT118AHM3 | 24                            | 3.25"  | Special for Stainless Steel   | Straight cuts, long life                      |
| JBT118EFS  | 18                            | 3.25"  | Basic for Stainless Steel     | Straight cuts                                 |
| JBT118EHM3 | 14                            | 3.25"  | Special for Stainless Steel   | Straight cuts, long life                      |
| JBT118GFS  | 36                            | 3.25"  | Basic for Stainless Steel     | Straight cuts                                 |
| JBT130DG   | 30                            | 3.25"  | Diamond for Hard Tile         | Clean cuts                                    |
| JBT130RF3  | 30 Grit                       | 3.25"  | Special for Ceramics          | File effect for fine, straight or curved cuts |
| JBT141HM1  | 6                             | 4"     | Special for Fiber and Plaster | Fast, coarse cuts                             |
| JBT150RF3  | 50 Grit                       | 3.25"  | Special for Ceramics          | File effect for fine, straight or curved cuts |
| JBT301CHM3 | 8                             | 4.625" | Special for Solid Surface     | Fast, clean cuts                              |
| JBT313AW3  | Knife Edge                    | 6"     | Special for Soft Materials    | Fast, coarse cuts                             |
| JBT341HM1  | 6                             | 5.25"  | Special for Fiber and Plaster | Fast, coarse cuts                             |

## T-SHANK JIGSAW BLADES – SET

Featuring all the popular sizes. Precision engineered range of quality blades. Designed for a wide range of applications. T-Shank fitting. Suitable for AEG, Bosch, DeWalt, Hikoki, Festool, Elu, Makita, Metabo and many more T-shank fitting jigsaws. Set includes: DJB11 (T101B) DJB12 (T101D) DJB13 (T101BR) DJB14 (T111C) DJB15 (T101AO) DJB16 (T144D) DJB31 (T118A) DJB32 (T118B).

Set Contains:

- T 244 D Speed for Wood
- T 144 D Speed for Wood
- T 101 AO Clean for Wood
- T 101 B Clean for Wood
- T 101 AOF Clean for HardWood
- T 101 BF Clean for HardWood
- T 118 EOF Flexible for Metal
- T 118 AF Flexible for Metal
- T 118 BF Flexible for Metal
- T 123 X Progressor for Metal

Features:

- 10-piece Robust Line jigsaw blade set
- Speed for Wood
- Clean for HardWood
- Progressor for Metal
- Clean for Wood
- Flexible for Metal
- Single lug shank
- BIM and HCS
- Precision ground teeth
- Clean cut
- Long life
- Fast cut
- Handy case



| Part No. | Description                                            |
|----------|--------------------------------------------------------|
| DJB510   | Dart 10Pce Jigsaw Blades Set Assorted for Wood & Metal |

| Part No.   | Description                                            |
|------------|--------------------------------------------------------|
| 2607010542 | Bosch 10Pce Jigsaw Blade Set Assorted for Wood & Metal |

# + RECIPROCATING SAW BLADES



## UNIVERSAL SHANK RECIPROCATING SAW BLADE FOR WOOD



| Part No. | Teeth per Inch | O/L   | Application                                                                                                                                 |
|----------|----------------|-------|---------------------------------------------------------------------------------------------------------------------------------------------|
| RBS617K  | 3              | 150mm | Coarse wood, free of nails (<100 mm), pruning green wood (diameter <100 mm) especially for curve cuts/plunge cuts                           |
| RBS617K  | 6              | 150mm | Construction wood (<100 mm), wooden wall (<100 mm), boards: chipboard, MDF (6-60 mm) plywood, plastic (<100 mm), especially for plunge cuts |
| RBS1531L | 5              | 240mm | Coarse wood, free of nails (<190 mm), pruning green wood (diameter <190 mm), firewood (diameter <190 mm)                                    |

## UNIVERSAL SHANK RECIPROCATING SAW BLADE FOR METAL



| Part No.  | Teeth per Inch | O/L   | Application                                                                                         |
|-----------|----------------|-------|-----------------------------------------------------------------------------------------------------|
| RBS922EF  | 18             | 150mm | Thin sheet metals (1.5-4 mm), pipes/profiles (diameter <100 mm)                                     |
| RBS922BF  | 14             | 150mm | Thick sheet metals (3-8 mm), solid pipes/profiles (diameter <100 mm), quick cut                     |
| RBS1122EF | 18             | 225mm | Thin sheet metals (1.5-4 mm), pipes/profiles (diameter <175 mm), flexible flush cut                 |
| RBS1122BF | 14             | 225mm | Thick sheet metals (3-8 mm), solid pipes/profiles (diameter <175 mm), flexible flush cut, quick cut |
| RBS123XF  | 8>14           | 150mm | Thin to thick sheet metals (1-8 mm), thin to thick profiles (diameter <100 mm)                      |

## UNIVERSAL SHANK RECIPROCATING SAW BLADE FOR WOOD & METAL




| Part No.  | Teeth per Inch | O/L   | Application                                                                                                                                    |
|-----------|----------------|-------|------------------------------------------------------------------------------------------------------------------------------------------------|
| RBS922HF  | 10             | 150mm | Wood with nails/metal (<100 mm), sheet metals, pipes, aluminium profiles (3-12 mm), pallets                                                    |
| RBS1111DF | 6              | 225mm | Wood with nails/metal, chipboard (<175 mm), plastic profiles (diameter <175 mm) plastics/glass fibre reinforced plastic, solid (<50 mm)        |
| RBS1122HF | 10             | 225mm | Wood with nails/metal (<175 mm), sheet metals, pipes, aluminium profiles (3-12 mm), flexible flush cut                                         |
| RBS1122VF | 10>14          | 225mm | Wood with nails/metal (<175 mm), sheet metals, aluminium profiles (3-10 mm) glass fibre reinforced plastic/epoxy (<175 mm), flexible flush cut |
| RBS1222VF | 10>14          | 300mm | Wood with nails/metal (<250 mm), sheet metals, aluminium profiles (3-10 mm) glass fibre reinforced plastic/epoxy (<250 mm), flexible flush cut |



# + ROUTER BITS & PLANER BLADES

## ROUTER BITS – STRAIGHT 2 FLUTE BITS

TCT for abrasive materials such as chipboard, MDF, plywood, hardwood and hard plastics. Two flutes give a clean finish to cut edges. All cutters above and including 9.5mm diameter have TCT plunge centre tips.



| Part No.  | Trend Ref. | D (mm) | D (inch) | C (mm) | O/L (mm) | Shank Dia. |
|-----------|------------|--------|----------|--------|----------|------------|
| RC14310TC | 3/10       | 3.2    | 1/8      | 11.0   | 51.0     | 1/4"       |
| RC14301TC | 3/01       | 4.0    | 5/16     | 11.0   | 51.0     | 1/4"       |
| RC1431TC  | 3/1        | 5.0    | 13/16    | 16.0   | 56.0     | 1/4"       |
| RC1432TC  | 3/2        | 6.0    | 15/64    | 16.0   | 48.0     | 1/4"       |
| RC14320TC | 3/20       | 6.3    | 1/4      | 16.0   | 47.0     | 1/4"       |
| RC38320TC | 3/20       | 6.3    | 1/4      | 16.0   | 57.0     | 3/8"       |
| RC12320TC | 3/20       | 6.3    | 1/4      | 16.0   | 69.0     | 1/2"       |
| RC14322TC | 3/22       | 6.3    | 1/4      | 25.0   | 56.0     | 1/4"       |
| RC38322TC | 3/22       | 6.3    | 1/4      | 25.0   | 62.0     | 3/8"       |
| RC12322TC | 3/22       | 6.3    | 1/4      | 25.0   | 75.0     | 1/2"       |
| RC1433TC  | 3/3        | 7.0    | 9/32     | 19.0   | 50.0     | 1/4"       |
| RC1434TC  | 3/4        | 8.0    | 5/16     | 19.0   | 52.0     | 1/4"       |
| RC1435TC  | 3/5        | 9.0    | 23/64    | 19.0   | 51.0     | 1/4"       |
| RC14350TC | 3/50       | 9.5    | 3/8      | 25.0   | 58.0     | 1/4"       |
| RC38350TC | 3/50       | 9.5    | 3/8      | 25.0   | 63.0     | 3/8"       |
| RC12350TC | 3/50       | 9.5    | 3/8      | 25.0   | 71.0     | 1/2"       |
| RC1436TC  | 3/6        | 10.0   | 25/64    | 19.0   | 51.0     | 1/4"       |
| RC3836TC  | 3/6        | 10.0   | 25/64    | 19.0   | 55.0     | 3/8"       |
| RC1236TC  | 3/6        | 10.0   | 25/64    | 19.0   | 63.0     | 1/2"       |
| RC1437TC  | 3/7        | 11.0   | 7/16     | 25.0   | 57.0     | 1/4"       |
| RC14374TC | 3/74       | 12.0   | 15/32    | 32.0   | 65.0     | 1/4"       |
| RC12374TC | 3/74       | 12.0   | 15/32    | 32.0   | 73.0     | 1/2"       |
| RC14380TC | 3/80       | 12.7   | 1/2      | 19.0   | 51.0     | 1/4"       |
| RC14381TC | 3/81       | 12.7   | 1/2      | 32.0   | 64.0     | 1/4"       |
| RC38381TC | 3/81       | 12.7   | 1/2      | 32.0   | 73.0     | 3/8"       |
| RC12381TC | 3/81       | 12.7   | 1/2      | 32.0   | 74.0     | 1/2"       |

## PLANER BLADES 82mm – TUNGSTEN CARBIDE

Straight tungsten carbide blades suitable for smooth or rustic planing, chamfering and rebating edges on interior fitting work or furniture.



| Part No. | Description                            |
|----------|----------------------------------------|
| PBB82    | BOSCH 82mm Planner Blades (pair).      |
| PBT82    | TREND 82mm planner Blade (pair)        |
| PBS82    | SILVERLINE 82mm Planner Blades (pair). |

| Part No.  | Trend Ref. | D (mm) | D (inch) | C (mm) | O/L (mm) | Shank Dia. |
|-----------|------------|--------|----------|--------|----------|------------|
| RC1440TC  | 4/0        | 13.0   | 33/64    | 26.0   | 57.0     | 1/4"       |
| RC3840TC  | 4/0        | 13.0   | 33/64    | 26.0   | 57.0     | 3/8"       |
| RC1240TC  | 4/0        | 13.0   | 33/64    | 26.0   | 72.0     | 1/2"       |
| RC14401TC | 4/01       | 14.0   | 35/64    | 25.0   | 56.0     | 1/4"       |
| RC12401TC | 4/01       | 14.0   | 35/64    | 25.0   | 67.0     | 1/2"       |
| RC1441TC  | 4/1        | 15.0   | 9/32     | 25.0   | 57.0     | 1/4"       |
| RC3841TC  | 4/1        | 15.0   | 9/32     | 25.0   | 57.0     | 3/8"       |
| RC1241TC  | 4/1        | 15.0   | 9/32     | 25.0   | 67.0     | 1/2"       |
| RC1442TC  | 4/2        | 16.0   | 5/8      | 19.0   | 52.0     | 1/4"       |
| RC3842TC  | 4/2        | 16.0   | 5/8      | 19.0   | 52.0     | 3/8"       |
| RC1242TC  | 4/2        | 16.0   | 5/8      | 19.0   | 60.0     | 1/2"       |
| RC14429TC | 4/29       | 18.0   | 45/64    | 25.0   | 57.0     | 1/4"       |
| RC38429TC | 4/29       | 18.0   | 45/64    | 25.0   | 57.0     | 3/8"       |
| RC12429TC | 4/29       | 18.0   | 45/64    | 25.0   | 67.0     | 1/2"       |
| RC1445TC  | 4/5        | 19.1   | 3/4      | 25.0   | 58.0     | 1/4"       |
| RC3845TC  | 4/5        | 19.1   | 3/4      | 25.0   | 60.0     | 3/8"       |
| RC1245TC  | 4/5        | 19.1   | 3/4      | 25.0   | 67.0     | 1/2"       |
| RC1446TC  | 4/6        | 20.0   | 25/32    | 25.0   | 57.0     | 1/4"       |
| RC1246TC  | 4/6        | 20.0   | 25/32    | 25.0   | 66.0     | 1/2"       |
| RC14470TC | 4/70       | 25.0   | 63/64    | 25.0   | 56.0     | 1/4"       |
| RC38470TC | 4/70       | 25.0   | 63/64    | 25.0   | 56.0     | 3/8"       |
| RC12470TC | 4/70       | 25.0   | 63/64    | 25.0   | 65.0     | 1/2"       |
| RC3848TC  | 4/8        | 25.4   | 1        | 25.0   | 61.0     | 3/8"       |
| RC1248TC  | 4/8        | 25.4   | 1        | 25.0   | 68.0     | 1/2"       |

## COARSE – WOOD/PLASTIC CUTTING

- Coarse Wood Plunge Cutting
- Wood, Plasterboard & Plastic
- Made from High Carbon Steel
- For Most Multi-Cutters



| Part No. | Description                      |
|----------|----------------------------------|
| MTB00    | 10mm Wide 14tpi Multi-Tool Blade |
| MTB01    | 20mm Wide 14tpi Multi-Tool Blade |
| MTB05    | 32mm Wide 14tpi Multi-Tool Blade |
| MTB09    | 67mm Wide 14tpi Multi-Tool Blade |

## FINE – WOOD/PLASTIC CUTTING

- Fine Precise Plunge Cutting
- Wood, Plasterboard & Plastic
- Made from High Carbon Steel
- For Most Multi-Cutters



| Part No. | Description                      |
|----------|----------------------------------|
| MTB02    | 20mm Wide 20tpi Multi-Tool Blade |
| MTB06    | 32mm Wide 20tpi Multi-Tool Blade |
| MTB10    | 67mm Wide 20tpi Multi-Tool Blade |

## BI-METAL – WOOD/METAL CUTTING

Fine cut blades are designed for a fine, clean cut into wood, plasterboard and many types of plastic. A high performance M42 bi-metal blades for multi-purpose use when cutting into wood/metal

- Bi-Metal
- Quick release fitment
- HSC Body & HSS Cutting Edge



| Part No. | Description                    |
|----------|--------------------------------|
| MT10BI   | 10mm Bi-Metal Multi-Tool Blade |
| MT20BI   | 20mm Bi-Metal Multi-Tool Blade |
| MT32BI   | 32mm Bi Metal Multi-Tool Blade |
| MT44BI   | 44mm Bi Metal Multi-Tool Blade |
| MT69BI   | 69mm Bi Metal Multi-Tool Blade |

## HSS – WOOD/METAL CUTTING

- HSS Circular Blade
- Flush Cutting Applications
- Timber With Nails
- Fine Timber Mouldings
- Plasterboard
- Door Frames
- For Most Multi-Cutters



| Part No. | Description             |
|----------|-------------------------|
| MTB52    | 87mm Circular HSS Blade |

## GRIT – MASONRY

- Chasing into Plaster, brickwork and grout removal
- High Carbon Steel with Carbide grit end
- For most Multi-Cutters



| Part No. | Description                                  |
|----------|----------------------------------------------|
| MTB61    | 30mm Carbide End Multi-Tool Blade            |
| MTB72    | 30mm Carbide End Multi-Tool Blade            |
| MTB64    | 87mm Carbide Circular Shape Multi-Tool Blade |

## + POWER TOOL ACCESSORIES – MULTI-TOOL BLADES

### MIXED SET – 8 PIECE

8 Piece Set of Multi Tool Blades in different sizes which will tackle cutting applications in hard and soft woods with nails, blockboard, plasterboard, plastics, sheet steel and non ferrous metal.

All with universal fittings compatible with most common multi-tool brands such as: AEG, Black & Decker, Bosch, Dewalt, Fein, JCB, Makita, Metabo, Milwaukee, Hitachi, HiKOKI, Ridgid, Ryobi, Stanley, Worx and many more.



- **3x Wood Cutting Blades** 34mm and 68mm blades with milled and side set teeth for fine, straight cutting in wood/timber, plasterboard, plastics and similar materials.
- **2x Wood Cutting Blades** 34mm and 68mm blades with ground and side set teeth for precise, clean cutting in wood/timber, plasterboard, plastics and similar materials.
- **2x Wood & Metal Cutting Blades** 34mm and 45mm blades with milled and hardened HSS Bi-Metal teeth for fine, straight cutting in hard and soft wood, wood with nails, sheet steel, plastics, aluminium and other nonferrous materials.
- **1x 87mm Radial Wood & Metal Cutting Blade** Manufactured with milled and hardened HSS Bi-Metal teeth for plunge and flush cutting in hard and soft wood, wood with nails, sheet steel, plastics, aluminium and other non-ferrous materials.

| Part No. | Description                             |
|----------|-----------------------------------------|
| MTWMSET8 | 8Pce Mixed Set For Wood & Metal Cutting |

### MIXED SET – 8 PIECE OSCILLATING

Pack of 8 popular oscillating multi-tool blades.

Designed for cutting ferrous and non-ferrous metal, wood, plastic and plasterboard.

Universal fitting for use with oscillating multi-tools.



- 2 x 34mm plunge cutting blade
- 1 x 34mm fine plunge cutting blade
- 2 x 68mm triple ground cutting blade
- 1 x 68mm cutting blade
- 1 x 34mm cutting blade
- 1 x 44mm cutting blade

| Part No. | Description                             |
|----------|-----------------------------------------|
| 70483    | 8Pce Mixed Set For Wood & Metal Cutting |

### MIXED SET – 7 PIECE

A selection of 7 blades will allow your multi tool to carry out a wide variety of jobs. These blades enable you to saw and cut in difficult-to-reach places.

Wood, metal and plastic cutting. There is a blade for removing old tile grout. Quick universal fitting works with Bosch, Einhell, Fein and many other multifunction power tools.

- 87mm Carbide Grit Blade (Grout)
- 87mm HSS Blade (Nailed Wood)
- 67mm Wide / 14TPI HCS Blade (Wood)
- 32mm Wide / 14TPI BiM Blade (Wood/Metal)
- 32mm Wide / 20TPI BiM Blade (Wood/Metal)
- 32mm Wide / 14TPI HCS Blade (Wood/Plastic)
- 30mm Wide / 11TPI TCG Blade (Wood/Plastic)



| Part No.  | Description                             |
|-----------|-----------------------------------------|
| MTB-SET07 | 7Pce Mixed Set For Wood & Metal Cutting |

# FP FIXINGS PLUS

FOLLOW US!

LinkedIn

SEARCH **FIXINGS PLUS** TO STAY  
UP TO DATE WITH ALL OF THE  
**LATEST NEWS & PRODUCTS**

# + POWER TOOL ACCESSORIES – MULTI-TOOL BLADES



## STARLOCK – WOOD



| Part No. | Description                          |
|----------|--------------------------------------|
| AIZ32    | Bosch 32mm Multi-Tool Blade For Wood |

## STARLOCK – METAL



| Part No. | Description                           |
|----------|---------------------------------------|
| AIZ32AB  | Bosch 32mm Multi-Tool Blade For Metal |

## STARLOCK – SET

3Pce universal set with two blades that are suited to cutting wood and one for cutting wood and metal.

These blades will fit Bosch, Fein, AEG, Hitachi, Makita, Metabo, Milwaukee, Ryobi and Skil machines.

- 1x HCS plunge cut saw blade Wood
- 1x Carbide segment saw blade Wood
- 1x BIM plunge cut saw blade Wood and Metal



| Part No.   | Description               |
|------------|---------------------------|
| 2608662343 | 3Pce Multi-Tool Blade Set |

## STARLOCK – SET

6Pce multi tool blade set includes a variety of E-Cut long-life saw blades and E-Cut universal saw blades for cutting wood and metal.

They are compatible with all Starlock fitting Multi Tools and are ideal for both professional and DIY use.

Their Starlock mounting makes accessory changes easy.

- 2 x 50 x 35 mm E-Cut long-life saw blade
- 2 x 50 x 65 mm E-Cut long-life saw blade
- 1 x 55mm x 28mm E-Cut universal saw blade
- 1 x 55mm x 44 mm E-Cut universal saw blade



| Part No.    | Description                                         |
|-------------|-----------------------------------------------------|
| 35222967010 | Fein Best of E-cut Starlock for wood and metal 6pce |

## STARLOCK COMPATIBLE SET

BIM Multi-Tool Blades: 10 Pack  
Fitting: Starlock  
Cuts: Wood/Plastic/Thin Metal  
Width: 32mm  
Depth: 50mm



| Part No.      | Description                |
|---------------|----------------------------|
| AIZ3250MW10FP | 10Pce Multi-Tool Blade Set |



# FP FIXINGS PLUS

HAND TOOLS AVAILABLE ON REQUEST  
FROM ALL THE LEADING BRANDS



BlueSpot



STANLEY





## CONTENTS

|            |                         |            |                                               |
|------------|-------------------------|------------|-----------------------------------------------|
| <b>188</b> | HAMMERS                 | <b>205</b> | WOODWORKING TOOLS                             |
| <b>189</b> | BOLSTERS - BARS         | <b>206</b> | CLAMPS                                        |
| <b>190</b> | PLIERS                  | <b>207</b> | BLOW TORCH / REFILLS                          |
| <b>191</b> | CROPPERS - CUTTERS      | <b>208</b> | PLUMBERS CUTTERS - KEYS -<br>GREASE - SOLDER  |
| <b>192</b> | KNIVES                  | <b>209</b> | ENGINEERING VICE - PUNCH -<br>TAPS - DIE NUTS |
| <b>193</b> | LEVELS                  | <b>210</b> | ENGINEERING HEX KEYS                          |
| <b>194</b> | SAWS - BLADES           | <b>211</b> | SOCKET SETS                                   |
| <b>195</b> | SAWS - HORSES           | <b>212</b> | SOCKET ACCESSORIES                            |
| <b>196</b> | TAPE MEASURES - SQUARES | <b>213</b> | SOCKETS                                       |
| <b>197</b> | SCREWDRIVERS            | <b>215</b> | SPANNERS AND SPANNER SETS                     |
| <b>198</b> | RIVETER                 | <b>218</b> | STORAGE BOXES - SHELVING                      |
| <b>199</b> | TROWELS                 | <b>219</b> | STAPLERS AND STAPLES                          |
| <b>201</b> | BUILDING TOOLS          | <b>220</b> | PAINTING & DECORATING                         |
| <b>202</b> | MIXING PADDLES & MIXERS |            |                                               |
| <b>203</b> | BUCKETS                 |            |                                               |
| <b>204</b> | LINE BUILDERS/MARKERS   |            |                                               |

# + HAMMERS

## HAMMER – CLAW



| Part No. | Description                 |
|----------|-----------------------------|
| HC08F    | 8OZ Fibreglass Claw Hammer  |
| HC16F    | 16OZ Fibreglass Claw Hammer |
| HC20F    | 20OZ Fibreglass Claw Hammer |

## HAMMER – LUMP



| Part No. | Description                  |
|----------|------------------------------|
| HL20F    | 2.0LB Fibreglass Lump Hammer |
| HL24F    | 2.4LB Fibreglass Lump Hammer |
| HL40F    | 4.0LB Fibreglass Lump Hammer |

## HAMMER – SCUTCH



| Part No.    | Description                |
|-------------|----------------------------|
| HSDE        | Scutch Hammer Double Ended |
| SCUTCHC1500 | Scutch Comb 1.1/2"         |
| SCUTCHD1500 | Scutch Drove 1.1/2"        |

## HAMMER – SLEDGE



| Part No. | Description         |
|----------|---------------------|
| S07F     | 7.0LB Sledge Hammer |
| S10F     | 10 LB Sledge Hammer |
| S14F     | 14 LB Sledge Hammer |

## HAMMER – BALL PEIN



| Part No. | Description               |
|----------|---------------------------|
| HBPF16   | 16OZ Fibreglass Ball Pein |
| HBPF24   | 24OZ Fibreglass Ball Pein |
| HBPF32   | 32OZ Fibreglass Ball Pein |

## HAMMER – BRICK



| Part No. | Description                  |
|----------|------------------------------|
| HB24F    | 24OZ Fibreglass Brick Hammer |

## HAMMER – MALLET



| Part No. | Description              |
|----------|--------------------------|
| BRM16    | 16OZ Black Rubber Mallet |
| BRM24    | 24OZ Black Rubber Mallet |
| BRM32    | 32OZ Black Rubber Mallet |
| WRM16    | 16OZ White Rubber Mallet |
| WRM16    | 24OZ White Rubber Mallet |
| WRM32    | 32OZ White Rubber Mallet |

## HAMMER – AXE



| Part No. | Description          |
|----------|----------------------|
| AXE15F   | 1.5LB Fibreglass Axe |

## BOLSTERS – ELECTRICIANS



| Part No. | Description                         |
|----------|-------------------------------------|
| CC012HG  | Cold Chisel 12mm c/w Hand Guard     |
| CC019HG  | Cold Chisel 19mm c/w Hand Guard     |
| CB057HG  | Bolster Chisel 57mm c/w Hand Guard  |
| CB075HG  | Bolster Chisel 75mm c/w Hand Guard  |
| CB100HG  | Bolster Chisel 100mm c/w Hand Guard |

## BOLSTER – BRICK



| Part No. | Description          |
|----------|----------------------|
| CC012    | Cold Chisel 12mm     |
| CC019    | Cold Chisel 19mm     |
| CB057    | Bolster Chisel 57mm  |
| CB075    | Bolster Chisel 75mm  |
| CB100    | Bolster Chisel 100mm |

## BAR – WRECKING



| Part No. | Description      |
|----------|------------------|
| WB12     | 12" Wrecking Bar |
| WB18     | 18" Wrecking Bar |
| WB24     | 24" Wrecking Bar |
| WB30     | 30" Wrecking Bar |
| WB36     | 36" Wrecking Bar |

## BAR – PRY



| Part No. | Description                        |
|----------|------------------------------------|
| 25535    | 15" Flat Pry Nail Bar              |
| 64494    | 7" Mini Utility Nail Bar Roughneck |
| 64495    | 15" Utility Nail Bar Roughneck     |
| 64496    | 18" Utility Nail Bar Roughneck     |
| H675055  | 10" Pry Bar Wide Blade             |

# + PLIERS

## PLIERS



| Part No. | Description               |
|----------|---------------------------|
| PC150    | 150mm Combination Plier   |
| PC200    | 200mm Combination Plier   |
| PLN150   | 150mm Long Nose Plier     |
| PLN200   | 200mm Long Nose Plier     |
| PSC150   | 150mm Side Cutter Plier   |
| PSC180   | 180mm Side Cutter Plier   |
| PWS150   | 150mm Wire Stripper Plier |

## PLIERS – WATER PUMP



| Part No. | Description            |
|----------|------------------------|
| PWP250   | 250mm Water Pump Plier |
| PWP300   | 300mm Water Pump Plier |
| PWP400   | 400mm Water Pump Plier |

## PLIERS – VDE



| Part No.  | Description                 |
|-----------|-----------------------------|
| PC200VDE  | 200mm Combination Plier VDE |
| PNL200VDE | 200mm Long Nose Plier VDE   |
| PSC180VDE | 180mm Side Cutter Plier VDE |

## PLIERS – SELF LOCKING



| Part No. | Description                           |
|----------|---------------------------------------|
| PSL100C  | Self Locking C Clamp Plier 100mm      |
| PSL170C  | Self Locking C Clamp Plier 170mm      |
| PSL280C  | Self Locking C Clamp Plier 280mm      |
| PSL150S  | Self Locking Straight Jaw Plier 150mm |
| PSL170S  | Self Locking Straight Jaw Plier 170mm |
| PSL200S  | Self Locking Straight Jaw Plier 200mm |
| PSL100C  | Self Locking Curved Jaw Plier 100mm   |
| PSL125C  | Self Locking Curved Jaw Plier 125mm   |
| PSL170C  | Self Locking Curved Jaw Plier 170mm   |
| PSL250C  | Self Locking Curved Jaw Plier 250mm   |

## + CROPPERS – CUTTERS



### CROPPERS – BOLT



| Part No. | Description               |
|----------|---------------------------|
| BC0450   | 450mm (18") Bolt Croppers |
| BC0600   | 600mm (24") Bolt Croppers |

### CUTTERS – WIRE ROPE



| Part No. | Description             |
|----------|-------------------------|
| 57768    | 190mm Wire Rope Cutters |

### CUTTERS – CABLE



| Part No. | Description              |
|----------|--------------------------|
| 08016    | 200mm (8") Cable Cutter  |
| 08018    | 250mm (10") Cable Cutter |

### CUTTERS – PVC TUBE CUTTER



| Part No. | Description          |
|----------|----------------------|
| 09313    | 35mm PVC Tube Cutter |
| 09310    | 45mm PVC Tube Cutter |

### CUTTERS – SNIPS – AVIATION



| Part No. | Description                 |
|----------|-----------------------------|
| WSM6R    | Wiss Snips Offset L/H Red   |
| WSM7R    | Wiss Snips Offset R/H Green |
| WSM3R    | Wiss Snips Straight Yellow  |



# + KNIVES

## KNIVES – RETRACTABLE



| Part No. | Description                         |
|----------|-------------------------------------|
| 210099   | Stanley 99E Retractable Blade Knife |

## KNIVES – FOLDING



| Part No. | Description                             |
|----------|-----------------------------------------|
| LLK      | Liner Lock Knife Folding                |
| 010825   | Stanley Retractable Blade Folding Knife |

## BLADE – KNIFE – GENERAL PURPOSE



| Part No. | Size (mm) gauge                          |
|----------|------------------------------------------|
| 211921   | Stanley Trimming Knife Blade Card of 10  |
| 111911   | Stanley Trimming Knife Blade Card of 100 |
| TKB10    | Trimming Knife Blade Pack of 10          |
| TKB100   | Trimming Knife Blade Pack of 100         |

## BLADE – KNIFE – SNAP OFF



| Part No. | Size (mm)                      |
|----------|--------------------------------|
| SOB09    | Snap Off Blade 9mm Pack of 10  |
| SOB18    | Snap Off Blade 18mm Pack of 10 |
| SOB25    | Snap Off Blade 25mm Pack of 10 |

## KNIVES – SNAP OFF BLADE



| Part No. | Description         |
|----------|---------------------|
| SOK09    | 9mm Snap Off Knife  |
| SOK18    | 18mm Snap Off Knife |
| SOK25    | 25mm Snap Off Knife |

## KNIVES – SAFETY



| Part No. | Description                   |
|----------|-------------------------------|
| CT11     | Safety Knife Auto Retractable |
| SUK05    | Safety Utility Knife          |

## BLADE – KNIFE – HOOKED



| Part No. | Size (mm) gauge                                 |
|----------|-------------------------------------------------|
| 311983   | Stanley Hooked Trimming Knife Blade Card of 10  |
| 111983   | Stanley Hooked Trimming Knife Blade Pack of 100 |
| TKB05H   | Hooked Trimming Knife Blade Card of 5           |
| TKB100H  | Hooked Trimming Knife Blade Pack of 100         |

## LEVEL – 3 VIAL



| Part No. | Description         |
|----------|---------------------|
| 34201    | 600mm 3 Vial Level  |
| 34203    | 900mm 3 Vial Level  |
| 34205    | 1200mm 3 Vial Level |

## LEVEL – 3 VIAL TRADE



| Part No.   | Description               |
|------------|---------------------------|
| OX-T500206 | 600mm 3 Vial Level Trade  |
| OX-T500209 | 900mm 3 Vial Level Trade  |
| OX-T500212 | 1200mm 3 Vial Level Trade |
| OX-T500218 | 1800mm 3 Vial Level Trade |

## LEVEL – BOAT – TORPEDO



| Part No. | Description                   |
|----------|-------------------------------|
| 34206    | 250mm Magnetic Scaffold Level |
| 79579    | 230mm Torpedo Boat Level      |

## LEVEL – MINI – LINE



| Part No. | Description                   |
|----------|-------------------------------|
| 042130   | Stanley Magnetic Pocket Level |
| 042287   | Stanley Line Level            |



## + SAWS – BLADES

### SAW – HAND SAW



| Part No. | Description           |
|----------|-----------------------|
| 88020    | 20" Irwin Jacksaw 880 |
| 88022    | 22" Irwin Jacksaw 880 |

### SAW – TENON



| Part No. | Description          |
|----------|----------------------|
| THS250   | 250mm Tenon Hand Saw |

### SAW – JUNIOR HACKSAW




| Part No. | Description       |
|----------|-------------------|
| JHS      | 6" Junior Hacksaw |

### SAW – HACKSAW



| Part No. | Description   |
|----------|---------------|
| HSF300   | 300mm Hacksaw |

### SAW – JUNIOR HACKSAW BLADES



| Part No. | Description          |
|----------|----------------------|
| HSBJ     | Junior Hacksaw Blade |

### SAW – HACKSAW BLADES



| Part No. | Description                       |
|----------|-----------------------------------|
| HSB18    | 12" x 18tpi Bimetal Hacksaw Blade |
| HSB24    | 12" x 24tpi Bimetal Hacksaw Blade |
| HSB32    | 12" x 32tpi Bimetal Hacksaw Blade |

## SAW – MINI HACKSAW



| Part No. | Description              |
|----------|--------------------------|
| 020807   | Stanley 10" Mini Hacksaw |

## SAW – COPING



| Part No. | Description      |
|----------|------------------|
| CS150    | 150mm Coping Saw |

## SAW – JABSAW



| Part No. | Description            |
|----------|------------------------|
| PS150    | 150mm Plasterboard Saw |

## SAW – COMPASS



| Part No. | Description       |
|----------|-------------------|
| COMPS300 | 300mm Compass Saw |

## SAW HORSES – PLASTIC



| Part No. | Description                 |
|----------|-----------------------------|
| SH2      | Plastic Saw Horse Twin Pack |

## SAW HORSES – METAL



| Part No. | Description               |
|----------|---------------------------|
| SH2M     | Metal Saw Horse Twin Pack |



## + TAPE MEASURES – SQUARES

### MEASURES – TAPES – 3 METRES – 10 METRES



| Part No. | Description                      |
|----------|----------------------------------|
| 030686   | Stanley Tylon 3mtr Tape Measure  |
| 030696   | Stanley Tylon 5mtr Tape Measure  |
| 030656   | Stanley Tylon 8mtr Tape Measure  |
| 033719   | Stanley Fatmax 5mtr Tape Measure |
| 033726   | Stanley Fatmax 8mtr Tape Measure |
| 33004    | 5mtr Tape Measure                |
| 33100    | 8mtr Tape Measure                |
| 33008    | 10mtr Tape Measure               |
| 51089    | 50mtr Surveyors Measure          |

### SQUARES – COMBINATION



| Part No. | Description                        |
|----------|------------------------------------|
| FAICS150 | Faithfull 150mm Combination Square |
| FAICS300 | Faithfull 300mm Combination Square |
| FAICS400 | Faithfull 400mm Combination Square |
| CS300    | 300mm Combination Square           |

### SQUARES – RAFTING



| Part No.   | Description    |
|------------|----------------|
| OX-P506518 | Rafters Square |
| OX-P506530 | Rafters Square |



## SCREWDRIVER – SETS – MIXED



| Part No. | Description          |
|----------|----------------------|
| SS8      | 8Pce Screwdriver Set |

## SCREWDRIVER – SETS – BOLSTER



| Part No. | Description                   |
|----------|-------------------------------|
| SS12B    | 12Pce Bolster Screwdriver Set |

## SCREWDRIVER – SETS – INSULATED



| Part No. | Description                     |
|----------|---------------------------------|
| SS11I    | 11Pce Insulated Screwdriver Set |

## SCREWDRIVER – SETS – PRECISION



| Part No. | Description                     |
|----------|---------------------------------|
| SS12P    | 12Pce Precision Screwdriver Set |

## SCREWDRIVER – BIT HOLDER – MAGNETIC



| Part No. | Description                        |
|----------|------------------------------------|
| 065490   | Stanley FatMax Magnetic Bit Holder |

## SCREWDRIVER – BIT HOLDER – MAGNETIC – SET



| Part No. | Description                    |
|----------|--------------------------------|
| 43613    | Draper Magnetic Bit Holder Set |

# RIVETER

## RIVETER – HAND



| Part No. | Description             |
|----------|-------------------------|
| 09102    | 8" Compact Hand Riveter |
| HRTT     | Hand Riveter            |

## RIVETER – LAZY TONG



| Part No. | Description       |
|----------|-------------------|
| LTR      | Lazy Tong Riveter |

## RIVETER – HEAVY DUTY



| Part No. | Description                    |
|----------|--------------------------------|
| 09103    | 280mm (11") Riveter Heavy Duty |

## RIVETER – LONG ARM



| Part No. | Description      |
|----------|------------------|
| LAR      | Long Arm Riveter |

## RIVETER – NUT



| Part No. | Description                |
|----------|----------------------------|
| TRIT     | Threaded Rivet Insert Tool |

## RIVETER – NUT – KIT



| Part No. | Description           |
|----------|-----------------------|
| 09104    | Rivet Nut Tool M3-M10 |
| 09106    | Rivet Nut Tool M3-M8  |

## TROWEL – TRADE SET



| Part No. | Description                       |
|----------|-----------------------------------|
| H395016  | 5Pce Trowel Set Soft Grip Handles |
| CB60     | 5Pce Trowel Set Wooden Handles    |

## TROWEL – BRICK



| Part No. | Description      |
|----------|------------------|
| BT11     | Brick Trowel 11" |

## TROWEL – POINTING



| Part No. | Description        |
|----------|--------------------|
| PT04     | Pointing Trowel 4" |
| PT06     | Pointing Trowel 6" |

## TROWEL – BUCKET



| Part No. | Description         |
|----------|---------------------|
| BT180    | Bucket Trowel 180mm |

## TROWEL – GAUGING



| Part No. | Description          |
|----------|----------------------|
| GT180    | Gauging Trowel 180mm |

## TROWEL – NOTCHED



| Part No. | Description             |
|----------|-------------------------|
| NT1106   | Notched Trowel 11" 6mm  |
| NT1108   | Notched Trowel 11" 8mm  |
| NT1110   | Notched Trowel 11" 10mm |

# + TROWELS

## TROWEL – PLASTERING



| Part No. | Description                     |
|----------|---------------------------------|
| PT11412  | Plastering Trowel 11" x 4.1/2"  |
| PT450120 | Plastering Trowel 450mm x 120mm |

## TROWEL – FLOORING



| Part No. | Description         |
|----------|---------------------|
| FT16     | Flooring Trowel 16" |

## TROWEL – CORNER



| Part No.  | Description                 |
|-----------|-----------------------------|
| CTS125080 | Corner Trowels 125mm x 80mm |

## TROWEL – EDGING



| Part No.     | Description                |
|--------------|----------------------------|
| FAISGTEDGESS | Edging Trowel 6" x 3"      |
| FAISGTEDGE11 | Edging Trowel 11" x 4.3/4" |

## TROWEL – HAWK



| Part No. | Description           |
|----------|-----------------------|
| HPA300   | Plasterers Hawk 300mm |

## TROWEL – FLOAT – POLYURETHANE



| Part No. | Description                      |
|----------|----------------------------------|
| PF140280 | Polyurethane Float 140mm x 280mm |
| PF180320 | Polyurethane Float 180mm x 320mm |

## BRICK JOINTER



| Part No. | Description               |
|----------|---------------------------|
| BJ1316   | 13mm x 16mm Brick Jointer |
| 15096    | 13mm Brick Jointer        |

## MORTAR GUN KIT



| Part No. | Description                      |
|----------|----------------------------------|
| MPGKUHDR | Mortar Pointing Gun Kit Ultimate |

## TAPING KNIFE



| Part No. | Description      |
|----------|------------------|
| TK08     | Taping Knife 8"  |
| TK10     | Taping Knife 10" |
| TK12     | Taping Knife 12" |
| TK14     | Taping Knife 14" |

## JOINTING KNIFE



| Part No. | Description          |
|----------|----------------------|
| JK075    | 75mm Jointing Knife  |
| JK100    | 100mm Jointing Knife |
| JK125    | 125mm Jointing Knife |
| JK150    | 150mm Jointing Knife |

## LINE PINS



| Part No. | Description                 |
|----------|-----------------------------|
| BLP160   | 160mm Builders Line Pins 2P |

## BRICK TONGS



| Part No.  | Description                      |
|-----------|----------------------------------|
| BTA400670 | Brick Tongs Adjustable 400-670mm |



# + MIXING PADDLES & MIXERS

## MR3 SPIRAL PADDLE

- The best design for most plasters, mortars and coatings
- Spiral design converts power tool torque to thorough mix action
- Mix action is top to bottom and the paddle floats in mix
- Reverse left hand spiral
- Trade quality technically designed paddles
- Generate a thorough mix action.
- Threaded shaft to fit directly into mixer drill
- Largest range of designs & sizes.
- Guaranteed German made quality.



| Part No. | Paddle Diameter | Length | Drill Output | Mix Diameter |
|----------|-----------------|--------|--------------|--------------|
| MR3100   | 100mm           | 600mm  | 600W         | 10-25 ltr    |
| MR3160   | 160mm           | 600mm  | 850W         | 30-100 ltr   |

## MR3R REVERSE SPIRAL PADDLE

- The best design for most plasters, mortars and coatings
- Same shape paddle as MR3 but with a right hand, positive spiral
- Spiral design converts power tool torque to thorough mix action
- Mix action is top to bottom and the paddle floats in mix
- Trade quality technically designed paddles
- Generate a thorough mix action
- Threaded shaft to fit directly into mixer drill
- Largest range of designs & sizes
- Guaranteed German made quality.



| Part No. | Paddle Diameter | Length | Drill Output | Mix Diameter |
|----------|-----------------|--------|--------------|--------------|
| MR3R160  | 160mm           | 600mm  | 850W         | 30-100 ltr   |

## REFINA MM29 – 1800W MEGAMIXER 110V

The MM29 is a single speed power mixer with slow speed, high torque gearbox, 1800w motor, soft start variable speed and spiral mixer paddle. The D handle gives easy handling and a comfortable mix position. It's simple robust design makes it a powerful and reliable power tool for contractors mixing large volumes of similar materials. It is supplied with an MR3 160G 6 1/4" paddle and is best for mixing heavy materials including hardwall and bonding, polymer renders and EIFS, floor screed, epoxy and repair mortars.

- MEGAMIXER MM29 1800W
- Speed 400rpm
- Weight 5.2kg
- Paddle MR3 160G
- Capacity 50-100kg



| Part No. | Description                      |
|----------|----------------------------------|
| MM29     | Refina MM29 1800W MEGAMIXER 110V |

## MR4 SPIRAL PADDLE

- This shape turns and lifts the mix from bottom to top
- It is the most effective paddle for heavier mortars, epoxies, renders and screed
- Helix shape
- Trade quality technically designed paddles
- Generate a thorough mix action
- Threaded shaft to fit directly into mixer drill
- Largest range of designs & sizes
- Guaranteed German made quality.



| Part No. | Paddle Diameter | Length | Drill Output | Mix Diameter |
|----------|-----------------|--------|--------------|--------------|
| MR4100   | 100mm           | 600mm  | 600W         | 10-25 ltr    |
| MR4160   | 160mm           | 600mm  | 850W         | 30-100 ltr   |

## GENERAL PURPOSE PADDLE

To mix paint, plaster, cement slurries and textured coatings. Requires 10mm or larger chuck. Max. 600rpm.



| Part No. | Paddle Diameter | Length | Fitting |
|----------|-----------------|--------|---------|
| MP080H   | 80mm            | 400mm  | Hex     |
| MP100H   | 100mm           | 600mm  | Hex     |
| MP120H   | 120mm           | 600mm  | Hex     |
| MP080SDS | 80mm            | 400mm  | SDS     |
| MP100SDS | 100mm           | 600mm  | SDS     |

## REFINA MM30 – 1800W MEGAMIXER 110V

The plastering and rendering trades' favourite MEGAMIXER, the MM30/2 is a well proven and robust power tool with an 1800w motor that will generate a fast, thorough mix action for consistent results. The H handle gives easy handling and a comfortable work position; the new design H frame handle helps protect the power tool motor from damage. All MEGAMIXERS have soft start variable speed, that minimises splashing when starting. The power mixers are supplied with an MR3 spiral paddle that is the most efficient for converting power tool torque to an easy and consistent mix action. With its heavy duty 1800w high torque motor and two speed gearbox, this is the most powerful mixer for contractors requiring constant output. The two speed mixer MM30/2 is best for mixing heavy materials and large volume mixes including plasters, hardwall and bonding, external renders, floor screed, repair and epoxy mortars. Importantly it will easily handle a four bag mix without struggling and it will do it day in, day out.



- MEGAMIXER MM30/2 1800W
- Speeds 250/580rpm
- Weight 6.9kg

| Part No. | Description                      |
|----------|----------------------------------|
| MM30     | Refina MM30 1800W MEGAMIXER 110V |

## PLASTERERS MIXING BUCKET



| Part No. | Description                    |
|----------|--------------------------------|
| PMB25    | 25Ltr Plasterers Mixing Bucket |
| PMB30    | 30Ltr Plasterers Mixing Bucket |

## FLEXI BUCKET



| Part No. | Description        |
|----------|--------------------|
| FB15     | 15Ltr Flexi Bucket |
| FB25     | 25Ltr Flexi Bucket |
| FB42     | 42Ltr Flexi Bucket |
| FB56     | 56Ltr Flexi Bucket |
| FB75     | 75Ltr Flexi Bucket |

## BUILDERS BUCKET PLASTIC



| Part No. | Description           |
|----------|-----------------------|
| BB14     | 14Ltr Builders Bucket |

## TOUGH BUCKET



| Part No.   | Description           |
|------------|-----------------------|
| OX-P110515 | OX 15Ltr Tough Bucket |

## + LINE BUILDERS/MARKERS

### LINE – BUILDERS



| Part No. | Description             |
|----------|-------------------------|
| BL100    | Brick Line Reel 100mtr  |
| BL152G   | Brick Line Green 152mtr |
| BL152P   | Brick Line Pink 152mtr  |

### LINE – CHALK LINE KITS



| Part No. | Description    |
|----------|----------------|
| 047443   | Chalk Line Kit |

### LINE – CHALK REFILL



| Part No. | Description              |
|----------|--------------------------|
| CLRB     | Chalk Line Refill Blue   |
| CLRW     | Chalk Line Refill White  |
| CLRY     | Chalk Line Refill Yellow |
| CLRR     | Chalk Line Refill Red    |

### LINE – ROAD CRAYONS



| Part No. | Description                  |
|----------|------------------------------|
| RCW012H  | White Road Crayon Hard 12P   |
| RCY012H  | Yellow Road Crayon Hard 12Pk |

### LINE – MARKER



| Part No. | Description        |
|----------|--------------------|
| LMW      | Line Marker White  |
| LMG      | Line Marker Green  |
| LMO      | Line Marker Orange |
| LMBL     | Line Marker Black  |
| LMR      | Line Marker Red    |
| LMB      | Line Marker Blue   |

### LINE – PENS/PENCILS



| Part No. | Description                  |
|----------|------------------------------|
| CPY10    | Carpenters Pencil Pack of 10 |
| 047316   | Stanley Fine Tip Marker 2Pk  |

## WOODWORKING – CHISELS



| Part No. | Description      |
|----------|------------------|
| WC06     | Wood Chisel 6mm  |
| WC13     | Wood Chisel 13mm |
| WC19     | Wood Chisel 19mm |
| WC25     | Wood Chisel 25mm |
| WC32     | Wood Chisel 32mm |
| WC38     | Wood Chisel 38mm |

## WOODWORKING – FILES



| Part No. | Description                   |
|----------|-------------------------------|
| WFS6     | 6Pce Warding File Set         |
| MS98     | 3Pce File Set                 |
| FSC10    | 250mm Flat File 2nd Cut       |
| FSQ10    | 250mm Square File 2nd Cut     |
| FRS10    | 250mm Round File 2nd Cut      |
| FHR10    | 250mm Half Round File 2nd Cut |

## WOODWORKING – SURFACE PLANE




| Part No. | Description                         |
|----------|-------------------------------------|
| SFP140M  | Surface Forming Plane Moulded 140mm |
| SFP250M  | Surface Forming Plane Metal 250mm   |

## WOODWORKING – CARPENTERS PINCERS



| Part No.   | Description              |
|------------|--------------------------|
| CARPP150mm | Carpenters Pincers 150mm |
| CARPP200mm | Carpenters Pincers 200mm |

## WOODWORKING – PROFILE GAUGE



| Part No. | Description                 |
|----------|-----------------------------|
| PG125    | 125mm Profile Gauge Plastic |
| PG250    | 250mm Profile Gauge Plastic |
| PG150S   | 150mm Profile Gauge Steel   |

## WOODWORKING – GLUE BOTTLE KIT



| Part No. | Description                 |
|----------|-----------------------------|
| H999308  | Woodworkers Glue Bottle Kit |

## + CLAMPS

### CLAMP – TRIGGER – QUICK



| Part No. | Description     |
|----------|-----------------|
| QC04     | 4" Quick Clamp  |
| QC06     | 6" Quick Clamp  |
| QC12     | 12" Quick Clamp |
| QC18     | 18" Quick Clamp |
| QC24     | 24" Quick Clamp |

### CLAMP – G-CLAMP



| Part No. | Description   |
|----------|---------------|
| GC050    | 50mm G-Clamp  |
| GC075    | 75mm G-Clamp  |
| GC100    | 100mm G-Clamp |
| GC150    | 150mm G-Clamp |
| GC200    | 200mm G-Clamp |
| GC250    | 250mm G-Clamp |
| GC300    | 300mm G-Clamp |

### CLAMP – ONE HANDED



| Part No. | Description            |
|----------|------------------------|
| OHC100   | 100mm One Handed Clamp |
| OHC150   | 150mm One Handed Clamp |

### CLAMP – F-CLAMP



| Part No.  | Description   |
|-----------|---------------|
| FCLAMP150 | 150mm F-Clamp |
| FCLAMP300 | 300mm F-Clamp |
| FCLAMP600 | 600mm F-Clamp |

### CLAMP – 3WAY



| Part No. | Description |
|----------|-------------|
| 3WC      | 3-Way Clamp |

### CLAMP – STALL CLIPS



| Part No. | Description                          |
|----------|--------------------------------------|
| SC504    | Stall Clips 50mm Jaw Capacity 4 Pack |
| SC704    | Stall Clips 70mm Jaw Capacity 4 Pack |



## + BLOW TORCH / REFILLS



### BLOW TORCH



| Part No. | Description           |
|----------|-----------------------|
| FAIGZDIY | Auto Start Blow Torch |

### GAS REFILLS



| Part No. | Description                 |
|----------|-----------------------------|
| FAIGZ170 | 170g Butane Propane Mix Gas |
| FAIGZ350 | 350g Butane Propane Mix Gas |

### PROPANE SET TORCH SINGLE



| Part No. | Description                     |
|----------|---------------------------------|
| BT01     | Single Burner Propane Torch Set |

### PROPANE TORCH SET DOUBLE



| Part No. | Description                     |
|----------|---------------------------------|
| BT02     | Double Burner Propane Torch Set |

### PROPANE TORCH KIT 3 BURNER



| Part No. | Description                |
|----------|----------------------------|
| BT21     | 3 Burner Propane Torch Kit |

### ADJUSTABLE GAS REGULATOR



| Part No. | Description                      |
|----------|----------------------------------|
| REG01    | Adjustable Propane Gas Regulator |

## + PLUMBERS CUTTERS – KEYS – GREASE – SOLDER

### PLUMBERS – CUTTERS – PIPE



| Part No. | Description            |
|----------|------------------------|
| 30132    | 15mm Copper Pipe Slice |
| 30134    | 22mm Copper Pipe Slice |
| 30136    | 6-45mm Pipe Cutter     |

### PLUMBERS – KEYS



| Part No. | Description         |
|----------|---------------------|
| 4WUK     | 4 Way Utilities Key |

### PLUMBERS – KEYS – MANHOLE



| Part No. | Description                       |
|----------|-----------------------------------|
| MLK05    | 5" Manhole Lifting Key Set of 2   |
| MLK12    | 12" Manhole Lifting Key Set of 2  |
| MLK18    | 18" Manhole Lifting Key Set of 2  |
| MLK24    | 24" Manhole Lifting Key Set of 2  |
| MLKSU    | Manhole Lifting Key Set Universal |

### PLUMBERS – PIPE – GREASE



| Part No. | Description          |
|----------|----------------------|
| UPL2500  | 2.5KG Pipe Lubricant |

### SOLDERING



| Part No. | Description         |
|----------|---------------------|
| SP30     | 30g Soldering Paste |
| AS16     | 20g Solder          |
| FB5      | Flux Brush 5Pce     |

# + ENGINEERING VICE – PUNCH – TAPS – DIE NUTS



## ENGINEERING – VICE



| Part No. | Description          |
|----------|----------------------|
| EV100    | 100mm Engineers Vice |
| EV125    | 125mm Engineers Vice |
| EV150    | 150mm Engineers Vice |

## ENGINEERING – PUNCHES



| Part No. | Description           |
|----------|-----------------------|
| CPS5     | 5Pce Centre Punch Set |
| NPS5     | 5Pce Nail Punch Set   |

## ENGINEERING – TAPS



| Part No. | Description              |
|----------|--------------------------|
| TS03     | M3.0 x 0.50 HSS 2nd Tap  |
| TS035    | M3.5 x 0.60 HSS 2nd Tap  |
| TS04     | M4.0 x 0.70 HSS 2nd Tap  |
| TS05     | M5.0 x 0.80 HSS 2nd Tap  |
| TS06     | M6.0 x 1.00 HSS 2nd Tap  |
| TS08     | M8.0 x 1.25 HSS 2nd Tap  |
| TS10     | M10.0 x 1.50 HSS 2nd Tap |
| TS12     | M12.0 x 1.75 HSS 2nd Tap |
| TS16     | M16.0 x 2.00 HSS 2nd Tap |
| TS20     | M20.0 x 2.50 HSS 2nd Tap |

## ENGINEERING – DIE NUTS



| Part No. | Description  |
|----------|--------------|
| DN06     | 6mm Die Nut  |
| DN08     | 8mm Die Nut  |
| DN10     | 10mm Die Nut |
| DN12     | 12mm Die Nut |
| DN16     | 16mm Die Nut |
| DN20     | 20mm Die Nut |
| DN24     | 24mm Die Nut |

## TAP & DIE SET – METRIC



| Part No. | Description                          |
|----------|--------------------------------------|
| 22301    | 32Pce Tap & Die Set<br>Metric M3-M12 |

**FP** FIXINGS PLUS

FOLLOW US!



Fixings Plus



@fixingsplusltd

## **+ ENGINEERING HEX KEYS**

### **ENGINEERING – HEX KEY – METRIC – SHORT ARM**



| Part No. | Description              |
|----------|--------------------------|
| AK007    | 0.7mm Hex Key Short Arm  |
| AK009    | 0.9mm Hex Key Short Arm  |
| AK010    | 1mm Hex Key Short Arm    |
| AK0127   | 1.27mm Hex Key Short Arm |
| AK015    | 1.5mm Hex Key Short Arm  |
| AK020    | 2mm Hex Key Short Arm    |
| AK025    | 2.5mm Hex Key Short Arm  |
| AK030    | 3mm Hex Key Short Arm    |
| AK040    | 4mm Hex Key Short Arm    |
| AK050    | 5mm Hex Key Short Arm    |
| AK060    | 6mm Hex Key Short Arm    |
| AK070    | 7mm Hex Key Short Arm    |
| AK080    | 8mm Hex Key Short Arm    |
| AK090    | 9mm Hex Key Short Arm    |
| AK100    | 10mm Hex Key Short Ar    |
| AK110    | 11mm Hex Key Short Arm   |
| AK120    | 12mm Hex Key Short Arm   |
| AK130    | 13mm Hex Key Short Arm   |
| AK140    | 14mm Hex Key Short Arm   |
| AK170    | 17mm Hex Key Short Arm   |
| AK190    | 19mm Hex Key Short Arm   |

### **ENGINEERING – HEX KEY – SETS**



| Part No. | Description                          |
|----------|--------------------------------------|
| AKS10    | 10Pce Hex Key Set Short Arm 1.5-10mm |
| AKS10LA  | 10Pce Hex Key Set Long Arm 1.5-10mm  |

### **ENGINEERING – HEX KEY – METRIC – LONG ARM**



| Part No. | Description            |
|----------|------------------------|
| AK015LA  | 1.5mm Hex Key Long Arm |
| AK020LA  | 2mm Hex Key Long Arm   |
| AK025LA  | 2.5mm Hex Key Long Arm |
| AK030LA  | 3mm Hex Key Long Arm   |
| AK040LA  | 4mm Hex Key Long Arm   |
| AK050LA  | 5mm Hex Key Long Arm   |
| AK060LA  | 6mm Hex Key Long Arm   |
| AK070LA  | 7mm Hex Key Long Arm   |
| AK080LA  | 8mm Hex Key Long Arm   |
| AK100LA  | 10mm Hex Key Long Arm  |
| AK120LA  | 12mm Hex Key Long Arm  |
| AK140LA  | 14mm Hex Key Long Arm  |
| AK160LA  | 16mm Hex Key Long Arm  |
| AK170LA  | 17mm Hex Key Long Arm  |
| AK190LA  | 19mm Hex Key Long Arm  |

### **ENGINEERING – HEX KEY – JUMBO SET**



| Part No. | Description                   |
|----------|-------------------------------|
| 15308    | 6Pce Jumbo Hex Key Set 8-19mm |



## SOCKET – SETS



| Part No. | Description            |               |
|----------|------------------------|---------------|
| SS14046  | 1/4" Socket Set        | 46Pce 4-14mm  |
| SS38028  | 3/8" Socket Set        | 28Pce 8-24mm  |
| SS12032  | 1/2" Socket Set        | 32Pce 10-19mm |
| SS12020I | 1/2" Socket Set Impact | 20Pce 10-19mm |



## + SOCKET ACCESSORIES

### SOCKET – ADAPTORS 1/4" HEX DRIVE



| Part No. | Description                                 |
|----------|---------------------------------------------|
| SAH1414  | Socket Adaptor 1/4" Hex > 1/4" Square Drive |
| SAH1438  | Socket Adaptor 1/4" Hex > 3/8" Square Drive |
| SAH1412  | Socket Adaptor 1/4" Hex > 1/2" Square Drive |

### SOCKET – ADAPTORS – SETS



| Part No.     | Description                                               |
|--------------|-----------------------------------------------------------|
| SAH14S143812 | Socket Adaptor Set 1/4" Hex > 1/4" 3/8" 1/2" Square Drive |
| SASDSS143812 | Socket Adaptor Set SDS > 1/4" 3/8" 1/2" Square Drive      |

### SOCKET – ADAPTORS – SQUARE DRIVE



| Part No. | Description                             |
|----------|-----------------------------------------|
| SAS1438  | Socket Adaptor 1/4" Square Drive > 3/8" |
| SAS1412  | Socket Adaptor 1/4" Square Drive > 1/2" |
| SAS3814  | Socket Adaptor 3/8" Square Drive > 1/4" |
| SAS3812  | Socket Adaptor 3/8" Square Drive > 1/2" |
| SAS1238  | Socket Adaptor 1/2" Square Drive > 3/8" |
| SAS1234  | Socket Adaptor 1/2" Square Drive > 3/4" |
| SAS3412  | Socket Adaptor 3/4" Square Drive > 1/2" |

### SOCKET – EXTENSIONS



| Part No. | Description                                                 |
|----------|-------------------------------------------------------------|
| SEB14075 | 1/4" Sq Drive 75mm Socket Extension Bar                     |
| SEB14150 | 1/4" Sq Drive 150mm Socket Extension Bar                    |
| SEB14250 | 1/4" Sq Drive 250mm Socket Extension Bar                    |
| SEB38075 | 3/8" Sq Drive 75mm Socket Extension Bar                     |
| SEB38150 | 3/8" Sq Drive 150mm Socket Extension Bar                    |
| SEB38250 | 3/8" Sq Drive 250mm Socket Extension Bar                    |
| SEB12075 | 1/2" Sq Drive 75mm Socket Extension Bar                     |
| SEB12125 | 1/2" Sq Drive 125mm Socket Extension Bar                    |
| SEB12250 | 1/2" Sq Drive 250mm Socket Extension Bar                    |
| SEB34175 | 3/4" Sq Drive 175mm Socket Extension Bar                    |
| SEB34250 | 3/4" Sq Drive 250mm Socket Extension Bar                    |
| SEBS143  | 1/4" Sq Drive Socket Extension Bar Set 75mm - 150mm - 250mm |
| SEBS383  | 3/8" Sq Drive Socket Extension Bar Set 75mm - 150mm - 250mm |
| SEBS123  | 1/2" Sq Drive Socket Extension Bar Set 75mm - 125mm - 250mm |

### SOCKET – RATCHETS



| Part No. | Description           |
|----------|-----------------------|
| R14      | 1/4" Sq Drive Ratchet |
| R38      | 3/8" Sq Drive Ratchet |
| R12      | 1/2" Sq Drive Ratchet |
| R34      | 3/4" Sq Drive Ratchet |

## SOCKETS – 1/4" SQUARE DRIVE



| Part No. | Description                        |
|----------|------------------------------------|
| S1407    | 1/4" Square Drive Socket 7mm       |
| S1408    | 1/4" Square Drive Socket 8mm       |
| S1410    | 1/4" Square Drive Socket 10mm      |
| S1413    | 1/4" Square Drive Socket 13mm      |
| S1407D   | 1/4" Square Drive Deep Socket 7mm  |
| S1408D   | 1/4" Square Drive Deep Socket 8mm  |
| S1410D   | 1/4" Square Drive Deep Socket 10mm |
| S1413D   | 1/4" Square Drive Deep Socket 13mm |

## SOCKETS – 3/8" SQUARE DRIVE



| Part No. | Description                               |
|----------|-------------------------------------------|
| S3810    | 3/8" Square Drive Socket 10mm             |
| S3813    | 3/8" Square Drive Socket 13mm             |
| S3817    | 3/8" Square Drive Socket 17mm             |
| S3819    | 3/8" Square Drive Socket 19mm             |
| S3810D   | 3/8" Square Drive Deep Socket 10mm        |
| S3813D   | 3/8" Square Drive Deep Socket 13mm        |
| S3817D   | 3/8" Square Drive Deep Socket 17mm        |
| S3819D   | 3/8" Square Drive Deep Socket 19mm        |
| S3810I   | 3/8" Square Drive Impact Socket 10mm      |
| S3813I   | 3/8" Square Drive Impact Socket 13mm      |
| S3817I   | 3/8" Square Drive Impact Socket 17mm      |
| S3819I   | 3/8" Square Drive Impact Socket 19mm      |
| S3810DI  | 3/8" Square Drive Deep Impact Socket 10mm |
| S3813DI  | 3/8" Square Drive Deep Impact Socket 13mm |
| S3817DI  | 3/8" Square Drive Deep Impact Socket 17mm |
| S3819DI  | 3/8" Square Drive Deep Impact Socket 19mm |

## SOCKETS – 1/2" SQUARE DRIVE



| Part No. | Description                          |
|----------|--------------------------------------|
| S1208    | 1/2" Square Drive Socket 8mm         |
| S1210    | 1/2" Square Drive Socket 10mm        |
| S1212    | 1/2" Square Drive Socket 12mm        |
| S1213    | 1/2" Square Drive Socket 13mm        |
| S1214    | 1/2" Square Drive Socket 14mm        |
| S1215    | 1/2" Square Drive Socket 15mm        |
| S1217    | 1/2" Square Drive Socket 17mm        |
| S1218    | 1/2" Square Drive Socket 18mm        |
| S1219    | 1/2" Square Drive Socket 19mm        |
| S1221    | 1/2" Square Drive Socket 21mm        |
| S1222    | 1/2" Square Drive Socket 22mm        |
| S1224    | 1/2" Square Drive Socket 24mm        |
| S1226    | 1/2" Square Drive Socket 26mm        |
| S1227    | 1/2" Square Drive Socket 27mm        |
| S1230    | 1/2" Square Drive Socket 30mm        |
| S1232    | 1/2" Square Drive Socket 32mm        |
| S1236    | 1/2" Square Drive Socket 36mm        |
| S1208D   | 1/2" Square Drive Deep Socket 8mm    |
| S1210D   | 1/2" Square Drive Deep Socket 10mm   |
| S1212D   | 1/2" Square Drive Deep Socket 12mm   |
| S1213D   | 1/2" Square Drive Deep Socket 13mm   |
| S1214D   | 1/2" Square Drive Deep Socket 14mm   |
| S1215D   | 1/2" Square Drive Deep Socket 15mm   |
| S1217D   | 1/2" Square Drive Deep Socket 17mm   |
| S1218D   | 1/2" Square Drive Deep Socket 18mm   |
| S1219D   | 1/2" Square Drive Deep Socket 19mm   |
| S1221D   | 1/2" Square Drive Deep Socket 21mm   |
| S1222D   | 1/2" Square Drive Deep Socket 22mm   |
| S1224D   | 1/2" Square Drive Deep Socket 24mm   |
| S1226D   | 1/2" Square Drive Deep Socket 26mm   |
| S1227D   | 1/2" Square Drive Deep Socket 27mm   |
| S1230D   | 1/2" Square Drive Deep Socket 30mm   |
| S1232D   | 1/2" Square Drive Deep Socket 32mm   |
| S1236D   | 1/2" Square Drive Deep Socket 36mm   |
| S1208I   | 1/2" Square Drive Impact Socket 8mm  |
| S1210I   | 1/2" Square Drive Impact Socket 10mm |
| S1212I   | 1/2" Square Drive Impact Socket 12mm |
| S1213I   | 1/2" Square Drive Impact Socket 13mm |

# + SOCKETS

## SOCKETS – 1/2" SQUARE DRIVE (CONTINUED)



| Part No. | Description                               |
|----------|-------------------------------------------|
| S1214I   | 1/2" Square Drive Impact Socket 14mm      |
| S1215I   | 1/2" Square Drive Impact Socket 15mm      |
| S1217I   | 1/2" Square Drive Impact Socket 17mm      |
| S1218I   | 1/2" Square Drive Impact Socket 18mm      |
| S1219I   | 1/2" Square Drive Impact Socket 19mm      |
| S1221I   | 1/2" Square Drive Impact Socket 21mm      |
| S1222I   | 1/2" Square Drive Impact Socket 22mm      |
| S1224I   | 1/2" Square Drive Impact Socket 24mm      |
| S1226I   | 1/2" Square Drive Impact Socket 26mm      |
| S1227I   | 1/2" Square Drive Impact Socket 27mm      |
| S1230I   | 1/2" Square Drive Impact Socket 30mm      |
| S1232I   | 1/2" Square Drive Impact Socket 32mm      |
| S1236I   | 1/2" Square Drive Impact Socket 36mm      |
| S1208DI  | 1/2" Square Drive Deep Impact Socket 8mm  |
| S1210DI  | 1/2" Square Drive Deep Impact Socket 10mm |
| S1212DI  | 1/2" Square Drive Deep Impact Socket 12mm |
| S1213DI  | 1/2" Square Drive Deep Impact Socket 13mm |
| S1214DI  | 1/2" Square Drive Deep Impact Socket 14mm |
| S1215DI  | 1/2" Square Drive Deep Impact Socket 15mm |
| S1217DI  | 1/2" Square Drive Deep Impact Socket 17mm |
| S1218DI  | 1/2" Square Drive Deep Impact Socket 18mm |
| S1219DI  | 1/2" Square Drive Deep Impact Socket 19mm |
| S1221DI  | 1/2" Square Drive Deep Impact Socket 21mm |
| S1222DI  | 1/2" Square Drive Deep Impact Socket 22mm |
| S1224DI  | 1/2" Square Drive Deep Impact Socket 24mm |
| S1226DI  | 1/2" Square Drive Deep Impact Socket 26mm |
| S1227DI  | 1/2" Square Drive Deep Impact Socket 27mm |
| S1230DI  | 1/2" Square Drive Deep Impact Socket 30mm |
| S1232DI  | 1/2" Square Drive Deep Impact Socket 32mm |
| S1236DI  | 1/2" Square Drive Deep Impact Socket 36mm |

## SOCKETS – 3/4" SQUARE DRIVE



| Part No. | Description                               |
|----------|-------------------------------------------|
| S3419    | 3/4" Square Drive Socket 19mm             |
| S3421    | 3/4" Square Drive Socket 24mm             |
| S3422    | 3/4" Square Drive Socket 30mm             |
| S3424    | 3/4" Square Drive Socket 36mm             |
| S3425    | 3/4" Square Drive Socket 41mm             |
| S3430    | 3/4" Square Drive Socket 46mm             |
| S3432    | 3/4" Square Drive Socket 50mm             |
| S3436    | 3/4" Square Drive Socket 55mm             |
| S3419D   | 3/4" Square Drive Deep Socket 19mm        |
| S3421D   | 3/4" Square Drive Deep Socket 24mm        |
| S3422D   | 3/4" Square Drive Deep Socket 30mm        |
| S3424D   | 3/4" Square Drive Deep Socket 36mm        |
| S3425D   | 3/4" Square Drive Deep Socket 41mm        |
| S3430D   | 3/4" Square Drive Deep Socket 46mm        |
| S3432D   | 3/4" Square Drive Deep Socket 50mm        |
| S3436D   | 3/4" Square Drive Deep Socket 55mm        |
| S3419DI  | 3/4" Square Drive Deep Impact Socket 19mm |
| S3421DI  | 3/4" Square Drive Deep Impact Socket 24mm |
| S3422DI  | 3/4" Square Drive Deep Impact Socket 30mm |
| S3424DI  | 3/4" Square Drive Deep Impact Socket 36mm |
| S3425DI  | 3/4" Square Drive Deep Impact Socket 41mm |
| S3430DI  | 3/4" Square Drive Deep Impact Socket 46mm |
| S3432DI  | 3/4" Square Drive Deep Impact Socket 50mm |
| S3436DI  | 3/4" Square Drive Deep Impact Socket 55mm |
| S3419I   | 3/4" Square Drive Impact Socket 19mm      |
| S3421I   | 3/4" Square Drive Impact Socket 24mm      |
| S3422I   | 3/4" Square Drive Impact Socket 30mm      |
| S3424I   | 3/4" Square Drive Impact Socket 36mm      |
| S3425I   | 3/4" Square Drive Impact Socket 41mm      |
| S3430I   | 3/4" Square Drive Impact Socket 46mm      |
| S3432I   | 3/4" Square Drive Impact Socket 50mm      |
| S3436I   | 3/4" Square Drive Impact Socket 55mm      |

## + SPANNER SETS



### SPANNERS – SETS – COMBINATION



| Part No.    | Description                          |
|-------------|--------------------------------------|
| CSS06019011 | 11Pce Combination Spanner Set 6-19mm |
| CSS06032025 | 25Pce Combination Spanner Set 6-32mm |

### SPANNERS – SETS – BOX



| Part No. | Description                 |
|----------|-----------------------------|
| BSS0819  | 6Pce Box Spanner Set 8-19mm |
| BSS0622  | 8Pce Box Spanner Set 6-22mm |

### SPANNERS – SETS – RATCHET



| Part No.       | Description                                |
|----------------|--------------------------------------------|
| RSS08019008FH  | 8Pce Ratchet Spanner Set 8-19mm Fixed Head |
| RSS08019008FLH | 8Pce Ratchet Spanner Set 8-19mm Flexi Head |

### SPANNERS – SET – MICRO




| Part No.     | Description                                 |
|--------------|---------------------------------------------|
| MCSS04011010 | 10 Pce Micro Combination Spanner Set 4-11mm |

# FP FIXINGS PLUS

IF YOU CAN'T FIND WHAT  
YOU'RE LOOKING FOR  
CONTACT OUR SALES OFFICE

t 0121 333 7288  
e sales@fixingsplus.co.uk



# **+ SPANNERS**

## SPANNERS – BOX



| Part No. | Description           |
|----------|-----------------------|
| BS1011   | Box Spanner 10 & 11mm |
| BS1213   | Box Spanner 12 & 13mm |
| BS1317   | Box Spanner 13 & 17mm |
| BS1719   | Box Spanner 17 & 19mm |
| BS2022   | Box Spanner 20 & 22mm |
| BS2427   | Box Spanner 24 & 27mm |
| BS3036   | Box Spanner 30 & 36mm |

## SPANNERS – COMBINATION



| Part No. | Description              |
|----------|--------------------------|
| CS06     | Combination Spanner 6mm  |
| CS07     | Combination Spanner 7mm  |
| CS08     | Combination Spanner 8mm  |
| CS09     | Combination Spanner 9mm  |
| CS10     | Combination Spanner 10mm |
| CS11     | Combination Spanner 11mm |
| CS12     | Combination Spanner 12mm |
| CS13     | Combination Spanner 13mm |
| CS14     | Combination Spanner 14mm |
| CS15     | Combination Spanner 15mm |
| CS16     | Combination Spanner 16mm |
| CS17     | Combination Spanner 17mm |
| CS18     | Combination Spanner 18mm |
| CS19     | Combination Spanner 19mm |
| CS20     | Combination Spanner 20mm |
| CS21     | Combination Spanner 21mm |
| CS22     | Combination Spanner 22mm |
| CS23     | Combination Spanner 23mm |
| CS24     | Combination Spanner 24mm |
| CS25     | Combination Spanner 25mm |
| CS26     | Combination Spanner 26mm |
| CS27     | Combination Spanner 27mm |
| CS28     | Combination Spanner 28mm |
| CS30     | Combination Spanner 30mm |
| CS32     | Combination Spanner 32mm |
| CS36     | Combination Spanner 36mm |
| CS38     | Combination Spanner 38mm |

## SPANNERS – OPEN ENDED



| Part No. | Description                  |
|----------|------------------------------|
| OES0405  | Open Ended Spanner 4 & 5mm   |
| OES0607  | Open Ended Spanner 6 & 7mm   |
| OES0809  | Open Ended Spanner 8 & 9mm   |
| OES0810  | Open Ended Spanner 8 & 10mm  |
| OES1011  | Open Ended Spanner 10 & 11mm |
| OES1013  | Open Ended Spanner 10 & 13mm |
| OES1214  | Open Ended Spanner 12 & 14mm |
| OES1317  | Open Ended Spanner 13 & 17mm |
| OES1415  | Open Ended Spanner 14 & 15mm |
| OES1417  | Open Ended Spanner 14 & 17mm |
| OES1617  | Open Ended Spanner 16 & 17mm |
| OES1719  | Open Ended Spanner 17 & 19mm |
| OES1819  | Open Ended Spanner 18 & 19mm |
| OES1922  | Open Ended Spanner 19 & 22mm |
| OES1924  | Open Ended Spanner 19 & 24mm |
| OES2224  | Open Ended Spanner 22 & 24mm |
| OES2227  | Open Ended Spanner 22 & 27mm |
| OES2426  | Open Ended Spanner 24 & 26mm |
| OES2427  | Open Ended Spanner 24 & 27mm |
| OES2430  | Open Ended Spanner 24 & 30mm |
| OES2730  | Open Ended Spanner 27 & 30mm |
| OES3032  | Open Ended Spanner 30 & 32mm |
| OES3036  | Open Ended Spanner 30 & 36mm |
| OES3236  | Open Ended Spanner 32 & 36mm |
| OES3641  | Open Ended Spanner 36 & 41mm |



## SPANNERS – PODGER



| Part No. | Description                         |
|----------|-------------------------------------|
| PTRS1719 | Podger Twin Ratchet Spanner 17/19mm |
| PTRS1721 | Podger Twin Ratchet Spanner 17/21mm |

## SPANNERS – SCAFFOLD



| Part No.  | Description                                |
|-----------|--------------------------------------------|
| SS71612DE | Double Ended Scaffold Spanner 7/16" & 1/2" |

## SPANNERS – RATCHET



| Part No. | Description                     |
|----------|---------------------------------|
| RS10FH   | Ratchet Spanner 10mm Fixed Head |
| RS13FH   | Ratchet Spanner 13mm Fixed Head |
| RS17FH   | Ratchet Spanner 17mm Fixed Head |
| RS19FH   | Ratchet Spanner 19mm Fixed Head |
| RS21FH   | Ratchet Spanner 21mm Fixed Head |
| RS24FH   | Ratchet Spanner 24mm Fixed Head |

## SPANNERS – RING




| Part No. | Description              |
|----------|--------------------------|
| RS1011   | Ring Spanner 10mm & 11mm |
| RS1213   | Ring Spanner 12mm & 13mm |
| RS1317   | Ring Spanner 13mm & 17mm |
| RS1415   | Ring Spanner 14mm & 15mm |
| RS1719   | Ring Spanner 17mm & 19mm |
| RS1819   | Ring Spanner 18mm & 19mm |
| RS2022   | Ring Spanner 20mm & 22mm |
| RS2427   | Ring Spanner 24mm & 27mm |

**SIGN UP**  
FOR OUR  
NEWSLETTER!

Be the first to receive  
all the latest articles,  
tips, tricks, industry  
advice & news!  
Subscribe now at  
[fixingsplus.co.uk](http://fixingsplus.co.uk)

**FP** **FIXINGS**  
**PLUS**



## + STORAGE BOXES – SHELVING

### STORAGE – TOOLBOXES



| Part No. | Description                            |
|----------|----------------------------------------|
| 192066   | Stanley Toolbox 19"                    |
| 195620   | Stanley Toolbox 26" Galvanised/Plastic |

### STORAGE – TOOLBAGS



| Part No. | Description                 |
|----------|-----------------------------|
| 193950   | Stanley Fatmax 18" Tool bag |

### STORAGE – TOTES



| Part No. | Description                      |
|----------|----------------------------------|
| 170319   | Stanley 20" Open Tote Bag        |
| 193951   | Stanley Fatmax 18" Open Tote Bag |

### STORAGE – ORGANISER CASE



| Part No. | Description                           |
|----------|---------------------------------------|
| 192749   | Stanley Organiser With 8 Compartments |

### STORAGE – BOLTLESS SHELVING



| Part No. | Description                  |
|----------|------------------------------|
| SK5TB    | 5 Tier Boltless Shelving Kit |

### STORAGE – STACKING BOXES



| Part No. | Description                                   |
|----------|-----------------------------------------------|
| STACKB08 | 8Pce Stacking Box Set<br>165mm x 105mm x 75mm |

## + STAPLERS & STAPLES

### STAPLER – GENERAL PURPOSE



| Part No. | Description              |
|----------|--------------------------|
| T50S     | T50 Staple Gun Arrow     |
| T50SF    | T50 Staple Gun Firmahold |

### STAPLER – HEAVY DUTY



| Part No.    | Description                                |
|-------------|--------------------------------------------|
| STA0TRI50HL | Sharpshooter Heavy Duty Staple Gun Stanley |

### STAPLER – HAMMER TACKER



| Part No.  | Description                  |
|-----------|------------------------------|
| HT50      | HT50 Hammer Tacker Arrow     |
| HTSPHT150 | PHT150 Hammer Tacker Stanley |

### STAPLER – PLIER



| Part No. | Description                 |
|----------|-----------------------------|
| HD73     | HD-73 Plier Stapler Rapesco |

### STAPLES – GALVANISED



| Part No.  | Description                            |
|-----------|----------------------------------------|
| 140061000 | 140 Staples 1000Pk 6mm Galvanised      |
| 140081000 | 140 Staples 1000Pk 8mm Galvanised      |
| 140101000 | 140 Staples 1000Pk 10mm Galvanised     |
| 140121000 | 140 Staples 1000Pk 12mm Galvanised     |
| 140141000 | 140 Staples 1000Pk 14mm Galvanised     |
| SHDS06    | Heavy Duty Staples 1000Pk 6mm Stanley  |
| SHDS08    | Heavy Duty Staples 1000Pk 8mm Stanley  |
| SHDS10    | Heavy Duty Staples 1000Pk 10mm Stanley |
| SHDS12    | Heavy Duty Staples 1000Pk 12mm Stanley |
| SHDS14    | Heavy Duty Staples 1000Pk 14mm Stanley |
| R7310     | R73 Staples 5000Pk 10mm                |
| R7312     | R73 Staples 5000Pk 12mm                |

### STAPLES – STAINLESS STEEL



| Part No. | Description                             |
|----------|-----------------------------------------|
| 14008SS  | 140 Staples 1000Pk 8mm Stainless Steel  |
| 14010SS  | 140 Staples 1000Pk 10mm Stainless Steel |
| 14012SS  | 140 Staples 1000Pk 12mm Stainless Steel |

# + PAINTING & DECORATING

## PAINT BRUSHES – ECONOMY



| Part No. | Description                |
|----------|----------------------------|
| PBE013   | Paint Brush Economy 1/2"   |
| PBE025   | Paint Brush Economy 1"     |
| PBE040   | Paint Brush Economy 1.3/4" |
| PBE050   | Paint Brush Economy 2"     |
| PBE075   | Paint Brush Economy 3"     |
| PBE100   | Paint Brush Economy 4"     |

## PAINT BRUSHES – TRADE



| Part No. | Description              |
|----------|--------------------------|
| PBT013   | Paint Brush Trade 1/2"   |
| PBT025   | Paint Brush Trade 1"     |
| PBT038   | Paint Brush Trade 1.1/2" |
| PBT050   | Paint Brush Trade 2"     |
| PBT075   | Paint Brush Trade 3"     |
| PBT100   | Paint Brush Trade 4"     |

## PAINT BRUSHES – ECONOMY SET



| Part No. | Description                   |
|----------|-------------------------------|
| PBES50   | Paint Brush Economy Set 50Pce |

## PAINT BRUSHES – TRADE SET



| Part No. | Description                |
|----------|----------------------------|
| PBTS03   | Paint Brush Trade Set 3Pce |
| PBTS05   | Paint Brush Trade Set 5Pce |

## PAINT BRUSHES – ECONOMY SET



| Part No. | Description                         |
|----------|-------------------------------------|
| PBAS112  | Artist Paint Brush Set 1-12mm 12Pce |

## PAINT BRUSHES – WALL BRUSH



| Part No. | Description   |
|----------|---------------|
| PBT150   | Wall Brush 6" |

## ROLLER – SETS



| Part No. | Description             |
|----------|-------------------------|
| PRT100   | 100mm Roller & Tray Set |
| PRT230   | 230mm Roller & Tray Set |

## ROLLER – SETS – MASONRY



| Part No. | Description                     |
|----------|---------------------------------|
| PRT230M  | 230mm Roller & Tray Set Masonry |

## ROLLER – FRAMES



| Part No.   | Description                      |
|------------|----------------------------------|
| PRS230HD   | 230mm Roller Frame Heavy Duty    |
| PRF230F112 | 230mm Roller Frame 9x1.1/2" Core |
| PRF230F134 | 230mm Roller Frame 9x1.3/4" Core |
| PRF300     | 300mm Roller Frame               |

## ROLLER – SLEEVES



| Part No.    | Description                                 |
|-------------|---------------------------------------------|
| PRS230SP134 | 230mm Roller Sleeve Short Pile 1.3/4" Core  |
| PRS230EF112 | 230mm Roller Sleeve Medium Pile 1.1/2" Core |
| PRS230EF134 | 230mm Roller Sleeve Medium Pile 1.3/4" Core |
| PRS230LP134 | 230mm Roller Sleeve Long Pile 1.3/4" Core   |
| PRS230M     | 230mm Roller Sleeve Masonry                 |
| PRS300SHP   | 300mm Roller Sleeve Short Pile              |
| PRS300E     | 300mm Roller Sleeve Medium Pile             |

## ROLLER – SETS – MASONRY



| Part No.  | Description      |
|-----------|------------------|
| PRA100280 | 280mm Roller Arm |
| PRA100600 | 600mm Roller Arm |

## ROLLER – SLEEVES – MINI



| Part No. | Description                             |
|----------|-----------------------------------------|
| PRS100E  | 100mm Mini Roller Sleeves Emulsion 10Pk |
| PRS100G  | 100mm Mini Roller Sleeve Gloss 10Pk     |



## + PAINTING & DECORATING

### ROLLER EXTENSION



| Part No.      | Description                      |
|---------------|----------------------------------|
| P RTP11002000 | Roller Extension 1.1mtr – 2.0mtr |
| P RTP16003000 | Roller Extension 1.6mtr – 3.0mtr |

### PAINT ROLLER LINER



| Part No. | Description                |
|----------|----------------------------|
| PTL10005 | 100mm Paint Tray Liner 5Pk |
| PTL23005 | 230mm Paint Tray Liner 5Pk |

### PAINT SKUTTLE



| Part No. | Description             |
|----------|-------------------------|
| PS12     | 12" Paint Scuttle 10Ltr |
| PS14     | 14" Paint Scuttle 15Ltr |
| PS20     | 20" Paint Scuttle 25Ltr |

### PAINT ROLLER TRAY



| Part No. | Description           |
|----------|-----------------------|
| PPT9     | 9" Plastic Paint Tray |

### PAINT KETTLE – PLASTIC



| Part No. | Description                 |
|----------|-----------------------------|
| PK1000   | Paint Kettle Plastic 1.0Ltr |
| PK2500   | Paint Kettle Plastic 2.5Ltr |
| PK5000   | Paint Kettle Plastic 5.0Ltr |

### PAINT KETTLE – GALVANISED



| Part No. | Description                    |
|----------|--------------------------------|
| PK2500G  | Paint Kettle Galvanised 2.5Ltr |

## DUST SHEETS – COTTON



| Part No. | Description                    |
|----------|--------------------------------|
| DSC1209  | Dust Sheet Cotton 12ft x 9ft   |
| DSC1212  | Dust Sheet Cotton 12ft x 12ft  |
| DSCST    | Dust Sheet Cotton Stair Runner |

## DUST SHEETS – POLYTHENE



| Part No.  | Description                            |
|-----------|----------------------------------------|
| DSP365275 | Polythene Dust Sheet 3.65mtr x 2.75mtr |
| DSP502    | Polythene Dust Sheet 50mtr x 2.0mtr    |

## PAPER HANGING BRUSH



| Part No. | Description               |
|----------|---------------------------|
| PHB200   | 200mm Paper Hanging Brush |

## SEAM ROLLER



| Part No. | Description         |
|----------|---------------------|
| PSR      | Seam Roller Plastic |
| WSR      | Seam Roller Wooden  |

## DECORATORS SCISSORS



| Part No. | Description         |
|----------|---------------------|
| SD300    | Decorating Scissors |

## PAINTERS MASKING TAPE



| Part No. | Description                                             |
|----------|---------------------------------------------------------|
| TM24MSFT | Multi Surface Masking tape 24mm x 41.1 Metres Frog Tape |

## + PAINTING & DECORATING

### SCRAPER – WALL



| Part No. | Description     |
|----------|-----------------|
| WS025    | Wall Scraper 1" |
| WS050    | Wall Scraper 2" |
| WS075    | Wall Scraper 3" |
| WS100    | Wall Scraper 4" |
| WS125    | Wall Scraper 5" |

### SCRAPER – PLASTIC – SET



| Part No. | Description                         |
|----------|-------------------------------------|
| SDPTS3   | 3Pce Plastic Scraper Set 2" 4" & 6" |

### SANDPAPER – SHEETS



| Part No.     | Description                              |
|--------------|------------------------------------------|
| 19850        | 30Pk Sandpaper Sheets Assorted           |
| 19854        | 30Pk Sandpaper Sheets Assorted Wet & Dry |
| SP2809510025 | 25Pk Sandpaper Sheets Pole 100g          |
| SP2809512025 | 25Pk Sandpaper Sheets Pole 120g          |

### SCRAPER – HEAVY DUTY



| Part No. | Description                   |
|----------|-------------------------------|
| HDS      | Wall Scraper Heavy Duty 100mm |
| HDSB     | Wall Scraper Blade 10Pk       |

### SCRAPER – WINDOW



| Part No. | Description            |
|----------|------------------------|
| 028590   | Stanley Window Scraper |
| 36124    | Window Scraper         |

### SANDPAPER – ROLLS



| Part No.     | Description                      |
|--------------|----------------------------------|
| SPR11505040G | Sandpaper Roll 115mm x 5mtr 40g  |
| SPR11505060G | Sandpaper Roll 115mm x 5mtr 60g  |
| SPR11505080G | Sandpaper Roll 115mm x 5mtr 80g  |
| SPR11505120G | Sandpaper Roll 115mm x 5mtr 120g |

## SANDING – BLOCKS



| Part No.  | Description                        |
|-----------|------------------------------------|
| SBFM      | Sanding Sponge Block Fine/Medium   |
| SBMC      | Sanding Sponge Block Medium/Coarse |
| SB115065R | Sanding Block Rubber 115mm x 65mm  |

## WIRE WOOL



| Part No. | Description                      |
|----------|----------------------------------|
| WW020A08 | 8 Pce Wire Wool Coarse/Med/Fine  |
| 36143    | 12 Pce Wire Wool Coarse/Med/Fine |

## SANDER – HAND



| Part No. | Description |
|----------|-------------|
| HS       | Hand Sander |

## SANDER – POLE



| Part No.     | Description                    |
|--------------|--------------------------------|
| PSSH         | Pole Sander Swivel Head        |
| PRTP11002000 | Extension Pole 1.1mtr – 2.0mtr |

## FILLING KNIFE



| Part No. | Description         |
|----------|---------------------|
| FK025    | 25mm Filling Knife  |
| FK032    | 32mm Filling Knife  |
| FK050    | 50mm Filling Knife  |
| FK075    | 75mm Filling Knife  |
| FK100    | 100mm Filling Knife |
| FK125    | 125mm Filling Knife |

## SILICONE TOOL SET



| Part No.    | Description                            |
|-------------|----------------------------------------|
| FAITLSILKIT | Silicone Tool Finishing & Removing Kit |



**FP** **FIXINGS  
PLUS**





## CONTENTS

|            |                        |
|------------|------------------------|
| <b>228</b> | SITE EQUIPMENT         |
| <b>240</b> | ACCESS - LADDERS       |
| <b>241</b> | ACCESS - STEPS         |
| <b>243</b> | EXTINGUISHERS          |
| <b>245</b> | LIGHTING               |
| <b>247</b> | ELECTRICAL ACCESSORIES |
| <b>249</b> | BATTERIES              |
| <b>250</b> | ELECTRICAL ACCESSORIES |
| <b>251</b> | SECURITY               |

## + SITE EQUIPMENT

### SHOVELS – ALL STEEL



| Part No. | Description                        |
|----------|------------------------------------|
| ASST2    | Taper Mouth All Steel Shovel No. 2 |

### SHOVELS – INSULATED



| Part No. | Description                        |
|----------|------------------------------------|
| PVIMS    | Insulated Square Mouth Shovel      |
| PVITMS   | Insulated Taper Mouth Shovel       |
| PVICLS   | Insulated Cable Laying Shovel      |
| PVITS    | Insulated Trenching Shovel         |
| PVINDS   | Insulated Newcastle Drainer Shovel |
| PVIGSS   | Insulated General Service Shovel   |

### RAKES – GARDEN – LAWN



| Part No. | Description       |
|----------|-------------------|
| GRT      | Tooth Garden Rake |
| LR       | Lawn Rake         |

### RAKES – TARMAC – ASPHALT



| Part No. | Description  |
|----------|--------------|
| TARMACR  | Tarmac Rake  |
| ASPHALTR | Asphalt Rake |

### RAKES – CONCRETE



| Part No.   | Description                      |
|------------|----------------------------------|
| OX-P016302 | OX Pro Aluminium Concrete Rake   |
| OX-T016301 | Ox Trade Aluminium Concrete Rake |

### BUILDERS SPAZZLE – FLOOR SCRAPER



| Part No.   | Description                          |
|------------|--------------------------------------|
| FAISPAZZLE | Faithfull Aluminium Builders Spazzle |
| FS         | Floor Scraper Fixed Head             |
| FSHD400    | Floor Scraper Heavy Duty 400mm       |

## BROOM – BASSINE (FIRM)



| Part No. | Description                 |
|----------|-----------------------------|
| BB13     | 13" Bassine Broom c/w Stale |
| BB24     | 24" Bassine Broom c/w Stale |

## BROOM – COCO (SOFT)



| Part No. | Description              |
|----------|--------------------------|
| BC13     | 13" Coco Broom c/w Stale |
| BC24     | 24" Coco Broom c/w Stale |

## BROOM – HEAVY DUTY



| Part No. | Description                    |
|----------|--------------------------------|
| BB24HD   | 24" Heavy Duty Bulldozer Broom |

## BRUSH – HAND



| Part No. | Description                 |
|----------|-----------------------------|
| BHB      | Hand Brush - Bassine (Firm) |
| CHB      | Hand Brush - Coco (Soft)    |

## DUSTPAN & BRUSH – HEAVY DUTY



| Part No. | Description                          |
|----------|--------------------------------------|
| DBHDB    | Dustpan & Brush Heavy Duty Bulldozer |

## DUSTPAN – METAL



| Part No. | Description   |
|----------|---------------|
| DPM      | Dustpan Metal |

## + SITE EQUIPMENT

### DUSTBINS



| Part No. | Description                      |
|----------|----------------------------------|
| DP       | Dustbin Plastic 80Ltr            |
| DPHD     | Dustbin Plastic 90Ltr Heavy Duty |

### WHEELIE BIN



| Part No. | Description        |
|----------|--------------------|
| WB240    | Wheelie Bin 240ltr |

### DUSTBIN – WHEELIE BIN – BAGS



| Part No. | Description                  |
|----------|------------------------------|
| DB50     | Dustbin Bags Pack of 50      |
| WBL020   | Wheelie Bin Liner Pack of 20 |
| WBL100   | Wheelie Bin Liner Box of 100 |

### RUBBLE SACKS



| Part No. | Description                      |
|----------|----------------------------------|
| RS030    | Rubble Sacks Pack of 30          |
| RS100    | Rubble Sacks Box of 100          |
| RS005HD  | Rubble Sack Pack of 5 Heavy Duty |

### JUMBO BAG – TON



| Part No. | Description     |
|----------|-----------------|
| JB1TFP   | Jumbo Bag 1 Ton |

### SANDBAG



| Part No.    | Description                      |
|-------------|----------------------------------|
| PS750330010 | Polypropylene Sandbag Pack of 10 |
| PS800335050 | Polypropylene Sandbag Pack of 50 |
| HS750340050 | Hessian Sandbag Pack of 50       |

## + SITE EQUIPMENT



### WHEELBARROW – PNEUMATIC TYRE



| Part No. | Description                     |
|----------|---------------------------------|
| WP       | Wheelbarrow With Pneumatic Tyre |

### SACK TRUCK



| Part No. | Description                 |
|----------|-----------------------------|
| ST100    | Sack Truck 100kg            |
| ST315HD  | Sack Truck 315kg Heavy Duty |

### SALT SPREADER



| Part No. | Description                      |
|----------|----------------------------------|
| SGS27    | Salt & Grit Spreader 27kg Hopper |

### SNOW SCOOP



| Part No.    | Description                  |
|-------------|------------------------------|
| SSP         | Snow Scoop Plastic           |
| FAIPLSHOVEL | Plastic Snow/Builders Shovel |

### ROCK SALT – SALT BIN



| Part No.       | Description         |
|----------------|---------------------|
| RS23           | Rock Salt 23kg Ba   |
| ROCKSALTBIN200 | Rock Salt Bin 200kg |

### DE-ICER – SCREEN WASH – ADBLUE



| Part No. | Description      |
|----------|------------------|
| DIA0600  | 600ml De-Icer    |
| SWC50    | 5Ltr Screen Wash |
| ADBLUE10 | 10Ltr Adblu      |



## + SITE EQUIPMENT

### JERRY CAN – SPOUT



| Part No. | Description             |
|----------|-------------------------|
| JERRYC05 | Jerry Can 5.0Ltr        |
| JERRYC10 | Jerry Can 10Ltr         |
| JERRYC20 | Jerry Can 20Ltr         |
| JERRYCPS | Jerry Can Pouring Spout |

### FUEL CONTAINER



| Part No. | Description           |
|----------|-----------------------|
| FC5G     | Fuel Can Green 5.0Ltr |
| FC5B     | Fuel Can Black 5.0Ltr |
| FC5R     | Fuel Can Red 5.0Ltr   |

### PLANT NAPPY – LINER



| Part No.    | Description                     |
|-------------|---------------------------------|
| PNS05000690 | Plant Nappy Small 500mm x 690mm |
| PNM06901000 | Plant Nappy Medium 690mm x 1mtr |
| PNL13702000 | Plant Nappy Large 1370mm x 2mtr |
| PNLS        | Plant Nappy Liner Small         |
| PNLM        | Plant Nappy Liner Medium        |
| PNLL        | Plant Nappy Liner Large         |

### DRIP TRAY



| Part No.      | Description                    |
|---------------|--------------------------------|
| DT10000550150 | Drip Tray 1mtr x 550mm x 150mm |
| DT10001000120 | Drip Tray 1mtr x 1mtr x 120mm  |

### FUNNEL – PLASTIC



| Part No. | Description                              |
|----------|------------------------------------------|
| FP160FP  | Plastic Funnel 160mm C/W Flexible Pipe   |
| FPS4     | Plastic Funnel Set 4Pce                  |
| OIL/TF   | Plastic Funnel With Filter 255mm x 165mm |

### FUNNEL – METAL



| Part No. | Description                 |
|----------|-----------------------------|
| FM150    | Metal Funnel 150mm Flexible |

## SPILL KIT – OIL



| Part No. | Description                           |
|----------|---------------------------------------|
| OSK015   | Oil Spill Kit 15Ltr                   |
| OSK120   | Oil Spill Kit 120Ltr With Wheelie Bin |
| OSK240   | Oil Spill Kit 240Ltr With Wheelie Bin |

## SPILL KIT – CHEMICAL



| Part No. | Description                           |
|----------|---------------------------------------|
| CSK015   | Chemical Spill Kit 15Ltr              |
| CSP090   | Chemical Spill Kit 90Ltr With Dustbin |

## SPILL KIT – GENERAL PURPOSE



| Part No. | Description                     |
|----------|---------------------------------|
| GSK020   | General Purpose Spill Kit 20Ltr |

## SPILL CONTROL – ABSORBENT SOCK – PAD



| Part No.        | Description                      |
|-----------------|----------------------------------|
| OSAS06000450470 | Oil Dry Absorbent Sock 20 Pack   |
| OSAP05000400007 | Oil Spill Pads 50 x 40cm 20 Pack |

## OIL GRANULES



| Part No. | Description                  |
|----------|------------------------------|
| OAG30    | Oil Absorbent Granules 30Ltr |

## HAZARDOUS WASTE BAGS – ASBESTOS



| Part No.     | Description                          |
|--------------|--------------------------------------|
| HWBB09000450 | Hazardous Waste Bag 900 x 460mm Blue |
| ABR          | Asbestos Bag Red 900 x 1200mm        |
| ABC          | Asbestos Bag Clear 900 x 1200mm      |

## + SITE EQUIPMENT

### TARPAULIN SHEET



| Part No. | Description                       |
|----------|-----------------------------------|
| T45      | Tarpaulin 3.5 x 5.4mtr            |
| T45HD    | Tarpaulin 3.5 x 5.4mtr Heavy Duty |

### TARPAULIN – CLIPS – BALL BUNGEEES



| Part No.  | Description                 |
|-----------|-----------------------------|
| TARPLIPO4 | Tarpaulin Clips 4Pk         |
| TARPBBO10 | Tarpaulin Ball Bungees 10Pk |

### BUNGEEES



| Part No. | Description                    |
|----------|--------------------------------|
| BS4006   | Bungee Strap 400mm 6Pk         |
| BS6006   | Bungee Strap 600mm 6Pk         |
| BS9006   | Bungee Strap 900mm 6Pk         |
| BSK12    | Bungee Strap Kit Assorted 12Pk |

### DEBRIS NETTING



| Part No.  | Description                    |
|-----------|--------------------------------|
| DN02050R  | Debris Netting 2 x 50mtr Red   |
| DN02050G  | Debris Netting 2 x 50mtr Green |
| DN02050B  | Debris Netting 2 x 50mtr Blue  |
| DN02050BL | Debris Netting 2 x 50mtr Black |

### BARRIER FENCE – FENCE PINS



| Part No. | Description                           |
|----------|---------------------------------------|
| BF50O    | Barrier Fencing Roll 1 x 50mtr Orange |
| BF50B    | Barrier Fencing Roll 1 x 50mtr Blue   |
| BF50G    | Barrier Fencing Roll 1 x 50mtr Green  |
| BF50Y    | Barrier Fencing Roll 1 x 50mtr Yellow |
| BFP      | Barrier Fence Pin 1200mm              |

### CABLE TIES



| Part No. | Description                  |
|----------|------------------------------|
| CT36140B | Cable Ties 3.6 x 140mm Black |
| CT48300B | Cable Ties 4.8 x 300mm Black |
| CT48370B | Cable Ties 4.8 x 370mm Black |
| CT76370B | Cable Ties 7.6 x 370mm Black |
| CT76540B | Cable Ties 7.6 x 540mm Black |

## RATCHET STRAPS



| Part No. | Description                 |
|----------|-----------------------------|
| RS042000 | Ratchet Strap 4mtr x 2000kg |
| RS045000 | Ratchet Strap 4mtr x 5000kg |
| RS063000 | Ratchet Strap 6mtr x 3000kg |
| RS085000 | Ratchet Strap 8mtr x 5000kg |

Full range of ratchet straps available to order

## CARGO/WEBBING – SLINGS



| Part No. | Description           |
|----------|-----------------------|
| CS1T01   | Cargo Sling 1t x 1mtr |
| CS1T02   | Cargo Sling 1t x 2mtr |
| CS1T03   | Cargo Sling 1t x 3mtr |
| CS2T01   | Cargo Sling 2t x 1mtr |

Full range of cargo slings available to order

## CAM BUCKLED STRAP – TIE DOWN



| Part No. | Description                                 |
|----------|---------------------------------------------|
| H449682  | Cam Buckle Tie Down Strap 2.5mtr x 25mm 2Pk |

## STRAP PROTECTORS – TIE DOWN



| Part No. | Description                   |
|----------|-------------------------------|
| H238937  | Strap Protectors Tie Down 4Pk |

## SUCTION PADS – PLASTIC



| Part No. | Description                      |
|----------|----------------------------------|
| GSPS     | Single Suction Pad Plastic 35kg  |
| GSPD     | Double Suction Pad Plastic 70kg  |
| GSPT     | Triple Suction Pad Plastic 100kg |
| GSPQ     | Quad Suction Pad Plastic 120kg   |

## SUCTION PADS – ALUMINIUM



| Part No. | Description                        |
|----------|------------------------------------|
| GSAS     | Single Suction Pad Aluminium 50kg  |
| GSAD     | Double Suction Pad Aluminium 80kg  |
| GSADF    | Double Suction Pad Aluminium 100kg |



## + SITE EQUIPMENT

### ROPE – POLYPROPYLENE – COIL



| Part No. | Description                           |
|----------|---------------------------------------|
| RP06220  | Polypropylene Rope 6mm x 220mtr Coil  |
| RP08220  | Polypropylene Rope 8mm x 220mtr Coil  |
| RP10220  | Polypropylene Rope 10mm x 220mtr Coil |
| RMP10030 | Multi-Purpose Rope 10mm x 30mtr       |

### ROPE – POLYPROPYLENE – DRUM



| Part No. | Description                          |
|----------|--------------------------------------|
| RP06500D | Polypropylene Rope 6mm x 500mtr Drum |
| RP08500D | Polypropylene Rope 8mm x 500mtr Drum |

### WARNING TAPE – DETECTABLE MESH



| Part No.  | Description                                 |
|-----------|---------------------------------------------|
| TDM200100 | Detectable Mesh Warning Tape 200mm x 100mtr |

### WARNING TAPE – UNDERGROUND



| Part No.   | Description                         |
|------------|-------------------------------------|
| TPW1503650 | Polythene Warning Tape 150mm 365mtr |

### SCAFFOLD SHEETING



| Part No.  | Description                                    |
|-----------|------------------------------------------------|
| SS02045   | Scaffold Sheeting 2mtr x 45mtr                 |
| SS02045FR | Scaffold Sheeting 2mtr x 45mtr Flame Retardant |

### BUNTING



| Part No. | Description                               |
|----------|-------------------------------------------|
| PMBRW26  | Pendant Marking Bunting Red & White 26mtr |



## + SITE EQUIPMENT



### SPRAYER – DUST SUPPRESSION



| Part No. | Description                   |
|----------|-------------------------------|
| PS14DS   | Dust Suppression Bottle 14Ltr |

### SPRAYER – PRESSURE – SHOULDER



| Part No. | Description            |
|----------|------------------------|
| PS05     | Pressure Sprayer 5Ltr  |
| PS08     | Pressure Sprayer 8Ltr  |
| PS10     | Pressure Sprayer 10Ltr |

### SPRAYER – PRESSURE – HAND



| Part No. | Description           |
|----------|-----------------------|
| PS02     | Pressure Sprayer 2Ltr |

### SPRAYER – TRIGGER



| Part No. | Description                |
|----------|----------------------------|
| TSP0500  | Trigger Spray Bottle 500ml |

### WATER CONTAINER



| Part No. | Description           |
|----------|-----------------------|
| WC25     | Water Container 25Ltr |
| WCT      | Water Container Tap   |

### HOSE – PIPE – ACCESSORIES



| Part No. | Description                   |
|----------|-------------------------------|
| HR1230   | ½" Reinforced Hose Pipe 30mtr |
| HTSS4    | Hose Trigger Set 4Pce         |

## + SITE EQUIPMENT

### CANTEEN TABLE – FOLDING



| Part No. | Description             |
|----------|-------------------------|
| CT       | Canteen Table – Folding |

### CANTEEN CHAIRS – STACKING



| Part No. | Description    |
|----------|----------------|
| SC       | Stacking Chair |

### KETTLE



| Part No. | Description          |
|----------|----------------------|
| KC240    | Cordless Kettle 240v |

### MICROWAVE



| Part No. | Description    |
|----------|----------------|
| M800     | Microwave 800W |

### TOASTER



| Part No. | Description     |
|----------|-----------------|
| T2       | Toaster 2 Slice |
| T4       | Toaster 4 Slice |

### FRIDGE – UNDER COUNTER



| Part No. | Description          |
|----------|----------------------|
| FUC      | Fridge Under Counter |

## + SITE EQUIPMENT



### CANTEEN – TEA – SUGAR – COFFEE



| Part No. | Description          |
|----------|----------------------|
| TB1100T  | Tea Bag 1100 Tetley  |
| SUG1     | Sugar 1kg Bag        |
| COF0750  | Coffee 750kg Nescafe |
| LLM      | Long Life Milk       |

### CANTEEN – MUGS – CUTLERY



| Part No.       | Description              |
|----------------|--------------------------|
| KITCHENMUG     | Mug                      |
| KITCHENFORK04  | Fork 4 Pack              |
| KITCHENKNIFE04 | Knife 4 Pack             |
| KITCHENSPOON04 | Spoon 4 Pack             |
| KITCHENTSP     | Teaspoon                 |
| KITCHENDSS12   | Dinner Service Set 12Pce |

### SWING BIN – LINER



| Part No. | Description          |
|----------|----------------------|
| SW48L    | Swing Bin 48Ltr      |
| SBB050   | Swing Bin Liner 50Pk |

### PAPER TOWEL – HOLDER



| Part No. | Description           |
|----------|-----------------------|
| CFPT     | C-Fold Paper Towels   |
| PTD      | Paper Towel Dispenser |

### CENTRE FEED – HOLDER



| Part No. | Description            |
|----------|------------------------|
| CFRB     | Centre Feed Roll White |
| CPD      | Centre Feed Dispenser  |

### TOILET ROLL – TOILET BRUSH



| Part No. | Description                 |
|----------|-----------------------------|
| TR36     | Toilet Roll 36P             |
| TBHW     | Toilet Brush & Holder White |

# + ACCESS – LADDERS

## LADDERS – SINGLE



| Part No. | Description                                    |
|----------|------------------------------------------------|
| TRO30S   | Aluminium Class 1 Single Ladder 11 Rung 3.0Mtr |
| TRO40S   | Aluminium Class 1 Single Ladder 15 Rung 4.0Mtr |
| TRO50S   | Aluminium Class 1 Single Ladder 19 Rung 5.0Mtr |

## LADDERS – TRIPLE



| Part No. | Description                                                    |
|----------|----------------------------------------------------------------|
| TRO25T   | Aluminium Class 1 Triple Extension Ladder 9 Rung 2.5 > 5.5Mtr  |
| TRO30T   | Aluminium Class 1 Triple Extension Ladder 11 Rung 3.0 > 7.1Mtr |
| TRO35T   | Aluminium Class 1 Triple Extension Ladder 13 Rung 3.5 > 8.6Mtr |

## LADDERS – DOUBLE



| Part No. | Description                                                     |
|----------|-----------------------------------------------------------------|
| TRO25D   | Aluminium Class 1 Double Extension Ladder 9 Rung 2.5 > 4.0Mtr   |
| TRO30D   | Aluminium Class 1 Double Extension Ladder 11 Rung 3.0 > 5.0Mtr  |
| TRO35D   | Aluminium Class 1 Double Extension Ladder 13 Rung 3.5 > 6.0Mtr  |
| TRO40D   | Aluminium Class 1 Double Extension Ladder 15 Rung 4.0 > 7.1Mtr  |
| TRO45D   | Aluminium Class 1 Double Extension Ladder 17 Rung 4.5 > 8.1Mtr  |
| TRO50D   | Aluminium Class 1 Double Extension Ladder 19 Rung 5.0 > 9.1Mtr  |
| TRO55D   | Aluminium Class 1 Double Extension Ladder 21 Rung 5.5 > 10.1Mtr |

## LADDERS – TELESCOPIC



| Part No. | Description                                          |
|----------|------------------------------------------------------|
| TLA32    | Telescopic Ladders Aluminium 11 Tread 3.2 Metre Open |
| TLA38    | Telescopic Ladders Aluminium 13 Tread 3.8 Metre Open |

## STEPS – BUILDERS ALUMINIUM



| Part No. | Description                                                   |
|----------|---------------------------------------------------------------|
| ASB05T1  | Aluminium Class 1 Builders Steps 5 Tread Open Height 1.06Mtr  |
| ASB06T1  | Aluminium Class 1 Builders Steps 6 Tread Open Height 1.27Mtr  |
| ASB07T1  | Aluminium Class 1 Builders Steps 7 Tread Open Height 1.49Mtr  |
| ASB08T1  | Aluminium Class 1 Builders Steps 8 Tread Open Height 1.69Mtr  |
| ASB10T1  | Aluminium Class 1 Builders Steps 10 Tread Open Height 2.10Mtr |
| ASB12T1  | Aluminium Class 1 Builders Steps 12 Tread Open Height 2.52Mtr |

## STEPS – PLATFORM ALUMINIUM



| Part No. | Description                                                       |
|----------|-------------------------------------------------------------------|
| ASP04T1  | Aluminium Class 1 Platform Steps 4 Tread Platform Height 0.88Mtr  |
| ASP06T1  | Aluminium Class 1 Platform Steps 6 Tread Platform Height 1.30Mtr  |
| ASP08T1  | Aluminium Class 1 Platform Steps 8 Tread Platform Height 1.72Mtr  |
| ASP10T1  | Aluminium Class 1 Platform Steps 10 Tread Platform Height 2.14Mtr |
| ASP12T1  | Aluminium Class 1 Platform Steps 12 Tread Platform Height 2.56Mtr |

## STEPS – BUILDERS FIBREGLASS



| Part No. | Description                                            |
|----------|--------------------------------------------------------|
| FSB04T   | Fibreglass Builders Steps 4 Tread Open Height 1.10Mtr  |
| FSB05T   | Fibreglass Builders Steps 5 Tread Open Height 1.38Mtr  |
| FSB06T   | Fibreglass Builders Steps 6 Tread Open Height 1.65Mtr  |
| FSB08T   | Fibreglass Builders Steps 8 Tread Open Height 2.20Mtr  |
| FSB10T   | Fibreglass Builders Steps 10 Tread Open Height 2.74Mtr |



| Part No. | Description                                                |
|----------|------------------------------------------------------------|
| FSP03T   | Fibreglass Platform Steps 3 Tread Platform Height 0.70Mtr  |
| FSP04T   | Fibreglass Platform Steps 4 Tread Platform Height 0.94Mtr  |
| FSP05T   | Fibreglass Platform Steps 5 Tread Platform Height 1.18Mtr  |
| FSP06T   | Fibreglass Platform Steps 6 Tread Platform Height 1.41Mtr  |
| FSP07T   | Fibreglass Platform Steps 7 Tread Platform Height 1.64Mtr  |
| FSP08T   | Fibreglass Platform Steps 8 Tread Platform Height 1.87Mtr  |
| FSP10T   | Fibreglass Platform Steps 10 Tread Platform Height 2.33Mtr |



## + ACCESS – STEPS

### PLATFORMS



| Part No.     | Description                                     |
|--------------|-------------------------------------------------|
| SUP500900300 | Step Up Platform 500mm Heavy Duty 900mm x 300mm |
| SUP510600600 | Step Up Platform 510mm Heavy Duty 600mm x 600mm |

### SCAFFOLD TAGS



| Part No. | Description      |
|----------|------------------|
| STH      | Scaff Tag Holder |
| STI      | Scaff Tag Insert |

### CLOW TAGS

Clow Inspection Tags provide a simple visual check of an item of equipment's last inspection date and next due inspection date. It is important that Ladders, Steps and Towers are regularly inspected to ensure that equipment is safe and fit for purpose. In line with guidance from the Health and Safety Executive, (HSE), access equipment should be inspected on a regular basis.

### LADDER CLAMPS

Clamping kit for safely securing ladders for transportation or storage.



| Part No. | Description         |
|----------|---------------------|
| LCP      | Ladder Clamp (Pair) |



| Part No. | Description     |
|----------|-----------------|
| CTH      | Clow Tag Holder |
| CTI      | Clow Tag Insert |

## CO2

For use on flammable liquids such as oil or petrol and electrical equipment. Rating 34B.



| Part No. | Description               |
|----------|---------------------------|
| FECO22   | Fire Extinguisher CO2 2KG |
| FECO25   | Fire Extinguisher CO2 5KG |

## POWDER

Compact powder fire extinguisher for small fires on petrol, oil, gas, paint, furniture, wood, solvents and electrical equipment. Use on A, B and C class fires. Rating 13A/70B.



| Part No. | Description                   |
|----------|-------------------------------|
| FEP1     | Fire Extinguisher Powder 1 KG |
| FEP2     | Fire Extinguisher Powder 2 KG |
| FEP6     | Fire Extinguisher Powder 6 KG |
| FEP9     | Fire Extinguisher Powder 9 KG |

## FOAM

For paper, wood, textiles, fabric and flammable liquids. Higher fire rating and lower weight makes it more effective than water. Rating 13A / 183B fire ratings.



| Part No. | Description                    |
|----------|--------------------------------|
| FEF2     | Fire Extinguisher Foam 2 Litre |
| FEF6     | Fire Extinguisher Foam 6 Litre |
| FEF9     | Fire Extinguisher Foam 9 Litre |

## WATER

For use on paper, wood, textiles and similar materials. Fully charged for use on Class A fires. Rating 21A.



| Part No. | Description                     |
|----------|---------------------------------|
| FEW9     | Fire Extinguisher Water 9 Litre |

## + EXTINGUISHERS

### MOBILE KIT

Mobile fire point with rotary hand alarm bell. Supplied with 2 extinguishers and 1 bucket. Mild steel construction with nylon wheels and rubber tread. Powder coated paint finish for high durability. Ideal for construction sites and forecourts.



| Part No. | Description                  |
|----------|------------------------------|
| FEMK     | Fire Extinguisher Mobile Kit |

### MOBILE TROLLEY

Fire Extinguisher Mobile Trolley



| Part No. | Description                      |
|----------|----------------------------------|
| FEMT     | Fire Extinguisher Mobile Trolley |

### EVACUATION AIR HORN



| Part No. | Description         |
|----------|---------------------|
| EAH      | Evacuation Air Horn |

### EXTINGUISHER STAND

Fire extinguisher stand with integral ID sign position.



| Part No. | Description                    |
|----------|--------------------------------|
| FESS     | Fire Extinguisher Stand Single |
| FESD     | Fire Extinguisher Stand Double |

## ES – FESTOON



| Part No. | Description                                                     |
|----------|-----------------------------------------------------------------|
| E89816   | DEFENDER 22m LED Encapsulated Festoon String Lights 50W110V 50W |
| E89817   | DEFENDER 22m LED Encapsulated Festoon String Lights 50W240V 50W |

## FLUORESCENT – FRAME



| Part No. | Description                                            |
|----------|--------------------------------------------------------|
| E709278  | DEFENDER LED Floor Light + Twin Power Take-Off 2ft110V |




## + LIGHTING

### HALOGEN – FLOOR LIGHT



| Part No. | Description                                |
|----------|--------------------------------------------|
| E206011  | DEFENDER Slimline LED Floor Light 110V 20W |
| E206012  | DEFENDER Slimline LED Floor Light 240V 20W |
| E206013  | DEFENDER Slimline LED Floor Light 110V 30W |
| E206014  | DEFENDER Slimline LED Floor Light 110V 50W |
| E206017  | DEFENDER Slimline LED Floor Light 240V 30W |

### FLUORESCENT – UPLIGHT



| Part No. | Description                                |
|----------|--------------------------------------------|
| E712654  | DEFENDER V3 Splitter Base 4 x 16A110V      |
| E712550  | DEFENDER V2 Wobble Base V2 Base            |
| E712671  | DEFENDER V2 4ft LED Uplight Only 110V      |
| E7126585 | DEFENDER LED Uplight Stick V3 4ft 110V 25W |

### LED – TRIPOD LIGHTS



| Part No. | Description                              |
|----------|------------------------------------------|
| E709305  | DEFENDER Single Head Site Light LED 110V |
| E705625  | DEFENDER Twin Head Site Light LED 110V   |



# + ELECTRICAL ACCESSORIES



## CABLE REELS



| Part No. | Description                     |
|----------|---------------------------------|
| CR25110  | Cable Reel 25mtr 110v 16A 1.5mm |
| CR50110  | Cable Reel 50mtr 110v 16A 1.5mm |
| CR25240  | Cable Reel 25mtr 240v           |
| CR50240  | Cable Reel 50mtr 240v           |

## EXTENSIONS



| Part No.  | Description                         |
|-----------|-------------------------------------|
| EL1611015 | Extension Lead 110v 16A 14mtr 1.5mm |
| EL1611025 | Extension Lead 110v 16A 14mtr 2.5mm |
| EL1624015 | Extension Lead 240v 16A 14mtr 1.5mm |
| EL1624025 | Extension Lead 240v 16A 14mtr 2.5mm |
| EL3211025 | Extension Lead 110v 32A 14mtr 2.5mm |
| EL3224025 | Extension Lead 240v 32A 14mtr 2.5mm |

## CASSETTE REELS



| Part No. | Description             |
|----------|-------------------------|
| CRC1010  | Cassette Reel 10mtr 10A |
| CRC1513  | Cassette Reel 15mtr 13A |

## EXTENSIONS – 4 GANG



| Part No.  | Description                              |
|-----------|------------------------------------------|
| EL4G2405  | Extension Lead 4 Gang 240v 5mtr          |
| EL4G2402S | Extension Lead 4 Gang 240v 2mtr Switched |

## JUNCTION BOX



| Part No. | Description                     |
|----------|---------------------------------|
| JB4110   | 4 Way Junction Box 110v 4 x 16A |
| JB4240   | 4 Way Junction Box 240v 4 x 16A |

## TRANSFORMERS



| Part No. | Description        |
|----------|--------------------|
| T15      | 1.5KVA Transformer |
| T33      | 3.0KVA Transformer |
| T50      | 5.0KVA Transformer |

# + ELECTRICAL ACCESSORIES

## PLUGS



| Part No. | Description   |
|----------|---------------|
| P16110   | 110v Plug 16A |
| P16240   | 240v Plug 16A |
| P32110   | 240v Plug 32A |
| P32240   | 240v Plug 32A |

## COUPLERS



| Part No. | Description      |
|----------|------------------|
| C16110   | 110v Coupler 16A |
| C16240   | 240v Coupler 16A |
| C32110   | 110v Coupler 32A |
| C32240   | 240v Coupler 32A |

## SPLITTER – 3 WAY



| Part No. | Description             |
|----------|-------------------------|
| A316110  | 110v 3-Way Splitter 16A |
| A316240  | 110v 3-Way Splitter 16A |

## CABLE HANGING HOOK



| Part No. | Description        |
|----------|--------------------|
| TH03     | Cable Hanging Hook |

## TORCHES – WORK – HAND



| Part No. | Description                         |
|----------|-------------------------------------|
| 65304    | Multi Angle Magnetic Cob Work Light |
| 65279    | Cob Work Light/Torch                |

## TORCHES – HEAD LIGHT



| Part No. | Description                 |
|----------|-----------------------------|
| 65315    | Wide Angle Cob Head Light   |
| 65258    | Ultra Bright Cob Head Light |

## BATTERIES



BAAA4



BAA4



BC2



BD2



B9V

| Part No. | Description              |
|----------|--------------------------|
| BAAA4    | AAA Battery Card of 4    |
| BAA4     | AA Battery Card of 4     |
| BC2      | C Battery 1.5V Card of 2 |
| BD2      | D Battery 1.5V Card of 2 |
| B9V      | 9V Battery Card of 1     |

## ROAD LAMP

A small but powerful flashing amber light that effectively fits on road cones and skips etc. This high-performance lamp is battery operated A 6v (11Ah) (sold separately) and is made from a tough polypropylene body, making it suitable for harsh weather conditions. Featuring a polycarbonate amber lamp lens for clear and easy visibility, full 360-degree view of light and a simple twist action to switch it on and off, this cone / skip lamp will effectively provide the necessary light and awareness to workers and pedestrians passing a work site.



| Part No. | Description            |
|----------|------------------------|
| FWL      | Flashing Warning Light |

## 6V – ROAD LAMP – BATTERY



| Part No. | Description     |
|----------|-----------------|
| B6V      | 6V Battery 4R25 |



# + ELECTRICAL ACCESSORIES

## ANEMOMETER



| Part No. | Description |
|----------|-------------|
|----------|-------------|

|       |                                |
|-------|--------------------------------|
| TA070 | Anemometer With Beaufort Scale |
|-------|--------------------------------|


## SOUND – LIGHT METER – DIGITAL



| Part No. | Description |
|----------|-------------|
|----------|-------------|

|             |                           |
|-------------|---------------------------|
| FAIDETSOUND | Digital Sound Level Meter |
| FAIDETLIGHT | Digital Lux / Light Meter |

## STUD – METAL – WIRE – DETECTOR



| Part No. | Description |
|----------|-------------|
|----------|-------------|

|          |                                        |
|----------|----------------------------------------|
| FAIDET31 | 3 in 1 Detector Stud Metal & Live Wire |
|----------|----------------------------------------|

## DAMP – MOISTURE – METER



| Part No. | Description |
|----------|-------------|
|----------|-------------|

|            |                       |
|------------|-----------------------|
| FAIDETDAMP | Damp & Moisture Meter |
|------------|-----------------------|

## MULTIMETER – VOLTAGE – TESTER



| Part No. | Description |
|----------|-------------|
|----------|-------------|

|             |                                  |
|-------------|----------------------------------|
| FAIDETMULTI | Multimeter                       |
| FAIDETVOLT  | Voltage Detector Pen 50-1000V AC |
| FAIDETVOLT2 | Voltage Detector Stick           |

## THERMOMETER – MAX/MIN – DIGITAL



| Part No. | Description |
|----------|-------------|
|----------|-------------|

|              |                             |
|--------------|-----------------------------|
| FAITHMMBUTMF | Thermometer Max/Min         |
| FAITHMMDIG   | Thermometer Max/Min Digital |

## PADLOCKS – STEEL



| Part No. | Description               |
|----------|---------------------------|
| PL040    | 40mm Steel Padlock 3 Keys |
| PL050    | 50mm Steel Padlock 3 Keys |
| PL060    | 60mm Steel Padlock 3 Keys |

## PADLOCKS – LAMINATED



| Part No. | Description                   |
|----------|-------------------------------|
| PL040L   | 40mm Laminated Padlock 2 Keys |
| PL050L   | 50mm Laminated Padlock 2 Keys |
| PL065L   | 65mm Laminated Padlock 2 Keys |

## PADLOCKS – WEATHER RESISTANT



| Part No. | Description                           |
|----------|---------------------------------------|
| PL040WR  | 40mm Weather Resistant Padlock 2 Keys |
| PL050WR  | 50mm Weather Resistant Padlock 2 Keys |
| PL065WR  | 65mm Weather Resistant Padlock 2 Keys |

## PADLOCKS – BRASS



| Part No. | Description               |
|----------|---------------------------|
| PL020B   | 20mm Brass Padlock 2 Keys |
| PL030B   | 30mm Brass Padlock 2 Keys |
| PL040B   | 40mm Brass Padlock 2 Keys |
| PL050B   | 50mm Brass Padlock 2 Keys |
| PL060B   | 60mm Brass Padlock 2 Keys |

## PADLOCKS – SHUTTER



| Part No. | Description                 |
|----------|-----------------------------|
| PL060S   | 60mm Shutter Padlock 3 Keys |
| PL094S   | 94mm Shutter Padlock 3 Keys |

## PADLOCKS – DISC



| Part No. | Description              |
|----------|--------------------------|
| PL070    | 70mm Disc Padlock 2 Keys |
| PL090    | 90mm Disc Padlock 2 Keys |



# + SECURITY

## KEY CABINETS



| Part No. | Description         |
|----------|---------------------|
| KC20     | Key Cabinet 20 Keys |

## KEY BOX – WALL MOUNTED



| Part No. | Description             |
|----------|-------------------------|
| CKS      | Combination Key Storage |

## ID KEY TAGS



| Part No. | Description     |
|----------|-----------------|
| KT12     | Key Tag 12 Pack |

## CASH BOXES



| Part No.  | Description             |
|-----------|-------------------------|
| CASHBOX8K | 8" Cash Box 2 Keys      |
| CASHBOX8C | 8" Cash Box Combination |

## BIKE STAND – WALL MOUNTED



| Part No. | Description             |
|----------|-------------------------|
| H250707  | Bike Stand Wall Mounted |

## CABLE LOCK – COMBINATION



| Part No. | Description            |
|----------|------------------------|
| CLC      | Combination Cable Lock |

## PADLOCKS – COMBINATION



| Part No.  | Description                             |
|-----------|-----------------------------------------|
| PLC050SQ4 | 50mm Combination Padlock 4 Digit Squire |
| PLC050S   | 50mm Combination Padlock                |

## PADLOCKS – KEYED ALIKE



| Part No.  | Description                   |
|-----------|-------------------------------|
| PL040KA4  | 40mm Keyed Alike Padlocks 4Pk |
| PL050KA6I | 50mm Keyed Alike Padlocks 6Pk |

## CHAIN & PADLOCK SET



| Part No.    | Description                      |
|-------------|----------------------------------|
| KDPLK074    | 1100mm x 10mm Chain & HD Padlock |
| SECC0818NSH | 1800mm x 8mm Nylon Sheath Chain  |
| SECC1018NSH | 1800mm x 10mm Nylon Sheath Chain |

## CHAIN – WELDED LINK



| Part No.  | Description                 |
|-----------|-----------------------------|
| CH0604201 | 6 x 42mm Zinc Chain x 1mtr  |
| CH0604202 | 6 x 42mm HDG Chain x 2mtr   |
| CH0604210 | 6 x 42mm Zinc Chain x 10mtr |

## DIGITAL DOOR LOCK



| Part No. | Description                |
|----------|----------------------------|
| DDL14    | Digital Door Lock 14 Digit |

## HASP & STAPLES



| Part No. | Description                    |
|----------|--------------------------------|
| HS10038Z | Hasp & Staple 100 x 38mm Zinc  |
| HS10038B | Hasp & Staple 100 x 38mm Black |
| HS15040Z | Hasp & Staple 150 x 40mm Zinc  |
| HS15040B | Hasp & Staple 150 x 40mm Black |

The robust, good value  
solution for securing  
tools and equipment

**armorgard**  
**oxbox™**

OxBox™ tool vaults provide a fantastic combination of security and affordability. OxBox™ shares many of the premium features of our higher-priced storage box ranges, including locks, hinges, gas struts and paint finish. Its unique "folded" construction delivers outstanding strength. The OxBox™ is available in 6 sizes and is made from 1.5 mm and 2 mm steel.

STEEL PLATE  
CONSTRUCTION  
WITH DURABLE  
POWDER-COATED  
FINISH



KEYED ALIKE 5-LEVER  
DEADLOCKS BOTH  
SIDES WITH HEAVY-DUTY  
CHUBB-STYLE KEYS



STRONG GAS STRUTS  
FITTED AS STANDARD  
- CONFORMS TO  
INDUSTRY STANDARDS

SUITABLE FOR VANS,  
TRUCKS, WORKSHOPS  
AND SITES



OX3

FORK SKIDS  
WITH FIXING SLOTS FOR  
EASILY ADDING CASTORS  
(EXCEPT OX1, OX2 AND OX6)

»  
OPTIONAL EXTRAS



HEAVY-DUTY CASTORS  
USING THE PRE-DRILLED  
HOLES (EXCEPT OX05,  
OX1, OX2 AND OX6)



For on-site solutions, call our customer  
experience team on **023 9238 0280**  
or email **sales@armorgard.co.uk**



| Product Code | Description | Weight (kg) | External Dimensions<br>W x D x H (mm) | Internal Dimensions<br>W x D x H (mm) |
|--------------|-------------|-------------|---------------------------------------|---------------------------------------|
| OX05         | Van Box     | 27          | 810 x 470 x 385                       | 755 x 425 x 370                       |
| OX1          | Van Box     | 32          | 885 x 470 x 450                       | 830 x 425 x 435                       |
| OX2          | Truck Box   | 41          | 1155 x 450 x 460                      | 1130 x 425 x 445                      |
| OX3          | Site Box    | 60          | 1210 x 625 x 645                      | 1115 x 595 x 550                      |
| OX4          | Site Chest  | 89          | 1215 x 595 x 1185                     | 1125 x 570 x 1090                     |
| OX6          | Truck Box   | 60          | 1740 x 515 x 445                      | 1715 x 485 x 430                      |

\*Optional shelves available for on-site chests; see page 119. Note: Weights and dimensions are approximate. External dimensions include handles.



**A go-anywhere,  
multi-purpose cutting  
station with unrivalled  
safety features to  
minimise vibration,  
sparks, noise and dust**

Our ever-popular Armorgard **CuttingStation™** is a neat mobile workstation that eliminates the need for a separate cutting room and is essential for safely cutting lengths of material, such as conduit, timber, cable tray and pipe. The SS7 model includes lighting and chamfered corners to further reduce noise. You'll also find a new expandable working area to accommodate mitre saws and cutaway sides for handling longer materials.

**Patent number:  
17183824.6 (SS7)**

# **armorgard** **cuttingstation™**

SWarf COLLECTOR  
WITH DUST EXTRACTOR  
CONNECTION

ADAPTABLE PVC  
CURTAINS TO  
CONTAIN SPARKS

RUBBER MAT  
TO REDUCE  
VIBRATION

RECESSED 110 V  
INLET POWER  
SUPPLY, 2 X 110 V  
INTERNAL SOCKETS,  
AND LIGHT

EXTENDABLE  
SUPPORT ARMS  
WITH 4  
CONFIGURATIONS

KEYED ALIKE  
5-LEVER  
DEADLOCK WITH  
CHUBB-STYLE  
KEYS

SECURE CABINET  
TO KEEP YOUR  
TOOLS SAFE

RUBBERISED  
WHEELS FOR  
REDUCED  
VIBRATION

SS7

**European Patent  
Application Number:**  
EP17183824.6

**European Community  
Design Registration  
Number:** 004511525







**armorgard**  
cuttingstation™

WORK PLATFORMS AND UNITS



OPTIONAL EXTRAS

# armorgard<sup>TM</sup> cuttingstation

EXTRACTION SYSTEM  
HELPS TO CONTAIN DUST  
AND REDUCES EXPOSURE  
TO HARMFUL SUBSTANCES

SS7X

SS7C

SS7C UNIVERSAL CLAMP HOLDS  
ELECTRIC SAWS IN PLACE TO  
IMPROVE HEALTH AND SAFETY.  
COMPATIBLE WITH SS7 AND SS7X



LIFTING EYES  
TO ALLOW FOR  
TRANSIT BY CRANE



FORK SKIDS  
FOR EASY  
TRANSPORTATION

WORKS PERFECTLY  
WITH THE HUSQVARNA  
AIR SCRUBBER

Patent number:  
17183824.6 (SS7X)

HEAVY-DUTY  
ALL-SWIVEL  
WHEELS FOR  
GOOD MOBILITY



For on-site solutions, call our customer  
experience team on **023 9238 0280**  
or email **sales@armorgard.co.uk**





EASY ACCESS  
WITH CUT-OUT  
FRONT

PROVISION FOR  
ATTACHING A  
VACUUM HOSE

EXTENDABLE BACK  
PANEL FOR EXTRA  
WORKSPACE TO CATER  
FOR MITRE SAWS

NARROW ENOUGH  
TO FIT THROUGH  
STANDARD  
DOORWAYS




## THE 4 CONFIGURATIONS OF THE EXTENDABLE SUPPORT ARMS



FLAT SURFACE  
IDEAL FOR LONG  
LENGTHS



ROLLER SURFACE  
IDEAL FOR LONG  
LENGTHS



V-SHAPE  
IDEAL FOR  
ROUND PIPES



FLAT EDGE  
IDEAL FOR LONG  
LENGTHS

| Product Code | Description                               | Weight (kg) | External Dimensions<br>W x D x H (mm)                       | Internal Dimensions<br>W x D x H (mm)                                   |
|--------------|-------------------------------------------|-------------|-------------------------------------------------------------|-------------------------------------------------------------------------|
| SS7          | CuttingStation™                           | 175         | Standard: 1390 x 780 x 1900<br>Extended: 3225 x 1090 x 1900 | Top (With Extended Back): 1125 x 955 x 1000<br>Bottom: 1125 x 710 x 550 |
| SS7X         | CuttingStation™ with<br>Extraction System | 200         | Standard: 1390 x 780 x 1900<br>Extended: 3225 x 1090 x 1900 | Top (With Extended Back): 1125 x 955 x 1000<br>Bottom: 1125 x 710 x 550 |
| SS7C         | CuttingStation™ Clamp                     | 4           | 1000 x 550 x 30                                             | N/A                                                                     |

Note: Weights and dimensions are approximate. External dimensions include handles.

The unique space-saving  
trolley for transporting  
large sheets of board

Save space, make handling easier and protect your materials from damage using **LoadAll™ LA750**. Whether in the yard or on-site, transporting large sheets of board has never been easier. Specially designed for storing and transporting plasterboard and other large sheet materials.

**armorgard**  
**loadall™**  
**LA750**



ROBUST CONSTRUCTION  
USING 3 MM STEEL

SIDE-LOADING FACILITY  
WITH EASY-GRAB HANDLES

LA750

H-FRAME DESIGN FOR  
EASE OF TRANSPORTING  
THROUGH DOORWAYS  
AND NARROW SPACES

HEAVY-DUTY CASTORS  
SUPPLIED AS STANDARD  
- ALL SWIVEL WHEELS  
(TWO BRAKED)



EASILY COLLAPSED WITH  
STORAGE PROVISIONS FOR  
THE UPRIGHT SUPPORTS

MANUAL HANDLING PRODUCTS





The unique space-saving  
trolley for transporting  
large sheets of board

Save space, ease manual handling and protect your materials with the **LoadAll™ LA750-PRO**. The combination of the H-frame design and innovative clamping system with the swivel wheels and telescopic handle make the LA750-PRO easy to manoeuvre when carrying a full load of sheet materials through doorways and around corners.

**armorgard**

# loadall™ LA750-PRO



LA750-PRO

SECURE THE LOAD  
WITH UNIQUE  
CLAMP SYSTEM

UNIQUE H-FRAME DESIGN  
MAKES ACCESS THROUGH  
DOORWAYS EASIER

EXTENDING HANDLE TO  
ACCOMMODATE  
DIFFERENT BOARD SIZES

SIDE-LOADING FACILITY  
WITH EASY-GRAB  
HANDLES

ROBUST CONSTRUCTION  
USING 3 & 5 MM STEEL

CAN BE EASILY  
COLLAPSED WITH NO  
DETACHABLE PARTS

HEAVY-DUTY CASTORS  
ALL SWIVEL AND 2  
BRAKED FOR MAXIMUM  
CONTROL OF UNIT

ROBUST POWDER COAT



» WATCH THE  
LOADALL™ LA750-PRO  
IN ACTION

The unique space-saving  
trolley for transporting  
large sheets of board

**armorgard**

# loadall™ LA1000

LoadAll™ LA1000 is the only trolley of its kind on the UK market that can be folded and stacked when not in use. It also has no detachable parts! Its A-frame design allows it to be loaded on both sides maximising its space-saving efficiencies.



**1**  
TONNE  
CERTIFIED  
TO CARRY

LA1000

**CENTRE A-FRAME DESIGN**  
MEANS THAT WHEN  
LOADED, ALL WEIGHT IS  
LEANING INTO THE  
CENTRE

**CARRIES UP TO 24 SHEETS**  
OF PLASTERBOARD  
- APPROXIMATELY 60%  
MORE THAN ALTERNATIVE  
PRODUCTS

**PROVISION FOR STRAPPING**  
BOARDS IN PLACE  
- IMPROVING SAFETY WHEN  
ON-SITE

**COMPLETE WITH SAFE**  
WORKING LOAD PLATES,  
CERTIFYING A CAPACITY  
OF UP TO 1 TONNE

**HEAVY-DUTY CASTORS**  
FOR EASY MOBILITY

**ONE-PIECE DESIGN**  
KEEPS UNIT TOGETHER AND  
PREVENTS LOSS OF PARTS

**FOLDING & STACKABLE UNIT**  
- TIDY AND EASY TO STORE  
WHEN NOT IN USE



A unique space-saving  
trolley for transporting  
large sheets of material

Ease manual handling, save space and protect your materials from damage with the **LA1500**. Specially designed for storing and transporting large sheet materials. The wooden slats make it a great option for moving large sheets of glass too.

**armorgard**

# loadall™ LA1500

MANUAL HANDLING PRODUCTS



| Product Code | Description                   | Weight (kg) | External Dimensions<br>W x D x H (mm)            | Folded Down Dimensions<br>W x D x H (mm) | Load<br>Capacity |
|--------------|-------------------------------|-------------|--------------------------------------------------|------------------------------------------|------------------|
| LA750        | 750 kg LoadAll™               | 41          | 550 x 1350 x 1130                                | 550 x 1350 x 300                         | 750 kg           |
| LA1000       | 1 Tonne LoadAll™              | 49          | 730 x 1250 x 1410                                | 730 x 1250 x 495                         | 1 Tonne          |
| LA1500       | 1.5 Tonne LoadAll™            | 125         | 900 x 2020 x 1550                                | N/A                                      | 1.5 Tonne        |
| LA750-PRO    | 750 kg LoadAll™ with<br>Clamp | 70          | 1705 x 550 x 1305<br>Extended: 2305 x 550 x 1805 | N/A                                      | 750 kg           |

Note: Weights and dimensions are approximate. External dimensions include handles.

# + TAPES, PROTECTION, JANITORIAL

## CONTENTS

|            |                                |
|------------|--------------------------------|
| <b>266</b> | TAPES                          |
| <b>268</b> | FOAM EXPANSION TAPE            |
| <b>270</b> | PROTECTION                     |
| <b>273</b> | JANITORIAL – CLEANING PRODUCTS |

## + TAPES

### ALUMINIUM FOIL TAPE



| Part No. | Description                        |
|----------|------------------------------------|
| TAF050   | Aluminium Foil Tape 50mm x 45 Mtr  |
| TAF075   | Aluminium Foil Tape 75mm x 45 Mtr  |
| TAF100   | Aluminium Foil Tape 100mm x 45 Mtr |

### GAFFER TAPE



| Part No. | Description                           |
|----------|---------------------------------------|
| TG50     | Gaffer Tape Silver/Grey 50mm x 50 Mtr |
| TG50B    | Gaffer Tape Black 50mm x 50 Mtr       |

### TYVEK TAPE – ACRYLIC



| Part No. | Description                            |
|----------|----------------------------------------|
| TTA075   | TYVEK Tape Acrylic White 75mm x 25 Mtr |

### ADVANCE AT6000 PVC BUILDING TAPE



| Part No. | Description                 |
|----------|-----------------------------|
| TLT500   | Low Tack Tape 50mm x 33 Mtr |

### TYVEK TAPE – RUV



| Part No. | Description                        |
|----------|------------------------------------|
| TTRUV075 | TYVEK Tape RUV Black 75mm x 25 Mtr |

### PVC & INSULATION TAPE



| Part No.  | Description                          |
|-----------|--------------------------------------|
| TPVC050BL | PVC Tape Black 50mm x 33 Mtr         |
| TPVC050BU | VC Tape Blue 50mm x 33 Mtr           |
| TPVC050RE | PVC Tape Red 50mm x 33 Mtr           |
| TPVC050WH | PVC Tape White 50mm x 33 Mtr         |
| TPVC050YE | PVC Tape Yellow 50mm x 33 Mtr        |
| TI1933BL  | Insulation Tape Black 19mm x 33 Mtr  |
| TI1933BR  | Insulation Tape Brown 19mm x 33 Mtr  |
| TI1933BU  | Insulation Tape Blue 19mm x 33 Mtr   |
| TI1933GN  | Insulation Tape Green 19mm x 33 Mtr  |
| TI1933GR  | Insulation Tape Grey 19mm x 33 Mtr   |
| TI1933GY  | Insulation Tape Earth 19mm x 33 Mtr  |
| TI1933RE  | Insulation Tape Red 19mm x 33 Mtr    |
| TI1933WH  | Insulation Tape White 19mm x 33 Mtr  |
| TI1933YE  | Insulation Tape Yellow 19mm x 33 Mtr |



## MASKING TAPE



| Part No. | Description                |
|----------|----------------------------|
| TM25     | Masking Tape 25mm x 50 Mtr |
| TM50     | Masking Tape 50mm x 50 Mtr |

## FLASHING TAPE



| Part No. | Description                    |
|----------|--------------------------------|
| TFB050   | Flash Band Tape 50mm x 10 Mtr  |
| TFB075   | Flash Band Tape 75mm x 10 Mtr  |
| TFB100   | Flash Band Tape 100mm x 10 Mtr |
| TFB150   | Flash Band Tape 150mm x 10 Mtr |

## DOUBLE SIDED TAPE



| Part No. | Description                     |
|----------|---------------------------------|
| TDS2550  | Double Sided Tape 25mm x 50 Mtr |
| TDS5050  | Double Sided Tape 50mm x 50 Mtr |

## KIP MASKER TAPE



| Part No. | Description                     |
|----------|---------------------------------|
| 333-0550 | Kip Masker Tape 550mm x 20 Mtr  |
| 333-1100 | Kip Masker Tape 1100mm x 20 Mtr |
| 333-2600 | Kip Masker Tape 2600mm x 20 Mtr |

## PLASTERERS SCRIM TAPE



| Part No. | Description              |
|----------|--------------------------|
| TS50     | Scrim Tape 50mm x 90 Mtr |

## HAZARD TAPE



| Part No. | Description                                          |
|----------|------------------------------------------------------|
| THBY     | Hazard Tape Yellow/Black 500 Mtr                     |
| THRW     | Hazard Tape Red/White 500 Mtr                        |
| THRSA    | Hazard Tape Red/White Self Adhesive 33mm x 50 Mtr    |
| THYBSA   | Hazard Tape Yellow/Black Self Adhesive 33mm x 50 Mtr |

# + FOAM EXPANSION TAPE

## TREMCO ILLBRUCK TP600

TP600 is a soft and flexible open cell polyurethane foam, impregnated with an acrylic base, UV stabilised resin.

The resin is water repellent and contains a fire retardant.

It is supplied as pre-compressed rolls with a self-adhesive side to aid initial location.

Weather tight against the most sever combinations of wind and rain, it satisfies most expectations as an external weather seal for window perimeter seals and in building and civil engineering applications.

With full BBA approval, the product has been extensively tested and has a proven reputation across both the UK and Europe. (Cert. 96/3309).

**Available in both Grey and Anthracite**

### Benefits

- 15 year performance guarantee
- Weather seal for wind-driven rain
- Breathable – for vapour diffusion
- Continually expands and contracts to accommodate movement whilst still sealing the joints
- Thermal and acoustic insulation



### Standard Sizes

| Joint/Gap Size (mm) | Joint Depth/ Tape Width (mm) | Tape Reference (mm) | Roll Length (mm) |
|---------------------|------------------------------|---------------------|------------------|
| 2                   | 10                           | 10/ 2               | 12.5             |
| 3                   | 10                           | 10/ 3               | 10               |
| 3                   | 20                           | 20/ 3               | 10               |
| 3 - 7               | 10                           | 10/ 3-7             | 8                |
| 3 - 7               | 15                           | 15/ 3-7             | 8                |
| 3 - 7               | 20                           | 20/ 3-7             | 8                |
| 5 - 10              | 10                           | 10/ 5-10            | 5.6              |
| 5 - 10              | 15                           | 15/ 5-10            | 5.6              |
| 5 - 10              | 20                           | 20/ 5-10            | 5.6              |
| 7 - 12              | 15                           | 15/ 7-12            | 4.3              |
| 7 - 12              | 20                           | 20/ 7-12            | 4.3              |
| 7 - 12              | 25                           | 25/ 7-12            | 4.3              |
| 8 - 15              | 15                           | 15/ 8-15            | 3.3              |
| 8 - 15              | 20                           | 20/ 8-15            | 3.3              |
| 8 - 15              | 30                           | 30/ 8-15            | 3.3              |
| 10 - 18             | 20                           | 20/10-18            | 4.5              |
| 10 - 18             | 25                           | 20/10-18            | 4.5              |
| 10 - 18             | 30                           | 30/10-18            | 4.5              |
| 13 - 24             | 20                           | 20/13-24            | 5.2              |
| 13 - 24             | 25                           | 25/13-24            | 5.2              |
| 13 - 24             | 30                           | 30/13-24            | 5.2              |
| 17 - 32             | 30                           | 30/17-32            | 4                |
| 17 - 32             | 35                           | 35/17-32            | 4                |
| 28 - 40             | 40                           | 40/28-40            | 2.7              |

### Tape Selection

The tape should be selected so that the roll width (joint depth) is at least equal to the tape thickness (joint width) in service. For applications outside of this instruction please consult with our sales office.

## TREMCO ILLBRUCK TP600

### TP600 Application Guide

| Tape width/thickness range mm | 10/2    | 15/3    | 15/3-7  | 15/5-10 | 15/7-12 | 20/8-15 | 20/10-18 | 30/13-24 | 35/17-32 | 40/28-40 |
|-------------------------------|---------|---------|---------|---------|---------|---------|----------|----------|----------|----------|
| 2                             | 750     |         |         |         |         |         |          |          |          |          |
| 3                             | Draught | 750     | 900     |         |         |         |          |          |          |          |
| 4                             | Draught | Draught | 750     |         |         |         |          |          |          |          |
| 5                             |         | Draught | 750     | 900     |         |         |          |          |          |          |
| 6                             |         | Draught | 750     | 750     |         |         |          |          |          |          |
| 7                             |         |         | 600     | 750     | 900     |         |          |          |          |          |
| 8                             |         |         | Draught | 750     | 750     | 900     |          |          |          |          |
| 9                             |         |         | Draught | 750     | 750     | 900     |          |          |          |          |
| 10                            |         |         |         | 600     | 750     | 750     | 900      |          |          |          |
| 11                            |         |         |         | Draught | 600     | 750     | 900      |          |          |          |
| 12                            |         |         |         | Draught | 600     | 750     | 750      |          |          |          |
| 13                            |         |         |         | Draught | Draught | 750     | 750      | 900      |          |          |
| 14                            |         |         |         | Draught | Draught | 600     | 750      | 900      |          |          |
| 15                            |         |         |         | Draught | Draught | 600     | 750      | 900      |          |          |
| 16                            |         |         |         |         | Draught | Draught | 750      | 750      |          |          |
| 17                            |         |         |         |         | Draught | Draught | 600      | 750      | 900      |          |
| 18                            |         |         |         |         | Draught | Draught | 600      | 750      | 900      |          |
| 19                            |         |         |         |         | Draught | Draught | Draught  | 750      | 900      |          |
| 20                            |         |         |         |         | Draught | Draught | Draught  | 750      | 900      |          |
| 21                            |         |         |         |         | Draught | Draught | Draught  | 750      | 750      |          |
| 22                            |         |         |         |         |         | Draught | Draught  | 600      | 750      |          |
| 23                            |         |         |         |         |         | Draught | Draught  | 600      | 750      |          |
| 24                            |         |         |         |         |         | Draught | Draught  | 600      | 750      |          |
| 25                            |         |         |         |         |         |         | Draught  | Draught  | 750      |          |
| 26                            |         |         |         |         |         |         | Draught  | Draught  | 750      |          |
| 27                            |         |         |         |         |         |         | Draught  | Draught  | 750      |          |
| 28                            |         |         |         |         |         |         | Draught  | Draught  | 750      | 900      |
| 29                            |         |         |         |         |         |         | Draught  | Draught  | 750      | 900      |
| 30                            |         |         |         |         |         |         | Draught  | Draught  | 600      | 900      |
| 31                            |         |         |         |         |         |         |          | Draught  | 600      | 900      |
| 32                            |         |         |         |         |         |         |          | Draught  | 600      | 750      |
| 33                            |         |         |         |         |         |         |          | Draught  | Draught  | 750      |
| 34                            |         |         |         |         |         |         |          | Draught  | Draught  | 750      |
| 35                            |         |         |         |         |         |         |          | Draught  | Draught  | 750      |
| 36                            |         |         |         |         |         |         |          | Draught  | Draught  | 750      |
| 37                            |         |         |         |         |         |         |          | Draught  | Draught  | 750      |
| 38                            |         |         |         |         |         |         |          | Draught  | Draught  | 750      |
| 39                            |         |         |         |         |         |         |          | Draught  | Draught  | 750      |
| 40                            |         |         |         |         |         |         |          |          | Draught  | 750      |
| to 50                         |         |         |         |         |         |         |          |          | Draught  | Draught  |
| to 80                         |         |         |         |         |         |         |          |          |          | Draught  |

### KEY

- Application as a weather seal to 900 Pa; thermal insulation; acoustic insulation
- Application as a weather seal to 750 Pa; thermal insulation; acoustic insulation
- Application as a weather seal to 600 Pa; thermal insulation; acoustic insulation
- Application as thermal insulation; draughts

# + PROTECTION

## TYVEK HOUSEWRAP

DuPont Tyvek Housewrap is the ideal breathable membrane for timber frame wall systems, and is also suitable for steel frame and concrete wall construction. It is surface-applied, and should be fixed directly to the sheathing ply/OSB, insulation or blockwork.

Tyvek Housewrap is made of high density polyethylene fibres for long-term protection against the elements. This durable, lightweight breathable membrane is windtight and water resistant and designed for use in new build, refurbishment or extension projects.

### Properties

Length: 100m.  
Width: 1.4m.  
Roll size: 140m<sup>2</sup>.  
Roll weight: 9kg.  
Mass per unit area: 63 gsm.  
UV exposure: 4 months.  
Water vapour transmission: 0.01.  
Product thickness: 175 µm.  
Composition: high density polyethylene.



| Part No. | Description                      |
|----------|----------------------------------|
| THW14100 | TYVEK Housewrap 1400mm x 100 Mtr |

## TREMCO ILLBRUCK ME003 VAPOUR BARRIER

ME003 is a 3-ply co-extruded PE membrane which has been developed as a vapour barrier.

This innovative 3-ply co-extruded PE vapour barrier membrane meets virtually all the demands of professional practice and protects the construction and insulation by providing a vapour and air-tight seal.

High-grade granulates are used as its main constituents, which does not lower the sd-value (vapour diffusion-equivalent air layer thickness). Consequently, this high-grade product offers comparable diffusion resistance properties to typical 160 µm PE vapour barriers, despite its lower thickness.

### Key Benefits

- Straightforward application due to low weight
- Flexible and tear-resistant
- Highly vapour retardant
- Compatible with illbruck intelligent window membranes and adhesives



| Part No. | Description                                          |
|----------|------------------------------------------------------|
| VBME003  | TREMCO ILLBRUCK ME003 Vapour Barrier 1500mm x 50 Mtr |

## TREMCO ILLBRUCK ME220 EPDM MEMBRANE


ME220 EPDM membrane is used for weather sealing the connecting joint between a window or a façade & an adjacent structure, or to provide an internal air-tight barrier in a similar detail.

### Usage/Purpose

If an internal and external membrane is required, in order to meet the principle of 'inside tighter than outside', ME220 should be located as the inner membrane and ME501 Duo Window Membrane HD as the outer membrane. This will ensure that the inner seal is more vapour tight than the outer which will facilitate drying out of any entrapped moisture between the two layers.

### Key Benefits

- High resistance to mechanical damage
- Excellent movement capability in both transverse and longitudinal direction with excellent material recovery after elongation
- Excellent weathering, ageing and UV radiation resistance
- Excellent moisture vapour barrier



| Part No.    | Description                    |
|-------------|--------------------------------|
| ME220010007 | EPDM 100mm x 0.7mm 20Mtr Roll  |
| ME220012507 | EPDM 125mm x 0.7mm 20Mtr Roll  |
| ME220015007 | EPDM 150mm x 0.7mm 20Mtr Roll  |
| ME220020007 | EPDM 200mm x 0.7mm 20Mtr Roll  |
| ME220022507 | EPDM 225mm x 0.7mm 20Mtr Roll  |
| ME220025007 | EPDM 250mm x 0.7mm 20Mtr Roll  |
| ME220030007 | EPDM 300mm x 0.7mm 20Mtr Roll  |
| ME220035007 | EPDM 350mm x 0.7mm 20Mtr Roll  |
| ME220040007 | EPDM 400mm x 0.7mm 20Mtr Roll  |
| ME220045007 | EPDM 450mm x 0.7mm 20Mtr Roll  |
| ME220050007 | EPDM 500mm x 0.7mm 20Mtr Roll  |
| ME220060007 | EPDM 600mm x 0.7mm 20Mtr Roll  |
| ME220070007 | EPDM 700mm x 0.7mm 20Mtr Roll  |
| ME220075007 | EPDM 750mm x 0.7mm 20Mtr Roll  |
| ME220080007 | EPDM 800mm x 0.7mm 20Mtr Roll  |
| ME220090007 | EPDM 900mm x 0.7mm 20Mtr Roll  |
| ME220100007 | EPDM 1000mm x 0.7mm 20Mtr Roll |
| ME220125007 | EPDM 1250mm x 0.7mm 20Mtr Roll |
| ME220150007 | EPDM 1500mm x 0.7mm 20Mtr Roll |

## DAMP PROOF COURSE (D.P.C.)

450gsm damp-proof course for domestic construction.

### Key Benefits


- Embossed to assist mortar adhesion
- Durable with proven performance over many years
- Manufactured from the highest quality reprocessed materials
- Remains flexible – even at low temperatures
- Safe and clean to handle
- Suitable for use in horizontal and vertical applications
- CE Approved: Conforms to the requirements of EN14909



| Part No. | Description          |
|----------|----------------------|
| DPC10030 | 100mm DPC 30Mtr Roll |
| DPC15030 | 150mm DPC 30Mtr Roll |
| DPC22530 | 225mm DPC 30Mtr Roll |
| DPC30030 | 300mm DPC 30Mtr Roll |
| DPC45030 | 450mm DPC 30Mtr Roll |
| DPC60030 | 600mm DPC 30Mtr Roll |

## BUTYL RUBBER

Double Sided Butyl Tape is a preformed high performance polyisobutylene (PIB) based sealing tape with enhanced adhesive characteristics for more demanding applications where there are requirements for a high degree of bonding, such as cavity trays and polythene membranes.



| Part No.  | Description                            |
|-----------|----------------------------------------|
| TBR0412   | Butyl Rubber 4mm Diameter x 12Mtr Roll |
| TBR0608   | Butyl Rubber 6mm Diameter x 8Mtr Roll  |
| TBR0806   | Butyl Rubber 8mm Diameter x 6Mtr Roll  |
| TRB090315 | Butyl Rubber 19mm x 3mm x 15Mtr Roll   |


## POLYTHENE SHEETING

Our polythene rolls are tough yet flexible and useful in numerous outdoor tasks because the plastic sheeting is waterproof. Polythene sheeting can be used to cover construction materials, warehouse equipment and machinery, and as a damp proof membrane.



| Part No.    | Description                                         |
|-------------|-----------------------------------------------------|
| PS1200      | Polythene Sheet 1200g (300 mu) 4Mtr x 25Mtr Black   |
| PS1000      | Polythene Sheet 1000g (250 mu) 4Mtr x 25Mtr Black   |
| PS1000C3620 | Polythene Sheet 1000g (250 mu) 3.6Mtr x 20Mtr Clear |
| TPS425      | Temporary Polythene Sheet 4Mtr x 25Mtr              |

## BUBBLE WRAP



| Part No. | Description                     |
|----------|---------------------------------|
| BW600    | Bubble Wrap 600mm x 100Mtr Roll |

## PALLET WRAP



| Part No. | Description                   |
|----------|-------------------------------|
| PW300    | Pallet Wrap 300Mtr Roll Clear |
| PW300B   | Pallet Wrap 300Mtr Roll Black |



## + PROTECTION

### ANTINOX / CORREX SHEETS

The Antinox heavy duty Protection Board is manufactured from fluted polypropylene to provide an impact resistant protective covering. Antinox Black has numerous applications on site including floor, wall and door protection. Antinox board is a CFC free product.



| Part No. | Description                                          |
|----------|------------------------------------------------------|
| ANT02    | Antinox Sheet 2mm 2400mm x 1200mm                    |
| ANT02FR  | Antinox Sheet 2mm 2400mm x 1200mm<br>Flame Retardant |

### HESSIAN ROLL

It is extremely important to protect lime work from the rain, direct sunlight and drying wind/breeze to allow carbonation to take place and hence prevent failure. Hessian material is often used for this purpose.

#### Frost Protection Builders Brick Hessian

Frost Protection Roll.

Hessian Roll can be used to protect mortar, new brickwork and concrete from bad weather and frost and is mainly sold as a Building/Landscaping material.



| Part No. | Description                          |
|----------|--------------------------------------|
| HR46     | Hessian Roll (Approx 137cm x 46 Mtr) |

### TARPAULIN SHEETS

Multipurpose tarpaulin with a strong and durable design.

With reinforced rope edges and rust-resistant metal eyelets.

Other sizes available on request.



| Part No. | Description                 |
|----------|-----------------------------|
| T45      | Tarpaulin 3.5 Mtr x 5.4 Mtr |
| T67      | Tarpaulin 6.0 Mtr x 7.0 Mtr |

### WINDOW PROTECTION FILM

A self adhesive temporary glass protection film.

Available in clear or blue tint provides an excellent barrier to protect your glass your glass and frames from paint splashes, dust and dirt without blocking out light.



| Part No.   | Description                                  |
|------------|----------------------------------------------|
| WPF600100  | Window Protection Film 600mm x 100 Mtr Blue  |
| WPF600100C | Window Protection Film 600mm x 100 Mtr Clear |

### CARPET FILM

A self-adhesive clear carpet protector film.



| Part No.    | Description                                                     |
|-------------|-----------------------------------------------------------------|
| CPF600100   | Carpet Protection Film 600mm x 100 Mtr Clear                    |
| CPF600100FR | Carpet Protection Film 600mm x 100 Mtr Clear<br>Flame Retardant |

### DUST SHEETS

100% cotton twill dust sheet for the protection of furniture and floors.

Other sizes available on request.



| Part No. | Description                                                |
|----------|------------------------------------------------------------|
| DSC      | Dust Sheet Cotton Fibre 3.5 Mtr x 2.6 Mtr                  |
| DSCSR    | Dust Sheet Cotton Fibre - Stair Runner<br>7.0 Mtr x 0.9 Mt |

# + JANITORIAL – CLEANING PRODUCTS



## SOAPS – HAND CLEANER



| Part No. | Description                          |
|----------|--------------------------------------|
| LSH      | Liquid Hand Soap Antibacterial 500ml |
| LS05     | Liquid Hand Soap 5Ltr                |

## SOAPS – HAND CLEANER – GRANULATED



| Part No.   | Description                               |
|------------|-------------------------------------------|
| HCG004EHDP | Hand Cleaner Extra Heavy Duty & Pump 4Ltr |
| HCG005     | Hand Cleaner Granulated 5Ltr              |

## SOAP DISPENSER – WALL – PUMP



| Part No. | Description                      |
|----------|----------------------------------|
| HSDW     | Hand Soap Dispenser Wall Mounted |
| HPD      | Hand Pump Dispenser              |

## BARRIER CREAM



| Part No.   | Description                              |
|------------|------------------------------------------|
| BC0148HM12 | Barrier Cream 148ml Hand Medic Box of 12 |
| BC0250P    | Barrier Cream 250ml Pump Dispenser       |
| BC5000     | Barrier Cream 5Ltr                       |

# + JANITORIAL – CLEANING PRODUCTS

## BLEACH – DISINFECTANT



| Part No. | Description       |
|----------|-------------------|
| B5       | Bleach 5Ltr       |
| D5       | Disinfectant 5Ltr |

## MULTI-PURPOSE CLEANER



| Part No. | Description                         |
|----------|-------------------------------------|
| MPC750AB | Antibacterial Surface Cleaner 750ml |
| MSC5     | Multi Surface Cleaner 5Ltr          |

## WASHING UP LIQUID



| Part No. | Description             |
|----------|-------------------------|
| WUL0600  | Washing Up Liquid 600ml |
| WUL5     | Washing Up Liquid 5Ltr  |

## GLASS CLEANER



| Part No. | Description                      |
|----------|----------------------------------|
| GC0750AS | Glass Cleaner Foam 750ml Aerosol |
| GC1000   | Glass Cleaner 1Ltr               |
| GW050D   | Glass Wipes 50Pk                 |

## PVC CLEANER – MOULD SPRAY – DRAIN UNBLOCKER



| Part No.  | Description                   |
|-----------|-------------------------------|
| PVCCS1000 | PVC Solvent Cleaner 1Ltr      |
| MSHG500   | Mould Spray Cleaner 500ml     |
| KTDC1000  | Toilet & Drain Unblocker 1Ltr |

## FURNITURE POLISH



| Part No. | Description                     |
|----------|---------------------------------|
| FP250MS  | Furniture Polish Mr Sheen 250ml |
| FP300    | Furniture Polish 300ml          |

## + JANITORIAL – CLEANING PRODUCTS



### CITRUS CLEANER – CT1 MULTISOLVE – GRAFFITI REMOVER



| Part No. | Description                     |
|----------|---------------------------------|
| CIC500   | Citrus Industrial Cleaner 500ml |
| CT1M200  | CT1 Multisolve Solvent 200ml    |
| GR0500   | Graffiti Remover Aerosol 500ml  |

### WD40 – ANTI RUST



| Part No.  | Description                |
|-----------|----------------------------|
| WD400450  | WD40 450ml                 |
| WD405000  | WD40 5Ltr                  |
| WD400400T | R213 Anti Rust Agent 400ml |

### WHITE SPIRIT – METHYLATED SPIRIT



| Part No. | Description             |
|----------|-------------------------|
| WS0750   | White Spirit 750ml      |
| WS2      | White Spirit 2Ltr       |
| MS0500   | Methyalted Spirit 500ml |
| MS5000   | Methyalted Spirit 5Ltr  |

### BRICK CLEANER – FUNGICIDAL WASH



| Part No. | Description                   |
|----------|-------------------------------|
| BC5HD    | Brick Cleaner Heavy Duty 5Ltr |
| E4045    | Fungicidal Wash 5Ltr          |

### SUGAR SOAP



| Part No. | Description                   |
|----------|-------------------------------|
| SSL500   | Sugar Soap Liquid 500ml       |
| SSL500   | Sugar Soap Liquid Spray 500ml |

### CLEANING WIPES



| Part No. | Description                            |
|----------|----------------------------------------|
| TCW100   | Trade Cleaning Wipes 100Pk             |
| TCW100ET | Trade Cleaning Wipes Extra Tough 100Pk |



# + JANITORIAL – CLEANING PRODUCTS

## CLEANING RAGS – LINT FREE



| Part No. | Description                 |
|----------|-----------------------------|
| CRM      | Cleaning Rag Mixed 10kg     |
| CRLF     | Cleaning Rag Lint Free 10kg |

## CLEANING – CLOTHS – ALL PURPOSE



| Part No. | Description            |
|----------|------------------------|
| DC5      | Dish Cloth 5Pk         |
| APC50    | All Purpose Cloth 50Pk |

## CLEANING – MICROFIBRE CLOTH – DUSTER



| Part No. | Description                    |
|----------|--------------------------------|
| MCCS010  | Microfibre Cleaning Cloth 10Pk |
| DY10     | Yellow Duster 10Pk             |

## SPONGES – SCOURER



| Part No.   | Description                    |
|------------|--------------------------------|
| SS09005010 | Scouring Sponge 90 x 50mm 10Pk |
| SP10       | Scouring Pad 225 x 150mm 10Pk  |

## SPONGES – JUMBO – GENERAL PURPOSE



| Part No. | Description            |
|----------|------------------------|
| JHS      | Jumbo Hand Sponge      |
| DHS      | General Purpose Sponge |

## STOCKINETTE



| Part No. | Description |
|----------|-------------|
| S400     | Stockinette |
| S800     | Stockinette |



# + JANITORIAL – CLEANING PRODUCTS



## MOP – MOP BUCKET



| Part No. | Description           |
|----------|-----------------------|
| MBP      | Mop Bucket Plastic    |
| MBG      | Mop Bucket Galvanised |
| MH       | Mop Head              |
| BS23     | Mop Head Handle       |

## SQUEEGEE – HAND



| Part No. | Description                                  |
|----------|----------------------------------------------|
| WS035S   | Window Squeegee 35cm With Sponge             |
| 73860    | Window Squeegee With Sponge Telescopic 200mm |

## SQUEEGEE – FLOOR



| Part No. | Description                              |
|----------|------------------------------------------|
| FS22AH   | 22" Floor Squeegee Aluminium With Handle |
| FS660H   | 660mm Floor Squeegee Head                |

## DUSTPAN & BRUSH – LONG HANDLE



| Part No. | Description                 |
|----------|-----------------------------|
| DB       | Dustpan & Brush             |
| DBLH     | Dustpan & Brush Long Handle |

## LITTER PICKER



| Part No. | Description                    |
|----------|--------------------------------|
| LP870HD  | Litter Picker 870mm heavy Duty |

## BUCKET – PLASTIC – GALVANISED



| Part No. | Description             |
|----------|-------------------------|
| BB14     | Builders Bucket 14Ltr   |
| GB3      | Galvanised Bucket 14Ltr |

**FP** **FIXINGS**  
**PLUS**



## CONTENTS

|            |                         |
|------------|-------------------------|
| <b>280</b> | HEAD PROTECTION         |
| <b>283</b> | HEARING PROTECTION      |
| <b>285</b> | EYE PROTECTION          |
| <b>289</b> | RESPIRATORY PROTECTION  |
| <b>292</b> | HAND AND ARM PROTECTION |
| <b>300</b> | FOOTWEAR                |
| <b>301</b> | WORKWEAR                |
| <b>303</b> | HIGH VISIBILITY         |
| <b>307</b> | MEDICAL – FIRST AID     |
| <b>310</b> | HARNESSES – TOOL        |
| <b>311</b> | HARNESSES AND LANYARDS  |
| <b>314</b> | SIGNAGE                 |

## + HEAD PROTECTION

### HARD HAT – STANDARD

Standard safety helmet with 4 point PE harness. Foam lined sweatband. Rain gutter. Fully adjustable easy slip size adjustment. Fixing points for chin strap and slots for a range of other accessories.



| Part No. | Description     |
|----------|-----------------|
| HHW      | Hard Hat White  |
| HHB      | Hard Hat Blue   |
| HHR      | Hard Hat Red    |
| HHG      | Hard Hat Green  |
| HHO      | Hard Hat Orange |
| HHY      | Hard Hat Yellow |

### HARD HAT – COMFORT +

Deluxe safety helmet with 6 point nylon web harness. Foam lined sweatband. Rain gutter. Fully adjustable easy slip size adjustment. Fixing points for chin strap and slots for a range of other accessories.



| Part No. | Description               |
|----------|---------------------------|
| HHCW     | Hard Hat Comfort + White  |
| HHCB     | Hard Hat Comfort + Blue   |
| HHCR     | Hard Hat Comfort + Red    |
| HHCG     | Hard Hat Comfort + Green  |
| HHCO     | Hard Hat Comfort + Orange |
| HHCY     | Hard Hat Comfort + Yellow |

### HARD HAT – VENTED

Deluxe safety helmet with 6 point nylon web harness. Vented for improved user comfort. Foam lined sweatband. Rain gutter. EN 397:2012 Approval. Fully adjustable easy slip size adjustment. Fixing points for chin strap.



| Part No. | Description            |
|----------|------------------------|
| HHWV     | Hard Hat Vented White  |
| HHVB     | Hard Hat Vented Blue   |
| HHVO     | Hard Hat Vented Orange |
| HHVY     | Hard Hat Vented Yellow |
| HHVBK    | Hard Hat Vented Black  |

### HARD HAT – RATCHET

Premium vented helmet with modern streamlined styling. Lightweight ABS construction. Additional foam pad on harness for improved comfort. EN397:1995 + A1:2000. Easily adjustable with secure wheel ratchet.



| Part No. | Description                        |
|----------|------------------------------------|
| HHRW     | Hard Hat c/w Ratchet White         |
| HHRHY    | Hard Hat c/w Ratchet Hi Vis Yellow |

## + HEAD PROTECTION



### HARD HAT – FORESTRY KIT

Supplied as a complete boxed set comprising of HP/ORANGE/PE helmet, EMH5 ear muffs, H867 visor carrier and VM85M mesh visor. Spare visors, carrier and earmuffs available individually.



| Part No. | Description                                            |
|----------|--------------------------------------------------------|
| HHFK     | Hard Hat Forestry Kit c/w Face Visor and Ear Defenders |

### VISORS

Fits above Headgear Carriage – Visor only, Headgear Carriage sold separately.



| Part No. | Description                                     |
|----------|-------------------------------------------------|
| TRV75BB  | Transparent Replacement Visor 7.1/2"            |
| TRV8BB   | Transparent Replacement Visor 8" c/w Steel Trim |
| MRV75BB  | Mesh Replacement Visor 7.1/2"                   |

### HEADGEAR CARRIAGE

Attaches to most hard hats and enables user to fit preferred visor.



| Part No. | Description       |
|----------|-------------------|
| HGCBB    | Headgear Carriage |





## + HEAD PROTECTION

### HARD HAT LINER

Standard thermal helmet liner suitable for use in extremely cold conditions. Constructed using Thinsulate™ thermal insulation and suitable for use with all styles of helmet. Also available in an orange hi-vis version.



| Part No. | Description           |
|----------|-----------------------|
| HHLF     | Hard Hat Liner Fleece |

### BUMP CAP

Deluxe Bump Cap with adjustable fastening and soft foam insert cushions help protect head. Ventilation holes in side and top for user comfort. Removable inner for embroidery. Back strap easily adjusts to suit most head sizes. Also available in Hi-vis versions. This cap is NOT a safety helmet and offers little or no protection from falling objects.



| Part No. | Description            |
|----------|------------------------|
| BCNB     | Bump Cap Navy Blue     |
| BCRB     | Bump Cap Royal Blue    |
| BCG      | Bump Cap Green         |
| BCB      | Bump Cap Black         |
| BCR      | Bump Cap Red           |
| BCO      | Bump Cap Orange        |
| BCHY     | Bump Cap Hi Vis Yellow |

### HARD HAT CHIN STRAP



| Part No. | Description                 |
|----------|-----------------------------|
| HHCS     | Hard Hat Chin Strap         |
| HHCS4P   | Hard Hat Chin Strap 4 Point |

### HARD HAT LANYARD

Elasticated lanyard with quick adjust buckle. Tethers to the user to prevent the helmet falling from height and causing damage or injury. Note: This lanyard is not to be used as personal fall protection equipment.

Warning: Please check before each use and remove from service immediately if the product is found to be damaged in any way.



| Part No. | Description      |
|----------|------------------|
| HHLA     | Hard Hat Lanyard |

# **+ HEARING PROTECTION**



## **EAR PLUGS**

Made from soft PU foam. The plugs expand gradually and so conform to exactly the size and shape of the ear canal. Very high SNR 37 rating for excellent protection in very noisy environments.



| Part No. | Description                  |
|----------|------------------------------|
| EP       | Ear Plugs (Pair)             |
| EP200    | Ear Plugs (200 Pairs)        |
| EPC      | Ear Plugs Corded (Pair)      |
| EPC200   | Ear Plugs Corded (200 Pairs) |

## **EAR PLUGS C/W STRAP**

Convenient banded design can be worn over the head or behind the neck when worn with helmets or visors. Locates conveniently around the neck when not in use. Spare foam pods EP-06P are available separately for greater economy. SNR 20 dB



| Part No. | Description                    |
|----------|--------------------------------|
| EPS      | Ear Plugs c/w Strap            |
| EPS20    | Ear Plugs c/w Strap (20 Pairs) |
| EPSFP    | Ear Plugs Foam Pods (10 Pack)  |

## **E.A.R. CLASSIC PLUGS**

Made from soft energy absorbing foam. The special closed structure of the foam allows the plugs to expand gradually and so conform to exactly the size and shape of virtually any ear canal. SNR 28 dB



| Part No. | Description                     |
|----------|---------------------------------|
| ECP      | E-A-R Classic Plugs (Pair)      |
| ECP250   | E-A-R Classic Plugs (250 Pairs) |
| ECPC     | E-A-R Classic Plugs Corded      |



# **+ HEARING PROTECTION**

## **EAR DEFENDERS – PREMIUM**

Made from soft PU foam. The plugs expand gradually and so conform to exactly the size and shape of the ear canal. Very high SNR 37 rating for excellent protection in very noisy environments.



| Part No. | Description                   |
|----------|-------------------------------|
| EDPF     | Ear Defenders Premium Folding |

## **EAR DEFENDERS – CLIP ON**

Helmet mount ear defenders designed to fit our own brand vented helmets. Mounting allows the earmuffs to be clipped away from the ears when not in use. Ear cups are fully adjustable to ensure a precise seal against the head. SNR 24dB



| Part No.   | Description                   |
|------------|-------------------------------|
| EDCOEMHV11 | Ear Defenders Premium Folding |

## **EAR DEFENDERS**

Economical protection with contoured headband and comfortable foam filled cups. SNR 27 dB




| Part No. | Description   |
|----------|---------------|
| ED       | Ear Defenders |

**FP FIXINGS PLUS**

**IF YOU CAN'T  
FIND WHAT YOU'RE  
LOOKING FOR  
CONTACT OUR  
SALES OFFICE**

**t** 0121 333 7288  
**e** sales@fixingsplus.co.uk



## GOGGLES

Low cost direct vent goggle. Lightweight and extremely durable.  
Wide adjustable strap. Medium impact EN166



| Part No. | Description    |
|----------|----------------|
| SG       | Safety Goggles |

## OVERSPECS

Economic low cost protection. Fits over most prescription spectacles.  
Ideal for visitors or occasional use, lightweight and durable.



| Part No. | Description      |
|----------|------------------|
| SO       | Safety Overspecs |

## GOGGLES – DELUXE

Premium Indirect Vent Safety Goggles  
Indirect vent goggle  
Anti-fog and Anti-scratch coating  
Adjustable pivot mounted strap  
TPR face seal for added comfort and less pressure on the face  
over extended periods of use.



| Part No. | Description                   |
|----------|-------------------------------|
| SGAMD    | Safety Goggle Anti-Fog Deluxe |

## GOGGLES – WELDING

- Green soft PVC frame
- Green polycarbonate lens shade 5
- 4 indirect vents
- Black ABS lens holder
- EN175:1997
- Conform to EN166:
- Optical Class:1
- F - (Low impact energy)
- 5 - 3,1 - UV Filter



| Part No. | Description                |
|----------|----------------------------|
| BBFFWG   | Flip Front Welding Goggles |



## + EYE PROTECTION

### GLASSES – JAVA

Modern wrap around design and styling. Hard coated lenses. Class 1 optical for all day use. Economical stylish protection. Available in clear, smoke & yellow lens versions.



| Part No. | Description                |
|----------|----------------------------|
| SGLJC    | Safety Glasses Java Clear  |
| SGLJS    | Safety Glasses Java Smoke  |
| SGLJY    | Safety Glasses Java Yellow |

### GLASSES – ANCONA

- Ultra lightweight
- Polycarbonate wraparound lens
- Scratch resistant
- One piece side arm
- Conforms to EN166



| Part No. | Description                  |
|----------|------------------------------|
| SGLAC    | Safety Glasses Ancona Clear  |
| SGLAS    | Safety Glasses Ancona Smoked |
| SGLAY    | Safety Glasses Ancona Yellow |

### GLASSES – SAVU

- Lightweight and economical with protection to EN166 1F
- Hard coated polycarbonate lens for durability
- Modern wraparound style with comfort nose bridge
- Comes with neck cord



| Part No. | Description                             |
|----------|-----------------------------------------|
| SGLSCC   | Safety Glasses Clear Savu C/W Neck Cord |

### GLASSES – BANDIDO

**bolle**  
SAFETY

Ultra lightweight, sports style wrap that provides the wearer with comfort and a panoramic field of view at a very competitive price. Market leading, optical class 1 anti scratch/anti fog polycarbonate lens with integrated side shields as standard. Available in clear, ESP, smoke, & yellow lens versions.



| Part No. | Description                         |
|----------|-------------------------------------|
| BBAC     | BOLLE Safety Glasses Bandido Clear  |
| BBAE     | BOLLE Safety Glasses Bandido ESP    |
| BBAS     | BOLLE Safety Glasses Bandido Smoke  |
| BBAY     | BOLLE Safety Glasses Bandido Yellow |



## GLASSES – SILIUM



The pure curves of the metal frame offers a design that is sleek and attractive while providing the wearer with optimal protection and panoramic vision. The Silium also has integrated side shields, flexible temples, soft adjustable nose pads and Bollé's "Tip Grip" system for improved fit. Available with a clear or smoke lens.



| Part No. | Description                       |
|----------|-----------------------------------|
| BSIC     | BOLLE Safety Glasses Silium Clear |
| BSIS     | BOLLE Safety Glasses Silium Smoke |

## LENS CLEANING STATION

- Contains 600 tissues
- 250ml bottle of lens cleaning fluid in pump dispenser
- Tissues dispense from left and right sides
- Stands freely or wall mountable
- Not to be used with contact lenses



| Part No. | Description           |
|----------|-----------------------|
| LCS      | Lens Cleaning Station |

## LENS CLEANING WIPES – BOLLE

Pre-Moistened cleaning tissues dispenser. B-Clean by Bollé Safety is a complete and efficient cleaning solutions range. Silicone free, its aqua formula guarantees perfect cleaning and protection for your glasses and goggles.

- Aqua formula
- Silicone free
- For all types of lenses\* (\*except ar coated lenses for the PACF030 & PACF500 versions)



| Part No. | Description                         |
|----------|-------------------------------------|
| LCW100B  | Lens Cleaning Wipe Box of 100 Bolle |
| LCW500B  | Lens Cleaning Wipe Box of 500 Bolle |

## LENS CLEANER SPRAY

Bolle B-Clean B402 Lens Cleaning Spray 500ml bottle, certified by the COLTS laboratory.

B-Clean – Bolle Safety's new range of cleaning solutions – guarantees perfect cleaning for your safety glasses and eyewear. The range's water-based formula is alcohol and silicone free, so it is suitable for use with all lenses\*.

Keep your safety specs and glasses in top condition with Bolle's range of lens cleaning products. Disposable wipes offer a convenient solution and fluids will keep your eyewear hygienically clean

\*except ar coated lenses for the PACF030 & PACF500 versions



| Part No. | Description                     |
|----------|---------------------------------|
| LCS500B  | Lens Cleaning Spray 500ml Bolle |

## + EYE PROTECTION

### EYECARE – STATION

- Eye wash station
- 2 x 500ml solution bottles
- 2 x No16 eye bandages
- Mirror



| Part No. | Description      |
|----------|------------------|
| EWST     | Eye Wash Station |

### EYE WASH – REFILL – BOTTLE

- Eyewash Bottle
- Sterile emergency eye wash solution.
- 500ml bottle.
- Sodium chloride BP 0.9%w/v.
- For irrigation only.



| Part No. | Description    |
|----------|----------------|
| EWSB500  | Eyewash Bottle |

### EYE WASH POD STATION

- Eye Wash Pod Station
- 10 x 20ml Pods
- 2 x No 16 Eye Pad Dressings
- Mirror



| Part No. | Description                       |
|----------|-----------------------------------|
| EWSTP    | Eye Wash Station C/W 10 20ml Pods |

### EYECARE – PODS

- Eyewash pods
- 20ml Solution
- Sterile Sodium Chloride 0.9% w/v Ph.Eur
- Packed in 25's [25 x 20ml]
- For irrigation only
- Selling unit = 1pack of 25



| Part No. | Description             |
|----------|-------------------------|
| EWP25    | Eye Wash Pods 25 x 20ml |

## DUST MASK – ECONOMY

The UC-DM is a nuisance mask used for product protection and comfort. This mask is not classed as PPE and should not be used against dusts which are in any way harmful.



| Part No. | Description            |
|----------|------------------------|
| DM50     | Dust Mask (Pack of 50) |

## DUST MASK – P3 PREMIUM FOLD FLAT VALVED

Fully UK certified to EN149:2001 +A1:2009. Adjustable nose bridge with foam seal. Available in a valved version ONLY to reduce heat build up within the mask for greater worker acceptance. Colour co-ordinated straps for easy workplace identification. Space saving fold flat design and individual packaging. A premium mask for more demanding applications.



| Part No.  | Description                                        |
|-----------|----------------------------------------------------|
| DMV310PFF | Dust Mask P3 Valved Premium Fold Flat (Pack of 10) |

## DUST MASK – P3 PREMIUM VALVED

Fully UK certified to EN149:2001 +A1:2009. Adjustable nose bridge and soft flexible face seal. Available in a valved version ONLY to reduce heat build up within the mask for greater worker acceptance. Extra wide adjustable elastic straps ensure a secure fit. A premium mask for more demanding applications. Latex Free.



| Part No. | Description                              |
|----------|------------------------------------------|
| DMV310P  | Dust Mask P3 Valved Premium (Pack of 10) |

# + RESPIRATORY PROTECTION

## BB3020 HALF MASK C/W FILTERS

- Pre-assembled ready mask c/w A1P2 filters
- Face piece produced from soft non-allergic TPE material
- Provides excellent fit to aid with protection
- Low profile design offers improved field of vision
- Soft adjustable strap ensures a perfect fit to a wide range of contours
- Can be fitted with A1, ABEK and P3 filter cartridges
- Gas filters can be fitted with replaceable pre-filters and retainer adapters

Provided filters protect against:

- Organic Vapour Solvents such as White Spirit Toluene or Carbon Tetrachloride (CCl<sub>4</sub>)
- Particulate Fine Toxic Dust, Water and Oil based Mists/Aerosols
- Half Mask Conforms to EN140:1998
- Filters Conform to EN14387:2001



| Part No. | Description                           |
|----------|---------------------------------------|
| BB3020   | Ready Half Mask c/w A1P2 Twin Filters |

## 3M ORGANIC VAPOUR MASK – 4251

These masks are designed to protect against particulates and organic vapours with good warning properties (i.e. smell) and boiling point above 65°C. These masks are NOT SUITABLE for odourless gases and vapours where the user would not be able to determine when the filters were saturated. Maintenance free and designed to be disposed of within one month of opening or when the filters are saturated (whichever occurs first).



| Part No. | Description                 |
|----------|-----------------------------|
| OVM4251  | 3M Organic Vapour Mask 4251 |

## BB3000 P2 FILTERS

A1P2 Filters for BB3000 Respirator Range  
Filters:

- Organic Vapour solvents such as White Spirit Toluene or Carbon Tetrachloride (CCl<sub>4</sub>).
- Fine Toxic Dust, Water and Oil based Mists/Aerosols.



| Part No.    | Description          |
|-------------|----------------------|
| BB3000FA1P2 | A1P2 Filter Pack (2) |

## BB3000 P3 FILTERS

- P3 Filters for BB3000 Respirators
- EN143:2007

Filters Fine Toxic Dust, Fumes, Water and Oil based Mists/Aerosols.



| Part No.    | Description          |
|-------------|----------------------|
| BB3000FA1P3 | A1P3 Filter Pack (2) |



## FORCE®8 HALF-MASK WITH PRESSTOCHECK™ – P3 FILTERS

The Force®8 twin cartridge half mask with Typhoon™ valve offers superior low breathing resistance and a 4-point suspension harness with quick-release buckles. The mask is made with a durable thermoplastic rubber offering a superior fit to most face shapes. The mask accepts the full range of low profile Force®8 filters giving the Force®8 the flexibility to be used for many applications, providing filtering protection against particulates, many gases and vapours.

**Comfort:** Durable thermoplastic rubber mask for superior fit to most face shapes.

**Harness:** Fully adjustable 4-point cradle suspension ensuring an effective facial fit.

**CR2 Reflectivity:** Reflective strips create increased visibility in low-light environments for added safety.

**Typhoon™ Exhalation Valve:** Low resistance exhalation valve for easy breathing, with stable mask configuration.

**Force® Filters:** Cost effective Force®8 filters available with low profile angle for minimum visual impairment.

**Conformity:** Conforms to EN 140 (Face piece), EN 14387:2004 (Filter performance), EN 143:200 (Filter performance)

### PressToCheck™ P3 R D Filters

**How can you be sure that you have donned your mask correctly?** With the new patent pending Force®8 PressToCheck™ filters you can instantly check that you have the correct seal every time.



### FIT IT!

**Don the Mask:** Put the straps and harness over your head and pull the straps to a suitably tight and comfortable fit.

### PRESS IT!

**PressToCheck™:** Press the front and backs of both filter covers together to stop air from entering through the filters.

### CHECK IT!

**Inhale:** No air should come through the mask. Adjust the mask and repeat until it doesn't. Release when seal is made.

### Features & benefits

- Daily Face Fit Reassurance
- Passes dolomite
- Protection against construction dust
- Improved hygiene
- Inhalation valve for easy maintenance
- Low profile covers protect filters
- Conforms to EN 143

| Part No.    | Description                                             |
|-------------|---------------------------------------------------------|
| DMJSPF8P3   | JSP Force 8 Respirator<br>C/W Press To Check P3 Filters |
| DMJSPF8FCP3 | JSP Force 8 P3 Filter Cartridge 2Pk                     |



## + HAND AND ARM PROTECTION

### GLOVES – PU COATED

- Nylon Glove
- Polyurethane palm coated
- Machine Knitted
- Integral elasticated wrist
- Ideal for handling light components
- EN388
- Level 4 - Abrasion
- Level 1 - Cut Resistance
- Level 3 - Tear Resistance
- Level 1 - Puncture



| Part No. | Description            |
|----------|------------------------|
| GPUG06   | PU Glove Grey Size 6   |
| GPUG07   | PU Glove Grey Size 7   |
| GPUG08   | PU Glove Grey Size 8   |
| GPUG09   | PU Glove Grey Size 9   |
| GPUG10   | PU Glove Grey Size 10  |
| GPUG11   | PU Glove Grey Size 11  |
| GPUB06   | PU Glove Black Size 6  |
| GPUB07   | PU Glove Black Size 7  |
| GPUB08   | PU Glove Black Size 8  |
| GPUB09   | PU Glove Black Size 9  |
| GPUB10   | PU Glove Black Size 10 |
| GPUB11   | PU Glove Black Size 11 |

Other colours available

### GLOVES – COTTON

- Economical high quality stockinette glove
- Ideal for product protection
- Can also be used as a liner glove



| Part No. | Description  |
|----------|--------------|
| GC       | Cotton Glove |

### GLOVES – COTTON FINGERLESS DOTTED

- Low lint to minimise contamination of products
- PVC dotting to palm and fingers to improve grip
- Exposed fingertips provide improved dexterity



| Part No. | Description                     |
|----------|---------------------------------|
| GDF08    | Dotted Fingerless Glove Size 8  |
| GDF09    | Dotted Fingerless Glove Size 9  |
| GDF10    | Dotted Fingerless Glove Size 10 |

## GLOVES – ANTI-VIBRATION

- High performance anti-vibration gloves
- Nylon/cotton knit with natural vulcanised palm and fingertips
- EN388
- Level 4 - Abrasion
- Level 5 - Cut Resistance
- Level 4 - Tear Resistance
- Level 2 - Puncture



| Part No. | Description                  |
|----------|------------------------------|
| GAV09    | Anti-Vibration Glove Size 9  |
| GAV10    | Anti-Vibration Glove Size 10 |

## GLOVES – CRISS CROSS

- Yellow/gold knitted base
- PVC criss cross coating
- Multi purpose glove offering excellent grip
- EN388
- Level 1 - Abrasion
- Level 1 - Cut Resistance
- Level 3 - Tear Resistance
- Level 1 - Puncture



| Part No. | Description               |
|----------|---------------------------|
| GX08     | Criss Cross Glove Size 8  |
| GX09     | Criss Cross Glove Size 9  |
| GX10     | Criss Cross Glove Size 10 |

## GLOVES – REFLEX

- Economy multi-purpose glove
- Natural rubber coated palm
- Knitted area on back to aid air passage and comfort
- EN388 Mechanical scores:
- Level 2 - Abrasion
- Level 1 - Cut Resistance
- Level 2 - Tear Resistance



| Part No. | Description           |
|----------|-----------------------|
| GR008    | Gripper Glove Size 8  |
| GR009    | Gripper Glove Size 9  |
| GR010    | Gripper Glove Size 10 |

## GLOVES – WELDERS

- Red Welders Gauntlet 14"
- Finger welts
- Fully lined hand and cuff
- EN388: 2016
- Level 3 - Abrasion
- Level X - Cut Resistance
- Level 2 - Tear Resistance
- Level 3 - Puncture
- Level B - ISO 13997 Cut Resistance



| Part No. | Description                     |
|----------|---------------------------------|
| WGR14    | Welders Gauntlet Gloves Red 14" |

# + HAND AND ARM PROTECTION

## GLOVES – CUT LEVEL 3

- Cut resistant Nylon/Spandex glove.
- Nitrile micro foam palm coating.
- Dexterity with comfort.

KS3

- EN388: 2016
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 4 - Tear Resistance
- Level 3 - Puncture
- Level B - ISO 13997 Cut Resistance



| Part No. | Description               |
|----------|---------------------------|
| GC3N06   | Cut Level 3 Glove Size 6  |
| GC3N07   | Cut Level 3 Glove Size 7  |
| GC3N08   | Cut Level 3 Glove Size 8  |
| GC3N09   | Cut Level 3 Glove Size 9  |
| GC3N10   | Cut Level 3 Glove Size 10 |
| GC3N11   | Cut Level 3 Glove Size 11 |

## GLOVES – CUT LEVEL 5

- High cut resistance.
- Nitrile micro foam palm coating.
- Dexterity with comfort.

KS5

- EN388: 2016
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 4 - Tear Resistance
- Level 3 - Puncture
- Level D - ISO 13997 Cut Resistance



| Part No. | Description               |
|----------|---------------------------|
| GC5N06   | Cut Level 5 Glove Size 6  |
| GC5N07   | Cut Level 5 Glove Size 7  |
| GC5N08   | Cut Level 5 Glove Size 8  |
| GC5N09   | Cut Level 5 Glove Size 9  |
| GC5N10   | Cut Level 5 Glove Size 10 |
| GC5N11   | Cut Level 5 Glove Size 11 |

Other Cut Resistant gloves available on request

## GLOVES – CUT C

- Cut C resistant colour coded glove with PU Palm Coating
- High ISO Cut C Protection (EN388:2003 = Cut 5)
  - Green Colour Coded in Orange or Green
  - PU Palm Coating



| Part No.   | Description                |
|------------|----------------------------|
| GKPU30007G | Cut Level C Green Size 7   |
| GKPU30008G | Cut Level C Green Size 8   |
| GKPU30009G | Cut Level C Green Size 9   |
| GKPU30010G | Cut Level C Green Size 10  |
| GKPU30011G | Cut Level C Green Size 11  |
| GKPU30007O | Cut Level C Orange Size 7  |
| GKPU30008O | Cut Level C Orange Size 8  |
| GKPU30009O | Cut Level C Orange Size 9  |
| GKPU30010O | Cut Level C Orange Size 10 |
| GKPU30011O | Cut Level C Orange Size 11 |

## GLOVES – PART-FINGERLESS-CUT C

- Cut C resistant colour coded glove with PU Palm Coating and Part-Fingerless
- High ISO Cut C Protection (EN388:2003 = Cut 5)
  - Colour Coded in Orange Liner
  - PU Palm Coating
  - Part-Fingerless for exceptional dexterity



| Part No.     | Description                                |
|--------------|--------------------------------------------|
| GKPU30007OPF | Cut Level C Orange Size 7 Part-Fingerless  |
| GKPU30008OPF | Cut Level C Orange Size 8 Part-Fingerless  |
| GKPU30009OPF | Cut Level C Orange Size 9 Part-Fingerless  |
| GKPU30010OPF | Cut Level C Orange Size 10 Part-Fingerless |

## GLOVES – PREMIUM CUT LEVEL E

ISO Cut E Black Patented XREY™ liner with Hardwearing, Flexible PU Palm Coating.

- Made using patented XREY™ yarn to provide level E protection without the use of steel or glass fibre
- Instant comfort and flexibility and irritation free
- Washable according to ISO 6330:2012 up to 5 times without it effecting the cut resistance
- Hardwearing, dexterous PU palm coating
- Excellent hand feeling



| Part No.    | Description                                                |
|-------------|------------------------------------------------------------|
| GKPU50006+E | Cut Level E Glove Size 6 Kutlass Premium ISO Cut E PU500+  |
| GKPU50007+E | Cut Level E Glove Size 7 Kutlass Premium ISO Cut E PU500+  |
| GKPU50008+E | Cut Level E Glove Size 8 Kutlass Premium ISO Cut E PU500+  |
| GKPU50009+E | Cut Level E Glove Size 9 Kutlass Premium ISO Cut E PU500+  |
| GKPU50010+E | Cut Level E Glove Size 10 Kutlass Premium ISO Cut E PU500+ |
| GKPU50011+E | Cut Level E Glove Size 11 Kutlass Premium ISO Cut E PU500+ |

## GLOVES – CUT LEVEL E

Premium latex coated cut level E glove made with Kevlar® & steel

- Extremely high ISO Cut level E
- Premium textured latex palm coating offers excellent grip in dry and wet applications
- Protection against abrasion and puncture
- Sanitised® hygiene function
- Made with DuPont™ Kevlar® & Steel
- EN407 tested and achieves contact heat level 2 (250 degrees)



| Part No. | Description                                         |
|----------|-----------------------------------------------------|
| GSX5007  | Cut Level E X5 Sumo Glove Size 7 Premium ISO Cut E  |
| GSX5008  | Cut Level E X5 Sumo Glove Size 8 Premium ISO Cut E  |
| GSX5009  | Cut Level E X5 Sumo Glove Size 9 Premium ISO Cut E  |
| GSX5010  | Cut Level E X5 Sumo Glove Size 10 Premium ISO Cut E |
| GSX5011  | Cut Level E X5 Sumo Glove Size 11 Premium ISO Cut E |



# + ARM PROTECTION

## SLEEVE – CUT LEVEL C (LEVEL 3)

Double knitted aramid sleeve with thumb slot.

- Available in 4 length options (10", 14", 18" and 22")
- Thumb Slot
- One size fits all construction
- Excellent heat resistance
- ISO Cut C (Cut level 3)
- Sold in Singles, per sleeve



| Part No. | Description                           |
|----------|---------------------------------------|
| KS10     | 10" Kevlar Sleeve Cut C (Cut Level 3) |
| KS14     | 14" Kevlar Sleeve Cut C (Cut Level 3) |
| KS18     | 18" Kevlar Sleeve Cut C (Cut Level 3) |
| KS22     | 22" Kevlar Sleeve Cut C (Cut Level 3) |

## SLEEVE – CUT LEVEL F

Maximum ISO Cut F rated sleeve with thumb crotch and velcro™ fastening in olive green/black

Available in 3 different lengths, 14", 18" and 22"

- Maximum ISO Cut F rated sleeve with a steel core
- Velcro™ Fastening at the top of the sleeve to help secure the sleeve in place over extended usages
- Thumb crotch design keeps the sleeve firmly in place whilst in use.
- Sold in Singles, per sleeve



| Part No. | Description                 |
|----------|-----------------------------|
| TYFS14   | 14" Typhan TYF Sleeve Cut F |
| TYFS18   | 18" Typhan TYF Sleeve Cut F |
| TYFS22   | 22" Typhan TYF Sleeve Cut F |

**FIXINGS PLUS**

**HAVE YOU VISITED OUR TRADE COUNTER YET?**

1 Mill Street  
Aston  
Birmingham  
B6 4BS

**what3words**  
///cube.bunks.crib



# + HAND AND ARM PROTECTION



## GLOVES – RIGGER CANADIAN CHROME

- Chrome leather palm
- Chrome leather thumb & first finger
- Cotton drill back
- Chrome leather knuckle strip
- Rubberized cuff
- Lined palm & fingers
- Minimal Risk



| Part No. | Description                          |
|----------|--------------------------------------|
| GRCC10   | Canadian Chrome Rigger Glove Size 10 |

## GLOVES – RIGGER CANADIAN RED

- Grey split leather
- Heavyweight red cotton backing & safety cuff
- Vein patch
- Good fitting large size with fleecy lined palm and thumb-face for added comfort
- EN388
- Level 4 - Abrasion
- Level 1 - Cut Resistance
- Level 4 - Tear Resistance
- Level 4 - Puncture



| Part No. | Description                       |
|----------|-----------------------------------|
| GRCR10   | Canadian Red Rigger Glove Size 10 |

## GLOVES – RIGGER CANADIAN HIDE

- Canadian pattern yellow grain leather glove
- Striped cotton drill back & pasted safety cuff
- Large hand size with fleece lining
- EN388
- Level 2 - Abrasion
- Level 1 - Cut Resistance
- Level 4 - Tear Resistance
- Level 3 - Puncture



| Part No. | Description                        |
|----------|------------------------------------|
| GRCH10   | Canadian Hide Rigger Glove Size 10 |

## GLOVES – RIGGER CANADIAN HI VIZ

- Grey split leather B-Flex Hi Vis rigger glove
- Saturn yellow polyester backing & safety cuff
- Retro reflective tape to knuckle strip
- Generous hand size
- Fleece lining for warmth and comfort
- EN388
- Level 4 - Abrasion
- Level 1 - Cut Resistance
- Level 4 - Tear Resistance
- Level 4 - Puncture



| Part No. | Description                          |
|----------|--------------------------------------|
| GRCHV11  | Canadian Hi Viz Rigger Glove Size 11 |

## + HAND AND ARM PROTECTION

### GLOVES – PVC KNITTED WRIST

- Fully coated pvc glove
- Stockinette liner
- Elasticated cuff
- EN388
- Level 3 - Abrasion
- Level 1 - Cut Resistance
- Level 1 - Tear Resistance
- Level 1 - Puncture



| Part No. | Description                     |
|----------|---------------------------------|
| GPVCKN06 | PVC Knitted Wrist Glove Size 6  |
| GPVCKN08 | PVC Knitted Wrist Glove Size 8  |
| GPVCKN09 | PVC Knitted Wrist Glove Size 9  |
| GPVCKN10 | PVC Knitted Wrist Glove Size 10 |
| GPVCKN11 | PVC Knitted Wrist Glove Size 11 |

### GLOVES – LATEX HOUSEHOLD

- Household Rubber Gauntlets for a variety of applications
- Flock lined for wearer comfort
- Embossed pattern to palm to improve grip
- Suitable for food use



| Part No. | Description                        |
|----------|------------------------------------|
| GHLB08   | Household Blue Latex Glove Size 8  |
| GHLB09   | Household Blue Latex Glove Size 9  |
| GHLB10   | Household Blue Latex Glove Size 10 |

### GLOVES – PVC GAUNTLETS 14"

- PVC Gauntlet
- 14" (36cm) overall length
- Liquid proof
- EN388
- Level 3 - Abrasion
- Level 1 - Cut Resistance
- Level 1 - Tear Resistance
- Level 1 - Puncture



| Part No. | Description               |
|----------|---------------------------|
| GPVCG14  | PVC Gauntlets 14" Size 10 |

### GLOVES – PVC GAUNTLETS 18"

- PVC Gauntlet
- 18" (46cm) overall length
- Liquid proof
- EN388
- Level 3 - Abrasion
- Level 1 - Cut Resistance
- Level 1 - Tear Resistance
- Level 1 - Puncture



| Part No. | Description               |
|----------|---------------------------|
| GPVCG18  | PVC Gauntlets 18" Size 10 |

# + HAND AND ARM PROTECTION



## GLOVES – LATEX POWDERED DISPOSABLE

- A single use disposable glove made from natural latex
- Excellent dexterity for precise applications and product protection
- Ambidextrous design with a rolled cuff for extra strength
- Non-Sterile and lightly powdered with USP grade cornstarch to aid donning and absorb moisture



| Part No. | Description                             |
|----------|-----------------------------------------|
| GLP07    | Disposable Latex Glove Powdered Size 7  |
| GLP08    | Disposable Latex Glove Powdered Size 8  |
| GLP09    | Disposable Latex Glove Powdered Size 9  |
| GLP10    | Disposable Latex Glove Powdered Size 10 |

## GLOVES – NITRILE POWER FREE – DISPOSABLE

- Black premium quality nitrile examination gloves.
- 4mil premium thickness
  - Black colouring
  - 100% Nitrile disposable, powderfree - Latex-free
  - Ambidextrous with textured fingertips for added grip
  - Excellent sensitivity and dexterity
  - AQL 1.5



| Part No. | Description                       |
|----------|-----------------------------------|
| GNPFPSBK | Nitrile Powder Free Small Black   |
| GNPFPMBK | Nitrile Powder Free Medium Black  |
| GNPFPLBK | Nitrile Powder Free Large Black   |
| GNFPXLBK | Nitrile Powder Free X/Large Black |

## GLOVES – LATEX POWDER FREE DISPOSABLE

- A single use disposable glove made from natural latex
- Excellent dexterity for precise applications and product protection
- Ambidextrous design with a rolled cuff for extra strength
- Chlorinated finish makes the glove easier to fit without the use of powder



| Part No. | Description                                |
|----------|--------------------------------------------|
| GLPF07   | Disposable Latex Glove Powder Free Size 7  |
| GLPF08   | Disposable Latex Glove Powder Free Size 8  |
| GLPF09   | Disposable Latex Glove Powder Free Size 9  |
| GLPF10   | Disposable Latex Glove Powder Free Size 10 |

## GLOVE DISPENSER-MAGNETIC

- Dispenser attaches to any ferrous surface and can also be wall mounted
- Four small magnets hold the dispenser in place
- Suitable for packs of 50/100 disposable gloves
- Self-adjusting springs to hold different box sizes
- Size (W x D x H): 146 x 95 x 254mm



| Part No. | Description              |
|----------|--------------------------|
| APGD     | Magnetic Glove Dispenser |

## + FOOTWEAR

### SAFETY BOOT – CHUKKA BOOT BLACK

- 4 D-ring boot
- Dual density PU
- 200 Joule steel toe cap
- Steel midsole protection
- Conforms to EN ISO 20345:2011 S1P SRC
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Leather upper



| Part No. | Description                                 |
|----------|---------------------------------------------|
| CBB04SM  | Chukka Boot Black Size 4 c/w Steel Midsole  |
| CBB05SM  | Chukka Boot Black Size 5 c/w Steel Midsole  |
| CBB06SM  | Chukka Boot Black Size 6 c/w Steel Midsole  |
| CBB07SM  | Chukka Boot Black Size 7 c/w Steel Midsole  |
| CBB08SM  | Chukka Boot Black Size 8 c/w Steel Midsole  |
| CBB09SM  | Chukka Boot Black Size 9 c/w Steel Midsole  |
| CBB10SM  | Chukka Boot Black Size 10 c/w Steel Midsole |
| CBB11SM  | Chukka Boot Black Size 11 c/w Steel Midsole |
| CBB12SM  | Chukka Boot Black Size 12 c/w Steel Midsole |

### SAFETY BOOT – WELLINGTON PROTOMASTER

- Steel Toe Cap
- Steel Mid-Sole
- Oil Resistant Outsole
- Antistatic
- Energy Absorbing Sole
- Waterproof
- Cold insulating
- EN ISO 20345 S5



| Part No. | Description                                                   |
|----------|---------------------------------------------------------------|
| WDPB03SM | Wellington Dunlop Protomaster Black Size 3 c/w Steel Midsole  |
| WDPB04SM | Wellington Dunlop Protomaster Black Size 4 c/w Steel Midsole  |
| WDPB05SM | Wellington Dunlop Protomaster Black Size 5 c/w Steel Midsole  |
| WDPB06SM | Wellington Dunlop Protomaster Black Size 6 c/w Steel Midsole  |
| WDPB07SM | Wellington Dunlop Protomaster Black Size 7 c/w Steel Midsole  |
| WDPB08SM | Wellington Dunlop Protomaster Black Size 8 c/w Steel Midsole  |
| WDPB09SM | Wellington Dunlop Protomaster Black Size 9 c/w Steel Midsole  |
| WDPB10SM | Wellington Dunlop Protomaster Black Size 10 c/w Steel Midsole |
| WDPB11SM | Wellington Dunlop Protomaster Black Size 11 c/w Steel Midsole |
| WDPB12SM | Wellington Dunlop Protomaster Black Size 12 c/w Steel Midsole |
| WDPB13SM | Wellington Dunlop Protomaster Black Size 13 c/w Steel Midsole |

### SAFETY BOOT – GOODYEAR WELTED BOOT NUBUCK

- Goodyear Welled
- 200 Joule steel toe cap
- Steel midsole protection
- Oil resistant sole
- Heat resistant sole to 300°C
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 SBP SRA



| Part No. | Description                                           |
|----------|-------------------------------------------------------|
| GWBN06SM | Goodyear Welled Boot Nubuck Size 6 c/w Steel Midsole  |
| GWBN07SM | Goodyear Welled Boot Nubuck Size 7 c/w Steel Midsole  |
| GWBN08SM | Goodyear Welled Boot Nubuck Size 8 c/w Steel Midsole  |
| GWBN09SM | Goodyear Welled Boot Nubuck Size 9 c/w Steel Midsole  |
| GWBN10SM | Goodyear Welled Boot Nubuck Size 10 c/w Steel Midsole |
| GWBN11SM | Goodyear Welled Boot Nubuck Size 11 c/w Steel Midsole |
| GWBN12SM | Goodyear Welled Boot Nubuck Size 12 c/w Steel Midsole |

# FP FIXINGS PLUS



## CONTACT SALES FOR OTHER VARIETIES OF FOOTWEAR

0121 333 7288

SALES@FIXINGSPLUS.CO.UK



## KNEE PADS – INSERTS

- Universal sizing
- Ergonomic design
- Easily moulds around knee and can be trimmed to size
- For use with all knee pad type work trousers



| Part No. | Description           |
|----------|-----------------------|
| KPFI     | Knee Pad Foam Inserts |

## KNEE PADS – GEL

- Heavy duty nylon construction to resist abrasion and tear.
- Adjustable clip buckle and velcro closure
- Hard shell cap to aid swivelling
- Gel foam centre to cap for even weight distribution when worn for long periods
- An all round superior Knee Pad
- Fully CE approved
- Conforms to EN14404:2004 Type 1 Level 1



| Part No. | Description             |
|----------|-------------------------|
| KPGAS    | Anti-Slip Gel Knee Pads |

## KNEE PADS AND CAPS

Knee pads with pre-shaped flexible plastic caps for protection and mobility. Eva foam and gel compress less with use when compared with standard foam, and give greater comfort for longer. Heavy duty polyester body. Neoprene lower strap with convenient hook and loop fastening for easy adjustment. Ideal for flooring and other DIY. Conforms to EN14404 - Level 1.

| Part No. | Description           |
|----------|-----------------------|
| KPGHC    | Knee Pad Gel Hard Cap |





## + WORKWEAR

### DISPOSABLE COVERALLS – PREMIUM

- Type 5B/6B Premium Microporous
- Laminated Coverall
- Elasticated cuffs with zip front and adhesive backed cover flap
- EN ISO 13982 (Type 5B) & EN13034 (Type 6B) Rated
- EN1149-5 Anti-Static Tested
- EN1073-2 – Class 2
- EN14126
- Suitable for Asbestos



| Part No. | Description                       |
|----------|-----------------------------------|
| DOM      | Disposable Coveralls White Medium |
| DOL      | Disposable Coveralls White Large  |
| DOXL     | Disposable Coveralls White XL     |
| DOXXL    | Disposable Coveralls White XXL    |
| DOXXXL   | Disposable Coveralls White XXXL   |

### DISPOSABLE COVERALLS

- Type 5/6 base coverall – SMS with Anti-Static Properties
- Elasticated cuffs
- EN ISO 13982 (Type 5) & EN13034 (Type 6) Rated
- EN1149-5 Anti-Static Tested
- EN1073-2 – Class 1
- Suitable for Asbestos



| Part No.     | Description                       |
|--------------|-----------------------------------|
| DOMDBX100    | Disposable Coveralls White Medium |
| DOLDBX100    | Disposable Coveralls White Large  |
| DOXLDBX100   | Disposable Coveralls White XL     |
| DOXXLDBX100  | Disposable Coveralls White XXL    |
| DOXXXLDBX100 | Disposable Coveralls White XXXL   |

### DISPOSABLE OVERSHOES

- A lightweight elasticated polyethylene shoe cover.



| Part No. | Description                     |
|----------|---------------------------------|
| OS100    | Overshoe Pack of 100 (50 Pairs) |

### DISPOSABLE OVERSHOES

- Disposable blue overshoes
- Elasticated for extra grip around shoes
- Anti-slip textured surface at the bottom
- Ideal for decorating to protect carpets and flooring



| Part No. | Description                    |
|----------|--------------------------------|
| OS060    | Overshoe Pack of 60 (30 Pairs) |

## VEST

- Hi visibility waistcoat
- 100% polyester
- Velcro fastening
- Retro-reflective tape
- 2 x body bands
- 2 x braces
- EN ISO 20471  
Class 2 high visibility



| Part No.   | Description                        |
|------------|------------------------------------|
| HVVS       | Hi Viz Vest Small Saturn Yellow    |
| HVVM       | Hi Viz Vest Medium Saturn Yellow   |
| HVVL       | Hi Viz Vest Large Saturn Yellow    |
| HVVXL      | Hi Viz Vest XL Saturn Yellow       |
| HVXXL      | Hi Viz Vest XXL Saturn Yellow      |
| HVXXXL     | Hi Viz Vest XXXL Saturn Yellow     |
| HVXXXXL    | Hi Viz Vest XXXXL Saturn Yellow    |
| HVXXXXXL   | Hi Viz Vest XXXXXL Saturn Yellow   |
| HVXXXXXXL  | Hi Viz Vest XXXXXXL Saturn Yellow  |
| HVXXXXXXXL | Hi Viz Vest XXXXXXXL Saturn Yellow |
| HVVS       | Hi Viz Vest Small Orange           |
| HVVM       | Hi Viz Vest Medium Orange          |
| HVVL       | Hi Viz Vest Large Orange           |
| HVXL       | Hi Viz Vest XL Orange              |
| HVXXL      | Hi Viz Vest XXL Orange             |
| HVXXXL     | Hi Viz Vest XXXL Orange            |
| HVXXXXL    | Hi Viz Vest XXXXL Orange           |
| HVXXXXXL   | Hi Viz Vest XXXXXL Orange          |
| HVXXXXXXL  | Hi Viz Vest XXXXXXL Orange         |
| HVXXXXXXXL | Hi Viz Vest XXXXXXXL Orange        |
| HVXXXXXXXL | Hi Viz Vest XXXXXXXL Orange        |

## VEST – EXECUTIVE

- Hi Vis executive waistcoat
- 100% Polyester
- Front zip fastening
- Two large front pockets with flaps
- Mobile phone pocket with velcro fastening flap
- Radio loop
- Pen & pencil pockets
- Transparent ID pouch pocket
- Retro-reflective tape
- EN ISO 20471  
Class 2 high visibility



| Part No.    | Description                                |
|-------------|--------------------------------------------|
| HVVES       | Hi Viz Vest Executive Small Saturn Yellow  |
| HVVEM       | Hi Viz Vest Executive Medium Saturn Yellow |
| HVVEL       | Hi Viz Vest Executive Large Saturn Yellow  |
| HVVELXL     | Hi Viz Vest Executive XL Saturn Yellow     |
| HVVEXXL     | Hi Viz Vest Executive XXL Saturn Yellow    |
| HVVEXXXL    | Hi Viz Vest Executive XXXL Saturn Yellow   |
| HVVEXXXXL   | Hi Viz Vest Executive XXXXL Saturn Yellow  |
| HVVEXXXXXL  | Hi Viz Vest Executive XXXXXL Saturn Yellow |
| HVVEO       | Hi Viz Vest Executive Small Orange         |
| HVVEO       | Hi Viz Vest Executive Medium Orange        |
| HVVELO      | Hi Viz Vest Executive Large Orange         |
| HVVELXLO    | Hi Viz Vest Executive XL Orange            |
| HVVEXXLO    | Hi Viz Vest Executive XXL Orange           |
| HVVEXXXLO   | Hi Viz Vest Executive XXXL Orange          |
| HVVEXXXXLO  | Hi Viz Vest Executive XXXXL Orange         |
| HVVEXXXXXLO | Hi Viz Vest Executive XXXXXL Orange        |

## + HIGH VISIBILITY

### VEST – LONG SLEEVE

- Hi visibility waistcoat
  - 100% polyester
  - Velcro fastening
  - Retro-reflective tape
  - 2 x body bands
  - 2 x braces
  - 2 x sleeves
- EN ISO 20471  
Class 2 high visibility



| Part No.  | Description                                  |
|-----------|----------------------------------------------|
| HVLSS     | Hi Viz Vest Long Sleeve Small Saturn Yellow  |
| HVLSM     | Hi Viz Vest Long Sleeve Medium Saturn Yellow |
| HWLSL     | Hi Viz Vest Long Sleeve Large Saturn Yellow  |
| HVLSXL    | Hi Viz Vest Long Sleeve XL Saturn Yellow     |
| HVLSXXL   | Hi Viz Vest Long Sleeve XXL Saturn Yellow    |
| HVLSXXXL  | Hi Viz Vest Long Sleeve XXXL Saturn Yellow   |
| HVLSSO    | Hi Viz Vest Long Sleeve Small Orange         |
| HWLSMO    | Hi Viz Vest Long Sleeve Medium Orange        |
| HWLSLO    | Hi Viz Vest Long Sleeve Large Orange         |
| HWLSXLO   | Hi Viz Vest Long Sleeve XL Orange            |
| HWLSXXLO  | Hi Viz Vest Long Sleeve XXL Orange           |
| HWLSXXXLO | Hi Viz Vest Long Sleeve XXXL Orange          |

### VEST – C/W YOUR LOGO

- Hi visibility waistcoat
  - 100% polyester
  - Hook and loop fastening
  - Retro-reflective tape
  - 2 x body bands
  - 2 x braces
- Available in Saturn Yellow, Orange & Red  
Sizes – S-7XL
- EN ISO 20471  
Class 2 high visibility



| Part No. | Description                       |
|----------|-----------------------------------|
| HVV1LSY  | Hi Vis Vest: 1 Logo Saturn Yellow |
| HVV2LSY  | Hi Vis Vest: 2 Logo Saturn Yellow |
| HVV1LOR  | Hi Vis Vest: 1 Logo Orange        |
| HVV2LOR  | Hi Vis Vest: 2 Logo Orange        |

## BOMBER JACKET

- 300 Denier Heavyweight polyester with PU coating
- Two-way heavy duty zip front with storm flap
- Fleece lined collar
- 2 lower bellows pockets with flaps
- Security and phone pockets
- Rear hem access for ease of logo applications
- Knitted storm cuffs
- Concealed Hood
- Retro-Reflective tape
- Conforms to EN ISO20471 Class 3
- Conforms to EN343 Class 3 Resistance to Water Penetration Class 1 Air Permeability



| Part No.   | Description                               |
|------------|-------------------------------------------|
| HVBJS      | Hi Vis Bomber Jacket Small Saturn Yellow  |
| HVBJM      | Hi Vis Bomber Jacket Medium Saturn Yellow |
| HVBJL      | Hi Vis Bomber Jacket Large Saturn Yellow  |
| HVBJXL     | Hi Vis Bomber Jacket XL Saturn Yellow     |
| HVBJXXL    | Hi Vis Bomber Jacket XXL Saturn Yellow    |
| HVBJXXXL   | Hi Vis Bomber Jacket XXXL Saturn Yellow   |
| HVBJXXXXL  | Hi Vis Bomber Jacket XXXXL Saturn Yellow  |
| HVBJSO     | Hi Vis Bomber Jacket Small Orange         |
| HVBJMO     | Hi Vis Bomber Jacket Medium Orange        |
| HVBJLO     | Hi Vis Bomber Jacket Large Orange         |
| HVBJXLO    | Hi Vis Bomber Jacket XL Orange            |
| HVBJXXLO   | Hi Vis Bomber Jacket XXL Orange           |
| HVBJXXXLO  | Hi Vis Bomber Jacket XXXL Orange          |
| HVBJXXXXLO | Hi Vis Bomber Jacket XXXXL Orange         |

## COAT

- PU coated polyester
- Quilted lining with heavy weight (160gsm) polyester filling
- Concealed hood
- Two-way heavy duty zip front with storm flap and security pocket
- 2 Lower pockets with flaps
- In side breast pocket
- Knitted storm cuffs
- Internal 'Wicking' strip
- Fully taped seams
- Reflective Material
- Conforms to EN ISO 20471 Class 3 high visibility
- Conforms to EN 343 Class 3 Water Penetration Class 1 Air Permeability



| Part No.  | Description                      |
|-----------|----------------------------------|
| HVCS      | Hi Vis Coat Small Saturn Yellow  |
| HVCM      | Hi Vis Coat Medium Saturn Yellow |
| HVCL      | Hi Vis Coat Large Saturn Yellow  |
| HVCXL     | Hi Vis Coat XL Saturn Yellow     |
| HVCXXL    | Hi Vis Coat XXL Saturn Yellow    |
| HVCXXXL   | Hi Vis Coat XXXL Saturn Yellow   |
| HVCXXXXL  | Hi Vis Coat XXXXL Saturn Yellow  |
| HVCSO     | Hi Vis Coat Small Orange         |
| HVCMO     | Hi Vis Coat Medium Orange        |
| HVCLO     | Hi Vis Coat Large Orange         |
| HVCXLO    | Hi Vis Coat XL Orange            |
| HVCXXLO   | Hi Vis Coat XXL Orange           |
| HVCXXXLO  | Hi Vis Coat XXXL Orange          |
| HVCXXXXLO | Hi Vis Coat XXXXL Orange         |



# + HIGH VISIBILITY

## TROUSERS

- 80-20 polyester cotton
- Seven loop belt waistband
- 2 x hip pockets
- 1 x left leg cargo pocket
- 1 x rear jetted pocket
- Knee pad pouch pockets
- Hard wearing and durable
- Triple sewn main seams for extra strength
- Teflon treatment to aid soil release when washing
- 3M Scotchlite retro reflective hi vis tape
- Tall leg (T) option available
- EN ISO 20471 Class 1 high visibility
- **ORANGE**
- "Railspec" trousers
- 2 x cargo pockets
- 3 x 3M Scotchlite – Retro-reflective leg bands
- Tall leg (T) option available
- EN ISO 20471 Class 2 high visibility
- GO/RT 3279 – Railway use certified

## OVERTROUSERS

- Breathable fabric
- Polyester with PU coating
- Overtrousers with elasticated waist
- Studded ankles
- 3M retro-reflective tape
- **ORANGE**
- EN ISO 20471 Class 2 high visibility
- GO/RT 3279 – Railway use certified
- EN ISO 20471 Class 1 high visibility
- EN343 Class 3 resistance to water penetration Class 2 breathability



| Part No. | Description                                         |
|----------|-----------------------------------------------------|
| HVT28R   | Hi Vis Trousers 28" Waist Regular Leg Saturn Yellow |
| HVT30R   | Hi Vis Trousers 30" Waist Regular Leg Saturn Yellow |
| HVT32R   | Hi Vis Trousers 32" Waist Regular Leg Saturn Yellow |
| HVT34R   | Hi Vis Trousers 34" Waist Regular Leg Saturn Yellow |
| HVT36R   | Hi Vis Trousers 36" Waist Regular Leg Saturn Yellow |
| HVT38R   | Hi Vis Trousers 38" Waist Regular Leg Saturn Yellow |
| HVT40R   | Hi Vis Trousers 40" Waist Regular Leg Saturn Yellow |
| HVT42R   | Hi Vis Trousers 42" Waist Regular Leg Saturn Yellow |
| HVT44R   | Hi Vis Trousers 44" Waist Regular Leg Saturn Yellow |
| HVT46R   | Hi Vis Trousers 46" Waist Regular Leg Saturn Yellow |
| HVT48R   | Hi Vis Trousers 48" Waist Regular Leg Saturn Yellow |
| HVT30RO  | Hi Vis Trousers 30" Waist Regular Leg Orange        |
| HVT32RO  | Hi Vis Trousers 32" Waist Regular Leg Orange        |
| HVT34RO  | Hi Vis Trousers 34" Waist Regular Leg Orange        |
| HVT36RO  | Hi Vis Trousers 36" Waist Regular Leg Orange        |
| HVT38RO  | Hi Vis Trousers 38" Waist Regular Leg Orange        |
| HVT40RO  | Hi Vis Trousers 40" Waist Regular Leg Orange        |
| HVT42RO  | Hi Vis Trousers 42" Waist Regular Leg Orange        |
| HVT44RO  | Hi Vis Trousers 44" Waist Regular Leg Orange        |
| HVT46RO  | Hi Vis Trousers 46" Waist Regular Leg Orange        |

| Part No.  | Description                              |
|-----------|------------------------------------------|
| HVOS      | Hi Vis Overtrousers Small Saturn Yellow  |
| HVOM      | Hi Vis Overtrousers Medium Saturn Yellow |
| HVOL      | Hi Vis Overtrousers Large Saturn Yellow  |
| HVOXL     | Hi Vis Overtrousers XL Saturn Yellow     |
| HVOXXL    | Hi Vis Overtrousers XXL Saturn Yellow    |
| HVOXXXL   | Hi Vis Overtrousers XXXL Saturn Yellow   |
| HVOXXXXL  | Hi Vis Overtrousers XXXXL Saturn Yellow  |
| HVOSO     | Hi Vis Overtrousers Small Orange         |
| HVOMO     | Hi Vis Overtrousers Medium Orange        |
| HVOLO     | Hi Vis Overtrousers Large Orange         |
| HVOXLO    | Hi Vis Overtrousers XL Orange            |
| HVOXXLO   | Hi Vis Overtrousers XXL Orange           |
| HVOXXXLO  | Hi Vis Overtrousers XXXL Orange          |
| HVOXXXXLO | Hi Vis Overtrousers XXXXL Orange         |



## FIRST AID KIT – 1 PERSON

Kit Contains:

- 1 x Guidance note
- 2 x Non woven triangular bandages
- 1 x Large sterile dressing (180 x 180mm)
- 6 x Assorted sterile waterproof plasters
- 2 x Alcohol free cleansing wipes
- 1 x Pair disposable vinyl gloves

## FIRST AID KIT – 10 PERSON

Kit Contains:

- 1 x Guidance note
- 4 x Non woven triangular bandages
- 2 x Large sterile dressing (180 x 180mm)
- 6 x Medium sterile dressing (120 x 120mm)
- 2 x Sterile eye pad dressing
- 20 x Assorted sterile waterproof plasters
- 6 x Alcohol free cleansing wipes
- 1 x Pair of disposable vinyl gloves
- 6 x Safety pins



| Part No. | Description            |
|----------|------------------------|
| FAK001   | First Aid Kit 1 Person |

| Part No. | Description             |
|----------|-------------------------|
| FAK010   | First Aid Kit 10 Person |

## FIRST AID KIT – 20 PERSON

Kit Contains:

- 1 x Guidance note
- 6 x Non woven triangular bandages
- 3 x Large sterile dressing (180 x 180mm)
- 9 x Medium sterile dressing (120 x 120mm)
- 4 x Sterile eye pad dressing
- 40 x Assorted sterile waterproof plasters
- 10 x Alcohol free cleansing wipes
- 2 x Pair of disposable vinyl gloves
- 12 x Safety pins

## FIRST AID KIT – 50 PERSON

Kit Contains:

- 1 x Guidance note
- 8 x Non woven triangular bandages
- 4 x Large sterile dressing (180 x 180mm)
- 12 x Medium sterile dressing (120 x 120mm)
- 6 x Sterile eye pad dressing
- 60 x Assorted sterile waterproof plasters
- 20 x Alcohol free cleansing wipes
- 3 x Pair of disposable vinyl gloves
- 12 x Safety pins



| Part No. | Description             |
|----------|-------------------------|
| FAK020   | First Aid Kit 20 Person |

| Part No. | Description             |
|----------|-------------------------|
| FAK050   | First Aid Kit 50 Person |

## **+ MEDICAL – FIRST AID**

### **FIRST AID KIT – REFILL**



| Part No. | Description                    |
|----------|--------------------------------|
| FAK001R  | First Aid Kit Refill 1 Person  |
| FAK010R  | First Aid Kit Refill 10 Person |
| FAK020R  | First Aid Kit Refill 20 Person |
| FAK050R  | First Aid Kit Refill 50 Person |

### **FIRST AID KIT – KITCHEN**

A handy catering first aid kit in a small blue case which includes many first aid items not included in a standard kit, but could be needed at any time by the caterer. A complimentary addition to health and safety requirements of any kitchen

Contents:

- Fingerbobs, blue - 2
- Fingerstalls, blue - 3
- Medium dressing 12 x 12 - 1
- Assorted blue detectable plasters - 100
- Microporous tape 2.5cm x 5m - 1
- Low adherent dressings 5 x 5 cm - 2
- Non woven triangular bandages - 2
- Alcohol free wipes - 4
- Scissors - 1



| Part No. | Description           |
|----------|-----------------------|
| FAKK     | First Aid Kit Kitchen |

### **FIRST AID KIT – EMERGENCY BURNS KIT**

Contents:

- 1 x Sterile burn dressing 10 x 10cm
- 3 x 3.5gm sachets, pain relieving gel
- 1 x 59ml bottle, pain relieving gel
- 4 x Alcohol free wipes
- 2 x Low adherent dressings 5 x 5cm
- 2 x Low adherent adhesive dressings
- 1 x 5cm x 4m conforming bandage
- 1 x 2.5cm x 5m microporous tape



| Part No. | Description         |
|----------|---------------------|
| EBK      | Emergency Burns Kit |

### **ACCIDENT BOOK**



| Part No. | Description           |
|----------|-----------------------|
| AB50     | Accident Book 50 Page |

## EYE WASH – STATION



| Part No. | Description                          |
|----------|--------------------------------------|
| EWST2    | Eye wash Station C/W 2 500ml Bottles |
| EWSTP    | Eye Wash Station C/W 10 20ml Pods    |

## EYE WASH – REFILL



| Part No. | Description             |
|----------|-------------------------|
| EWSB500  | Eye Wash Bottle 500ml   |
| EWP25    | Eye Wash Pods 20ml 25Pk |

## PLASTERS – FABRIC – WATERPROOF



| Part No. | Description                                      |
|----------|--------------------------------------------------|
| APW100   | Assorted Waterproof Plasters Pack of 100         |
| APF100   | Assorted Fabric Plasters Pack of 100             |
| APF100H  | Assorted Fabric Plasters Heavyweight Pack of 100 |

## MEDICAL WIPES – ALCOHOL FREE



| Part No.  | Description                      |
|-----------|----------------------------------|
| ALCFMW100 | Alcohol Free Medical Wipes 100Pk |

## AED – SEMI-AUTOMATIC

The Power Beat X1 Semi-Automatic AED is a slimline and lightweight device making it ultra-portable to any location. A clear instructional pictogram display and loud verbal commands guides the user making it one of the easiest to use on the market even with no previous training. With complete reliability, daily self-testing ensures device is ready to use and with a protection grade IP55 and no need for a carry case.

### Key features

- Semi-Automatic AED
- IP55 protects against dust and wet environments
- Daily self-testing ensures device is ready to use
- Battery life of 4 years and capable of up to 200 shocks
- Time to shock 7 seconds
- Smart Pads life of 4 years which allow for biphasic shock
- CPR features with metronome
- Algorithm capable of detecting implants such as pacemaker and internal defibrillator
- Can withstand free fall damage from a height of 1.5M onto hard surfaces
- Automated ECG recording of up to 8 hours
- Shock button has built in failsafe button to alleviate risk of failure
- Able to identify a pulse and make the decision not to shock
- Other language options available

### Technical Specifications

- Size (H x W x D) cms 23.2 x 20.9 x 5.9
- Lightweight 1.5kg
- Energy selection – Adult – 150 Joules
- Warranty 8 years on unit



| Part No. | Description                             |
|----------|-----------------------------------------|
| CM2080   | Vivest Power Beat X1 Semi Automatic AED |

# + HARNESSES – TOOL

## TOOL LANYARDS

A tool lanyard, or tool tether, is a device workers use to attach tools to themselves while working at heights. These lanyards help ensure, if your tool does happen to fall, it won't reach the ground or hit someone below.

### TOOL LANYARD WITH KARABINER

- Lanyard with single-action aluminium karabiner keeps tools close at hand and eliminates the danger of dropping them.
- Energy-absorbing cord with tubular nylon webbing and lock stitching at both ends for extra security. Ideal for building, scaffolding, window cleaning and other jobs that involve working at height.
- Suitable for tools weighing up to 5kg.



| Part No. | Description                 | Capacity |
|----------|-----------------------------|----------|
| TL50K    | Tool Lanyard with Karabiner | 5kg      |

### TOOL LANYARD WITH KARABINER – ELASTICATED

- The TLX is an elasticated tool lanyard with energy absorbing cord used to prevent injury/damage from dropped tools.
- Attached to the user and then secured to loose tool.
- It comes with a single action aluminium karabiner.
- Not to be used as PPE/Fall Arrest.
- Suitable for tools weighing up to 6.8kg.



| Part No. | Description                 | Capacity |
|----------|-----------------------------|----------|
| TL68K    | Tool Lanyard with Karabiner | 6.8kg    |

### TOOL LANYARD COILED FOR HAND TOOLS

- The CL-36 Coil Lanyard is multipurpose and the elastic cord easily stretches to facilitate any normal cutting motions.
- Users observe noticeable increases in cutter retention and report substantial reductions in replacement costs when utilized in combination with any PHC safety cutter and holster.
- It can also be attached to a work station to keep the tool close at hand.

#### Features

- Attaches to all PHC cutters, utility knives and holsters
- Helps increase retention rates and prevent tool loss
- Stretches to 48 inches
- Elastomeric coil cord



| Part No. | Description                        |
|----------|------------------------------------|
| TLCHT    | Tool Lanyard Coiled For Hand Tools |





# + HARNESSES AND LANYARDS



## FULL BODY HARNESS – RESTRAINT HARNESS – MEWP



### Description

MEWP harness  
& 1.4m adjustable restraint lanyard.  
(FOR RESTRAINT USE ONLY)

### Material Specification

Polyester webbing with powder coated steel metal fittings.

### Attachment Points

Rear fall arrest dorsal "D" ring.

### Size / Length

Standard

### Standards

EN361:2002, EN354:2002,  
EN358:2000



| Part No.  | Description                     |
|-----------|---------------------------------|
| SHMEWPL15 | Safety Harness Restraint – MEWP |
| SHMEWPL20 | Safety Harness Restraint – MEWP |

## FULL BODY HARNESS – FALL ARREST – ONE POINT



### Description

Single point, fall arrest harness, with 3 bar slide and rectangular link, leg and chest connections. Has adjustable length shoulder straps with a 3 bar buckle to ensure the chest strap is positioned over the sternum area.

### Material Specification

Polyester webbing with powder coated steel metal fittings.

### Attachment Points


Rear fall arrest dorsal "D" ring.

### Size / Length

Standard

### Standards

EN361:2002, EN354:2002, EN358:2000



| Part No. | Description                                   |
|----------|-----------------------------------------------|
| SHFA1P   | Safety Harness Fall Arrest Single Point Basic |

## FULL BODY HARNESS – FALL ARREST – TWO POINT



### Description

Two point, fall arrest harness, with 3 bar slide and rectangular link, leg and chest connections. The MK2 version incorporates alloy rings to interconnect shoulder and chest straps. Has adjustable length shoulder straps with a 3 bar buckle to ensure the chest strap is positioned over the sternum area.

### Material Specification

Polyester webbing with heat treated zinc plated carbon steel fittings and anodized black alloy rings.

### Attachment Points

Rear fall arrest dorsal "D" ring and front sternum fall arrest "D" ring.

### Size / Length

Standard

### Standards

EN361:2002



| Part No. | Description                          |
|----------|--------------------------------------|
| SHFA2P   | Safety Harness Fall Arrest Two Point |

## FULL BODY HARNESS – FALL ARREST – FOUR POINT



### Description

Four point, fall arrest harness, with 3 bar slide and rectangular link, leg and chest connections. Adjustable length shoulder straps with a 3 bar buckle to ensure the chest strap is positioned over the sternum area. Includes an integral work positioning belt with large roller buckle (with back feed bar) 2 side work positioning "D" rings. The chest strap on this harness is a full chest strap to provide an exceptionally secure configuration which increases the distribution of load when using the front "D" ring.

### Material Specification

Polyester webbing with carbon steel, heat treated and zinc plated metal fittings.

### Attachment Points

Rear fall arrest dorsal "D" ring, front sternum fall arrest "D" ring and side work positioning "D" rings.

### Size / Length

Standard

### Standards

EN358:2000, EN361:2002



| Part No. | Description                                 |
|----------|---------------------------------------------|
| SHFA4P   | Safety Harness Fall Arrest Four Point Super |



# + HARNESSES AND LANYARDS

## RESTRAINT LANYARD



### Description

Lanyard suitable for restraint, work positioning or as a component in a fall protection system.

### Material Specification

32mm Polyester Webbing.

### Attachment Points

Steel captive screwgate karabiners at each end.

### Size / Length

1.5m & 2.0m

### Standards

EN354:2002, EN358:2000



| Part No. | Description                             |
|----------|-----------------------------------------|
| SHRL1500 | Safety Harness Restraint Lanyard 1500mm |
| SHRL2000 | Safety Harness Restraint Lanyard 2000mm |

## RESTRAINT LANYARD – ADJUSTABLE



### Description

Lanyard suitable for work positioning or as a component in a fall protection system.

### Material Specification

32mm Polyester Webbing.

### Attachment Points

Steel captive eye screwgate karabiners at each end.

### Size / Length

1.5m

### Standards

EN358:2000



| Part No.  | Description                                        |
|-----------|----------------------------------------------------|
| SHRL1500A | Safety Harness Restraint Lanyard 1500mm Adjustable |

## RESTRAINT LANYARD – LADDER



### Description

Lanyard suitable for restraint or work positioning.

### Material Specification

32mm Polyester Webbing.

### Attachment Points

Lanyard suitable for restraint or work positioning.

### Size / Length

0.5m

### Standards

EN358:2000, EN354:2002



| Part No.  | Description                                   |
|-----------|-----------------------------------------------|
| SHRL0500L | Safety Harness Restraint Lanyard 500mm Ladder |

## FALL ARREST LANYARD – CHUNKIE STANDARD



### Description

Single leg lanyard suitable for arresting potential falls. The lanyard incorporates a 'tear-web' energy absorbing pack.

### Material Specification

11 mm kernmantle rope with a polyester tear-web energy absorber covered in a PVC shrink sleeve.

### Attachment Points

Steel screwed 'tri-link' on the energy absorber and a steel captive eye screwgate karabiner on the other end.

### Size / Length

1m, 1.5m & 1.75m

### Standards

EN355:2002



| Part No.    | Description                                                |
|-------------|------------------------------------------------------------|
| SHFAL1000CS | Safety Harness Fall Arrest Lanyard 1000mm Chunkie Standard |
| SHFAL1500CS | Safety Harness Fall Arrest Lanyard 1500mm Chunkie Standard |
| SHFAL1750CS | Safety Harness Fall Arrest Lanyard 1750mm Chunkie Standard |

# + HARNESSES AND LANYARDS



## FALL ARREST LANYARD – CHUNKIE STANDARD – LARGE SNAP HOOK



### Description

Single leg lanyard suitable for arresting potential falls. The lanyard incorporates a 'tear-web' energy absorbing pack.

### Material Specification

11mm kernmantle rope with a polyester tear-web energy absorber covered in a PVC shrink sleeve.

### Attachment Points

Steel screwed 'tri-link' on the energy absorber and a large aluminium double action snaphook on the other end.

### Size / Length

1.75m

### Standards

EN355:2002



## FALL ARREST LANYARD – CHUNKIE – ADJUSTABLE



### Description

Single leg adjustable length lanyard, suitable for arresting potential falls. The lanyard incorporates a 'tear-web' energy absorbing pack.

### Material Specification

32mm polyester webbing with a polyester 'tear-web' energy absorber covered in a PVC shrink sleeve

### Attachment Points

Steel screwgate 'tri-link' on the energy absorber and a captive eye screwgate karabiner on the other.

### Size / Length

1.75m

### Standards

EN355:2002



| Part No.       | Description                                                |
|----------------|------------------------------------------------------------|
| SHFAL1750CSLSH | Safety Harness Fall Arrest Lanyard 1000mm Chunkie Standard |

| Part No.    | Description                                                  |
|-------------|--------------------------------------------------------------|
| SHFAL1750CA | Safety Harness Fall Arrest Lanyard 1750mm Chunkie Adjustable |

## FALL ARREST LANYARD – CHUNKIE TWIN TAIL



### Description

Twin legged lanyard suitable for arresting potential falls. The lanyard incorporates a tear-web" energy absorbing pack.

### Material Specification

11mm kernmantle rope, with a polyester tear-web energy absorber covered in a PVC shrink sleeve and a stainless steel ring inter-connection.

### Attachment Points

Steel captive screwgate karabiner on the energy absorber and a large aluminium double action snaphook on each leg.

### Size / Length

1.5m & 2m

### Standards

EN355:2002



## FALL ARREST LANYARD – CHUNKIE TWIN TAIL – STRETCH



### Description

Twin legged lanyard suitable for arresting potential falls. The lanyard incorporates a "tear-web" energy absorbing pack.

### Material Specification

35mm polyester elasticated stretch webbing with a polyester tear-web energy absorber in a PVC shrink sleeve and a stainless steel ring inter-connection.

### Attachment Points

Steel screwed tri-link on the energy absorber and a large aluminium double action snaphook on each leg.

### Size / Length

Relaxed length 1.4m, fully stretched 1.8m

### Standards

EN355:2002



| Part No.     | Description                                                 |
|--------------|-------------------------------------------------------------|
| SHFAL1500CTT | Safety Harness Fall Arrest Lanyard 1750mm Chunkie Twin Tail |
| SHFAL2000CTT | Safety Harness Fall Arrest Lanyard 2000mm Chunkie Twin Tail |

| Part No.      | Description                                        |
|---------------|----------------------------------------------------|
| SHFAL1800CTTS | Safety Harness Fall Arrest Lanyard 1400mm > 1800mm |

# + SIGNAGE

## MULTIPLE

Examples of signage available, others can be produced, please contact us for quotations.  
Bespoke signage available.



MX1



MX2



MX3



MX4



MX5



MX6



MX7



MX8



MX9



MX10



MX11



MX12



MX13



MX14



MX15



## WARNING

Bespoke signage available.



WS37



WS38



WS39



WS40



WS41



WS43



WS44



WS45



WS46



WS47



WS49



WS50



WS51



WS52



WS53



WS55



WS56



WS57



WS58



WSCUST



WS60



WS61



WS62



WS63



WS64

# + SIGNAGE

## PROHIBITED

Bespoke signage available.



PPS1



PPS2



PPS3



PPS4



PPS5



PPS6



PPS7



PPS8



PPS9



PPS10



PPS11



PPS12



PPS13



PPS14



PPS15



PPS16



PPS17



PPS18



PPS19



PPS20



PPS21



PPS22



PPS23



PPSCUST



PPS25



PPS26



PPS27



PPS28



PPS29



PPS30



PPS31



PPS32



PPS33



PPS34



PPS35



PPS36



PPS37



PPS38



## MANDATORY

Bespoke signage available.



MS1



MS2



MS3



MS4



MS5



MS6



MS7



MS8



MS9



MS10



MS11



MS12



MS13



MS14



MS15



MS20



MS21



MS22



MS23



MS24



MS25



MS26



MS27



MS28



MS29

# + INDEX

| Category                         | Description                          | Page    |
|----------------------------------|--------------------------------------|---------|
| <b>Abrasives</b>                 | Metal Cutting & Grinding Blades      | 175     |
|                                  | Metal Cutting Ultra Thin Flat Centre | 175     |
|                                  | Metal Grinding Depressed Centre      | 175     |
|                                  | Stone Cutting & Grinding Blades      | 175     |
|                                  | Stone Grinding Depressed Centre      | 175     |
| <b>Access</b>                    | Clow Tags                            | 242     |
|                                  | Ladder Clamps                        | 242     |
|                                  | Ladders                              | 240-241 |
|                                  | Platforms                            | 242     |
|                                  | Scaffold Tags                        | 242     |
| <b>Adhesive Hybrid / Sealant</b> | Fixall                               | 83      |
|                                  | Gripall                              | 83      |
|                                  | Gripbond                             | 84      |
|                                  | Gripfill                             | 84      |
|                                  | Pinkgrip                             | 84      |
|                                  | Solvent Free                         | 84      |
| <b>Adhesives</b>                 | Aerosol Spray                        | 86      |
|                                  | Contact Adhesive                     | 85      |
|                                  | CT1                                  | 82      |
|                                  | EPDM Adhesive                        | 85      |
|                                  | Gripbond                             | 82      |
|                                  | Mirror Adhesive                      | 85      |
|                                  | Mitre Kit                            | 81      |
|                                  | Mitre Mate                           | 85      |
|                                  | PVA                                  | 86      |
|                                  | Soudabond Easy                       | 81      |
|                                  | Super Glue                           | 86      |
|                                  | Thread Lock                          | 86      |
|                                  | Wood                                 | 86      |
| <b>Applicator Tools</b>          | 400ml Skeleton Gun Heavy Duty        | 87      |
|                                  | 400ml Skeleton Gun Standard          | 87      |
|                                  | 600ml Sausage                        | 87      |
|                                  | 900ml Skeleton Gun Standard          | 87      |
|                                  | Foam Tool                            | 87      |
|                                  | Foam Tool Heavy Duty                 | 87      |
| <b>Bars</b>                      | Pry                                  | 189     |
|                                  | Wrecking                             | 189     |
| <b>Batteries</b>                 | 9V                                   | 249     |
|                                  | AA                                   | 249     |
|                                  | AAA                                  | 249     |
|                                  | C                                    | 249     |
|                                  | D                                    | 249     |
|                                  | Flash Warning Light                  | 249     |
|                                  | Road Lamp                            | 249     |

| Category                        | Description                  | Page |
|---------------------------------|------------------------------|------|
| <b>Big Foot Support Systems</b> | Fix It Foot                  | 119  |
|                                 | H Frame Kit                  | 119  |
|                                 | Multi Foot                   | 119  |
|                                 | Support System               | 119  |
| <b>Blow Torch</b>               | Adjustable Gas Regulator     | 207  |
|                                 | Blow Torch                   | 207  |
|                                 | Gas Refills                  | 207  |
|                                 | Propane Kit                  | 207  |
|                                 | Propane Set Double           | 207  |
|                                 | Propane Set Single           | 207  |
| <b>Bolsters</b>                 | Brick                        | 189  |
|                                 | Electricians                 | 189  |
| <b>Bolts / Setscrews</b>        | Hex Bolts                    | 64   |
|                                 | Hex Setscrews                | 63   |
| <b>Bracketry</b>                | Angle                        | 100  |
|                                 | Base                         | 100  |
|                                 | Clamp                        | 100  |
|                                 | Flat                         | 100  |
|                                 | Splice Plates                | 101  |
|                                 | Top Hat                      | 101  |
|                                 | Winged                       | 101  |
|                                 | Z Brackets                   | 101  |
| <b>Brickwork Reinforcement</b>  | Coil Mesh                    | 127  |
| <b>Brickwork Ventilation</b>    | Multifix Airbricks           | 128  |
|                                 | Soffit Vent Mesh             | 128  |
|                                 | Vents                        | 128  |
|                                 | Vents With Flyscreen         | 128  |
| <b>Buckets</b>                  | Builders                     | 203  |
|                                 | Flexi                        | 203  |
|                                 | Plastering                   | 203  |
|                                 | Tough                        | 203  |
| <b>Building Tools</b>           | Brick Tongs                  | 201  |
|                                 | Jointer                      | 201  |
|                                 | Jointing Knife               | 201  |
|                                 | Line Pins                    | 201  |
|                                 | Mortar Gun Kit               | 201  |
|                                 | Taping Knife                 | 201  |
| <b>Cable Management</b>         | Couplers Medium Duty         | 120  |
|                                 | Medium Duty Return Flange PG | 120  |

| Category                      | Description                     | Page |
|-------------------------------|---------------------------------|------|
| <b>Cable Tray Accessories</b> | Overhead Hanger                 | 121  |
|                               | Roofing Bolts & Nuts            | 121  |
|                               | Stand Off Brackets              | 121  |
| <b>Carpentry Accessories</b>  | Double sided Timber Connector   | 131  |
|                               | Square Plate Washer             | 131  |
| <b>Carpentry Screws</b>       | Coach Screws Hexagon Head       | 62   |
|                               | Cup Sq Hex                      | 62   |
|                               | Roofing Bolts & Nuts            | 62   |
| <b>Cavity Fixings</b>         | FISCHER Duopower Kit            | 45   |
|                               | FISCHER FH Y Hollow Deck Anchor | 44   |
|                               | FISCHER FID                     | 45   |
|                               | Hollow Wall Anchor              | 44   |
|                               | Nylon Plugs                     | 45   |
|                               | Rubbernut Anchor                | 44   |
|                               | SPIT Driva Allow                | 45   |
|                               | SPIT Driva Nylon                | 45   |
|                               | Spring Toggle                   | 44   |
| <b>Channel</b>                | Plain 41 x 21 HG                | 98   |
|                               | Plain 41 x 21 LG                | 99   |
|                               | Plain 41 x 41 HG                | 98   |
|                               | Plain 41 x 41 LG                | 99   |
|                               | Plain Back to Back              | 98   |
|                               | Slotted 41 x 21 HG              | 98   |
|                               | Slotted 41 x 21 LG              | 99   |
|                               | Slotted 41 x 41 HG              | 98   |
|                               | Slotted 41 x 41 LG              | 99   |
|                               | Slotted 41 x 62 HG              | 99   |
|                               | Slotted 41 x 82 HG              | 99   |
|                               | Slotted Back to Back            | 98   |
| <b>Channel Accessories</b>    | Cantilever Brackets             | 102  |
|                               | Channel Nuts                    | 102  |
|                               | Closure Strip                   | 103  |
|                               | Channel Socket                  | 103  |
|                               | End Caps                        | 103  |
|                               | Threaded Rod End Caps           | 103  |
|                               | Threaded Rod                    | 105  |
|                               | Threaded Studs                  | 105  |
|                               | Eye Bolts                       | 106  |
|                               | Rod Connectors                  | 106  |
|                               | Rod Swivel Hanger               | 106  |
|                               | Threaded Rod Adaptors           | 106  |
| <b>Chemical Resin</b>         | Fischer FIP                     | 25   |
|                               | Fischer FIS SB                  | 25   |
|                               | Fischer FIX EM Plus             | 25   |

| Category                                | Description                                 | Page      |
|-----------------------------------------|---------------------------------------------|-----------|
|                                         | Fischer FIX V Plus                          | 25        |
|                                         | Fisher FIS VL                               | 25        |
|                                         | Spit C-Mix Plus                             | 26        |
|                                         | Spit Epcon C8 Xtrem                         | 26        |
|                                         | Spit Maxima                                 | 26        |
|                                         | Spit Multi Max                              | 26        |
|                                         | Spit Viper Xtrem                            | 26        |
| <b>Chemical Resin Tools</b>             | Resin Tools                                 | 27        |
| <b>Chemical Studs &amp; Accessories</b> | Blow Out Pump                               | 24        |
|                                         | Chemical Studs BZP                          | 24        |
|                                         | Chemical Studs Stainless Steel A2           | 24        |
|                                         | Hole Cleaning Brush                         | 24        |
|                                         | Internal Threaded Socket Stainless Steel A4 | 24        |
|                                         | Internal Threaded Sockets BZP               | 24        |
|                                         | Resin Nozzle                                | 24        |
|                                         | Resin Nylon Sleeve                          | 24        |
|                                         | Resin Wire Sleeve                           | 24        |
| <b>Chipboard Screws</b>                 | Pozi Countersunk                            | 58 / 59   |
| <b>Circular Saw Blades</b>              | Aluminium                                   | 173 / 174 |
|                                         | Evolution Blades                            | 173       |
|                                         | Fibre Cement                                | 173       |
|                                         | Metal Cold Cut                              | 172       |
|                                         | Multi Material                              | 173       |
|                                         | Multi Purpose                               | 174       |
|                                         | Reducing Rings                              | 172       |
|                                         | Stainless Steel                             | 174       |
|                                         | Steel                                       | 174       |
|                                         | Wood                                        | 172       |
| <b>Clamps</b>                           | 3 Way                                       | 206       |
|                                         | F Clamp                                     | 206       |
|                                         | G Clamp                                     | 206       |
|                                         | One Handed                                  | 206       |
|                                         | Stall Clips                                 | 206       |
|                                         | Trigger                                     | 206       |
| <b>Cleaners</b>                         | Foil Safe Spray                             | 91        |
|                                         | Glass and Mirror                            | 91        |
|                                         | PVC Spray                                   | 91        |
|                                         | Swipex                                      | 91        |
| <b>Concrete Screws</b>                  | Concrete Screws                             | 28        |
|                                         | Excalibur Screwbolt Hex Head                | 28        |
|                                         | FISCHER FBS Concrete Screws                 | 29        |

# + INDEX

| Category                           | Description                                   | Page |
|------------------------------------|-----------------------------------------------|------|
|                                    | FISCHER Rod Hanger                            | 29   |
|                                    | Masonry Screws Countersunk Head               | 30   |
|                                    | Masonry Screws Hex Head                       | 30   |
|                                    | Masonry Screws Hex Head Stainless Steel A4    | 30   |
|                                    | Masonry Screws Countersunk Stainless Steel A4 | 30   |
|                                    | Serbolt Screwbolt Hex Head                    | 28   |
|                                    | SPIT Tapcon Blue Countersunk Head             | 29   |
|                                    | SPIT Tapcon Blue Hexagon Head                 | 29   |
|                                    | SPIT Tapcon Dome                              | 29   |
|                                    | SPIT Tapcon Rod Hanger                        | 29   |
| <b>Croppers</b>                    | Bolt                                          | 191  |
| <b>Cutters</b>                     | Cable                                         | 191  |
|                                    | PVC Tube Cutter                               | 191  |
|                                    | Snips Aviation                                | 191  |
|                                    | Wire Rope                                     | 191  |
| <b>Diamond Blades</b>              | Continuous Rim                                | 177  |
|                                    | Cup Wheel Double Row                          | 177  |
|                                    | Diamond Edge                                  | 177  |
|                                    | General Purpose                               | 176  |
|                                    | Mortar Raking                                 | 177  |
| <b>Dry Diamond Core Bit System</b> | Accessories                                   | 161  |
|                                    | Core Bits                                     | 161  |
| <b>Electrical Accessories</b>      | Anemometer                                    | 250  |
|                                    | Cable Hanging Hook                            | 248  |
|                                    | Cable Reels                                   | 247  |
|                                    | Cassette Reel                                 | 247  |
|                                    | Couplers                                      | 248  |
|                                    | Damp & Moisture Meter                         | 250  |
|                                    | Extensions                                    | 247  |
|                                    | Head Light                                    | 248  |
|                                    | Junction Box                                  | 247  |
|                                    | Light Meter                                   | 250  |
|                                    | Plugs                                         | 248  |
|                                    | Sound Meter                                   | 250  |
|                                    | Splitters                                     | 248  |
|                                    | Stud Metal & Wire Detector                    | 250  |
|                                    | Thermometer                                   | 250  |
|                                    | Torches                                       | 248  |
|                                    | Transformers                                  | 247  |
|                                    | Voltage Tester                                | 250  |
| <b>Engineering Goods</b>           | Die Nuts                                      | 209  |
|                                    | Hex Key Sets                                  | 210  |
|                                    | Hex Keys Long Arm                             | 210  |

| Category                        | Description                                          | Page |
|---------------------------------|------------------------------------------------------|------|
|                                 | Hex Keys Short Arm                                   | 210  |
|                                 | Punches                                              | 209  |
|                                 | Tap & Die Set                                        | 209  |
|                                 | Taps                                                 | 209  |
|                                 | Vice                                                 | 209  |
| <b>Expanding Foams</b>          | B1 Fire                                              | 88   |
|                                 | Blue 60                                              | 89   |
|                                 | Fire Rated Packers                                   | 89   |
|                                 | Foam & Fun Cleaner                                   | 88   |
|                                 | Gap Filler                                           | 88   |
|                                 | PU Foam                                              | 88   |
| <b>Extinguishers</b>            | Evacuation Horn                                      | 244  |
|                                 | Extinguisher Stand                                   | 244  |
|                                 | Fire                                                 | 243  |
| <b>Fire Protection</b>          | Fire Batt                                            | 90   |
|                                 | Intucoat                                             | 90   |
|                                 | Intucompound                                         | 90   |
|                                 | Intumastic                                           | 90   |
| <b>Firmahold Gas Technology</b> | Collated Clipped Head Nails & Fuel Cells Plain Shank | 145  |
|                                 | Collated Clipped Head Nails & Fuel Cells Ring Shank  | 145  |
|                                 | F16 Angled Brad Nails                                | 145  |
|                                 | F16 Straight Brad Nails                              | 145  |
| <b>Frame Cramps</b>             | Safety End Drilled Stand Up                          | 125  |
|                                 | Safety End Drilled Upstand With Drip                 | 125  |
|                                 | Safety End Slotted Upstand                           | 125  |
|                                 | Safety End Slotted Upstand With Drip                 | 125  |
| <b>Hammer Fixings</b>           | DBZ                                                  | 46   |
|                                 | Express Nail                                         | 46   |
|                                 | Hammer-In Alloy                                      | 46   |
|                                 | Nylon Hammer Fixings                                 | 47   |
|                                 | Nylon Hammer Fixings Stainless Steel A2              | 47   |
|                                 | SPIT Hit M Lipped                                    | 47   |
|                                 | SPIT Hit M Lipped Stainless Steel A2                 | 47   |
|                                 | Wire Hanger                                          | 46   |
| <b>Hammers</b>                  | Axe                                                  | 188  |
|                                 | Ball Pein                                            | 188  |
|                                 | Brick                                                | 188  |
|                                 | Claw                                                 | 188  |
|                                 | Lump                                                 | 188  |
|                                 | Mallet                                               | 188  |
|                                 | Scutch                                               | 188  |
|                                 | Sledge                                               | 188  |



| Category                            | Description                                 | Page |
|-------------------------------------|---------------------------------------------|------|
| <b>Head Restraints</b>              | Restraints                                  | 127  |
| <b>High Performance Anchors</b>     | Drop In Anchor Setting Tool                 | 22   |
|                                     | Drop In Anchors A4 Stainless Steel          | 22   |
|                                     | Drop In Anchors BZP                         | 22   |
|                                     | Drop In Anchors Flanged BZP                 | 22   |
|                                     | Fischer FAZ II BZP                          | 18   |
|                                     | Fischer FAZ II Stainless Steel A4           | 18   |
|                                     | Fischer FBN II BZP                          | 19   |
|                                     | Fischer FBN II Stainless Steel A4           | 19   |
|                                     | Fischer Scaffold Eye Bolt & Plug            | 22   |
|                                     | JCP Heavy Duty Anchors Bolt Head            | 17   |
|                                     | JCP Heavy Duty Anchors Countersunk Head     | 17   |
|                                     | JCP Heavy Duty Anchors Loose Nut            | 17   |
|                                     | JCP Through Fixings BZP                     | 20   |
|                                     | JCP Through Fixings Stainless Steel A4      | 20   |
|                                     | Scaffold Ring Bolt                          | 22   |
|                                     | Shield Anchors Eye Bolt                     | 21   |
|                                     | Shield Anchors Loose Bolt                   | 21   |
|                                     | Shield Anchors Projecting Bolt              | 21   |
|                                     | Shield Anchors Shield Only                  | 21   |
|                                     | Sleeve Anchors Countersunk Head BZP         | 23   |
|                                     | Sleeve Anchors Loose Bolt BZP               | 23   |
|                                     | Sleeve Anchors Loose Nut BZP                | 23   |
|                                     | Sleeve Anchors Loose Nut Stainless Steel A4 | 23   |
| <b>High Speed Drill Bits</b>        | HSS Cobalt                                  | 163  |
|                                     | HSS Deburring Countersinks                  | 164  |
|                                     | HSS Ground                                  | 163  |
|                                     | HSS Ground Blacksmith                       | 164  |
|                                     | HSS Ground Long Series                      | 164  |
|                                     | HSS Step Drill                              | 164  |
| <b>Hilti Compatible Consumables</b> | Ceiling Hanger                              | 151  |
|                                     | Collated Pins                               | 151  |
|                                     | Single Shot Pins                            | 151  |
|                                     | Strip Feed cartridges                       | 151  |
| <b>Holesaws</b>                     | Annular Cutter                              | 168  |
|                                     | Bosch Holesaw Accessories                   | 167  |
|                                     | Bosch Progressor Holesaw                    | 167  |
|                                     | Holesaw Accessories                         | 166  |
|                                     | HSS Bi-Metal Holesaw                        | 166  |
|                                     | Long Pins                                   | 168  |
|                                     | Short Pins                                  | 168  |
| <b>Insulation Anchors</b>           | FISCHER DHK                                 | 36   |
|                                     | FISCHER DHM Galv                            | 37   |
|                                     | FISCHER DHM Stainless Steel A2              | 37   |
|                                     | FISCHER DIPK                                | 36   |

| Category                  | Description                               | Page    |
|---------------------------|-------------------------------------------|---------|
|                           | FISCHER Insulation Washer                 | 36      |
|                           | Frame Anchor                              | 35      |
|                           | RAWL K1-10                                | 38      |
|                           | RAWL K1-10 Façade Fixing With Plastic Pin | 38      |
|                           | RAWL MBA                                  | 37      |
|                           | RAWL MBA Stainless Steel A2               | 39      |
|                           | RAWL MBA Steel Façade Fixing              | 39      |
|                           | RAWL TFIX 8P                              | 37      |
|                           | SPIT ISO                                  | 36      |
| <b>Insulation Washers</b> | Insulation Cap Washer                     | 40      |
|                           | Bonded Washers                            | 41      |
|                           | Hex Head Cover Caps                       | 41      |
|                           | Insulation Washers                        | 40 / 41 |
| <b>Janitorial</b>         | Anti-Rust Agent                           | 275     |
|                           | Barrier Cream                             | 273     |
|                           | Bleach                                    | 274     |
|                           | Brick Cleaner                             | 275     |
|                           | Buckets                                   | 277     |
|                           | Citrus Cleaner                            | 275     |
|                           | Cleaning Cloths                           | 276     |
|                           | Cleaning Rags                             | 276     |
|                           | Cleaning Wipes                            | 275     |
|                           | Disinfectant                              | 274     |
|                           | Drain Unblocker                           | 274     |
|                           | Dustpan & Brush                           | 277     |
|                           | Fungicidal Wash                           | 275     |
|                           | Furniture Polish                          | 274     |
|                           | Glass Cleaner                             | 274     |
|                           | Graffiti Remover                          | 275     |
|                           | Litter Picker                             | 277     |
|                           | Methylated Spirit                         | 275     |
|                           | Mop                                       | 277     |
|                           | Mop Bucket                                | 277     |
|                           | Mould Spray                               | 274     |
|                           | Multi-Purpose Cleaner                     | 274     |
|                           | Multisolve CT1                            | 275     |
|                           | PVC Cleaner                               | 274     |
|                           | Soap                                      | 273     |
|                           | Soap Dispenser                            | 273     |
|                           | Sponges                                   | 276     |
|                           | Squeegee                                  | 277     |
|                           | Stockinette                               | 276     |
|                           | Sugar Soap                                | 275     |
|                           | Washing Up Liquid                         | 274     |
|                           | WD40                                      | 275     |
|                           | White Spirit                              | 275     |

# + INDEX

| Category                                    | Description                               | Page |
|---------------------------------------------|-------------------------------------------|------|
| <b>Jigsaw Blades</b>                        | T Shank All Purpose                       | 179  |
|                                             | T Shank for Metal                         | 179  |
|                                             | T Shank for Wood                          | 178  |
|                                             | T Shank Sets                              | 180  |
|                                             | T Shank Speciality Applications           | 180  |
| <b>Joist Hangers &amp; Angle Brackets</b>   | Angle Brackets                            | 130  |
|                                             | Joist Hanger Masonry                      | 130  |
|                                             | Joist Hanger Universal                    | 130  |
|                                             | Timber to Timber Girder Truss Shoe        | 130  |
|                                             | Timber to Timber Long Leg                 | 129  |
|                                             | Timber to Timber Mini Hanger              | 129  |
|                                             | Timber to Timber Short Leg                | 129  |
|                                             | Timber to Timber Standard Leg             | 129  |
| <b>Knives</b>                               | Blade General Purpose                     | 192  |
|                                             | Blade Hooked                              | 192  |
|                                             | Blade Snap Off                            | 192  |
|                                             | Folding                                   | 192  |
|                                             | Retractable                               | 192  |
|                                             | Safety                                    | 192  |
|                                             | Snap Off Blade                            | 192  |
| <b>Levels</b>                               | 3 Vial                                    | 193  |
|                                             | Boat                                      | 193  |
|                                             | Mini                                      | 193  |
| <b>Lighting</b>                             | Festoon                                   | 245  |
|                                             | Floor Light                               | 246  |
|                                             | Fluorescent Frame                         | 245  |
|                                             | Fluorescent Uplight                       | 246  |
|                                             | LED Tripod                                | 246  |
| <b>Lindapter (Original and Alternative)</b> | Alpha Wedge                               | 113  |
|                                             | Beam Clamp Type FL                        | 115  |
|                                             | Clipped Washer Type CW                    | 117  |
|                                             | Hollo-bolt Countersunk LHBC               | 118  |
|                                             | Hollo-bolt Flush Type LFF                 | 118  |
|                                             | Hollo-bolt Hexagonal LHB                  | 118  |
|                                             | Horizontal Purlin Clip HCW30              | 115  |
|                                             | Horizontal Purlin Clip HCW31              | 115  |
|                                             | MF Wedge                                  | 114  |
|                                             | Multi Wedge                               | 113  |
|                                             | Non Lindapter Mini Wedge Nut              | 114  |
|                                             | Non Lindapter Mini Wedge Nut              | 114  |
|                                             | Non Lindapter Purlin Clip                 | 115  |
|                                             | Non Lindapter Standard Wedge Nut          | 114  |
|                                             | Non Lindapter Beam Clamp                  | 115  |
|                                             | Non Lindapter Horizontal Purlin Clip HPC1 | 115  |
|                                             | Non Lindapter Horizontal Purlin Clip HPC2 | 115  |

| Category                       | Description                       | Page |
|--------------------------------|-----------------------------------|------|
|                                | Nut                               | 114  |
|                                | Packing Shims Long                | 117  |
|                                | Packing Shims Short               | 117  |
|                                | Purlin Z10                        | 115  |
|                                | SD2 Slimdek 2                     | 113  |
|                                | Steelwork Fixings Type A Recessed | 116  |
|                                | Steelwork Fixings Type B Flat Top | 116  |
|                                | Toggle Clamp                      | 114  |
|                                | TR60                              | 113  |
|                                | V-Nut                             | 114  |
| <b>Line Markers</b>            | Builders Line                     | 204  |
|                                | Carpenters Pencils                | 204  |
|                                | Chalk Kits                        | 204  |
|                                | Chalk Refill                      | 204  |
|                                | Fine Tip Markers                  | 204  |
|                                | Road Crayon                       | 204  |
|                                | Spray                             | 204  |
| <b>Machine Screws</b>          | Pozi Countersunk                  | 65   |
|                                | Pozi Pan                          | 65   |
| <b>Mixing Paddles / Mixers</b> | General Purpose                   | 202  |
|                                | Megamixer                         | 202  |
|                                | Spiral paddle                     | 202  |
| <b>Nails</b>                   | Annular                           | 70   |
|                                | Clout                             | 70   |
|                                | Lost Head                         | 69   |
|                                | Masonry                           | 70   |
|                                | Masonry Washered                  | 70   |
|                                | Oval Head                         | 69   |
|                                | Panel Pins                        | 70   |
|                                | Round Head                        | 69   |
|                                | Square Twist                      | 69   |
| <b>Nuts</b>                    | Dome Nuts                         | 68   |
|                                | Flange Nuts                       | 68   |
|                                | Fullnuts                          | 68   |
|                                | Nyloc Nuts                        | 68   |
|                                | Wing Nuts                         | 68   |
| <b>Nylon Frame Fixings</b>     | FISCHER SXR-F US                  | 33   |
|                                | FISCHER SXR-T                     | 33   |
|                                | FISCHER SXR-F Stainless Steel A4  | 33   |
|                                | FISCHER SXR-T Stainless Steel A4  | 33   |
| <b>Packing Shims Plastic</b>   | Flat                              | 73   |
|                                | High Impact Slotted               | 73   |
|                                | Large                             | 73   |

| Category                         | Description                          | Page |
|----------------------------------|--------------------------------------|------|
|                                  | Small                                | 73   |
|                                  | Square                               | 73   |
| <b>Painting &amp; Decorating</b> | Dust Sheets                          | 223  |
|                                  | Filling Knife                        | 225  |
|                                  | Hand Sander                          | 225  |
|                                  | Masking Tape                         | 223  |
|                                  | Paint Brushes                        | 220  |
|                                  | Paint Kettle                         | 222  |
|                                  | Paint Skuttle                        | 222  |
|                                  | Paper Hanging Brush                  | 223  |
|                                  | Roller Extension                     | 222  |
|                                  | Roller Frames                        | 221  |
|                                  | Roller Liner                         | 222  |
|                                  | Roller Sets                          | 221  |
|                                  | Roller Sleeves                       | 221  |
|                                  | Roller Tray                          | 222  |
|                                  | Rollers                              | 221  |
|                                  | Sander Pole                          | 225  |
|                                  | Sanding Blocks                       | 225  |
|                                  | Sandpaper                            | 224  |
|                                  | Scissors                             | 223  |
|                                  | Scrapers                             | 224  |
|                                  | Seam Roller                          | 223  |
|                                  | Silicone Tool Set                    | 225  |
|                                  | Wire Wool                            | 225  |
| <b>Partitioning Accessories</b>  | Acoustic Hanger                      | 48   |
|                                  | Brackets                             | 48   |
|                                  | Ceiling Angle Bracket                | 48   |
|                                  | Furring to Channel Clip              | 48   |
|                                  | Hold Down Clip                       | 48   |
|                                  | Horizontal Flange Clip               | 48   |
|                                  | Service Support Plate                | 48   |
|                                  | Steel Partitioning Bracket           | 48   |
|                                  | Suspended Ceiling Wire               | 48   |
|                                  | Vertical Flange Hanger               | 48   |
|                                  | Vertical Purlin Hanger               | 48   |
| <b>Partitioning Screws</b>       | Drywall Screw Coarse Thread          | 54   |
|                                  | Drywall Screw Coarse Thread Collated | 54   |
|                                  | Drywall Screw Dense Board            | 55   |
|                                  | Drywall Screw Fine Thread            | 54   |
|                                  | Drywall Screw Fine Thread Collated   | 54   |
|                                  | Drywall Screw Self Drill             | 55   |
|                                  | Drywall Screw Self Drill Collated    | 55   |
|                                  | Wafer Head Screw Sharp Point         | 55   |
|                                  | Wafer Head Screw Self Drill          | 55   |

| Category                      | Description                              | Page |
|-------------------------------|------------------------------------------|------|
| <b>Paslode Gas Technology</b> | Paslode IM200 / 50 Accessories           | 147  |
|                               | Paslode IM200 / 50 S16 Stapler Tool      | 147  |
|                               | Paslode IM350+ Accessories               | 142  |
|                               | Paslode IM360Ci Accessories              | 141  |
|                               | Paslode IM360Ci Lithium Framing Nailer   | 141  |
|                               | Paslode IM45 GN Accessories              | 149  |
|                               | Paslode IM45 GN Lithium Coil Nailer      | 149  |
|                               | Paslode IM50 Accessories                 | 146  |
|                               | Paslode IM50 F18 Tool                    | 146  |
|                               | Paslode IM65 Accessories                 | 143  |
|                               | Paslode IM65 F16 Lithium Brad Nailer     | 143  |
|                               | Paslode IM65A Accessories                | 144  |
|                               | Paslode IM65A F16 Brad Nailer            | 144  |
|                               | Paslode PPN35i Accessories               | 148  |
|                               | Paslode PPNXi Positive Placement Nailer  | 148  |
| <b>Pipe Clips</b>             | Lined                                    | 109  |
|                               | Saddle                                   | 109  |
|                               | Unlined                                  | 109  |
| <b>Pipe Supports</b>          | Backplates Dual Tapped Malleable Iron    | 107  |
|                               | Backplates Female Brass                  | 108  |
|                               | Backplates Male Brass                    | 108  |
|                               | Backplates Malleable Iron                | 107  |
|                               | Screw on Brackets Brass                  | 108  |
|                               | Screw on Brackets Malleable Iron         | 107  |
|                               | Single Ring Brass                        | 108  |
|                               | Single Ring Double Bossed Brass          | 108  |
|                               | Single Ring Double Bossed Malleable Iron | 107  |
|                               | Single Rings Malleable Iron              | 107  |
| <b>Planer Blades</b>          | Tungsten Carbide                         | 182  |
| <b>Plastic Range</b>          | Nail In Clip                             | 110  |
|                               | Pipe Collar                              | 110  |
|                               | Push In Clip Double                      | 110  |
|                               | Push In Clip Single                      | 110  |
|                               | Snap Over Double                         | 110  |
|                               | Snap Over Single                         | 110  |
|                               | Spacer Block                             | 110  |
| <b>Pliers</b>                 | Pliers                                   | 190  |
|                               | Self Locking                             | 190  |
|                               | VDE                                      | 190  |
|                               | Water Pump                               | 190  |
| <b>Plugs / Caps / Cups</b>    | Cover Caps Hinged                        | 72   |
|                               | Cover Caps Unhinged                      | 72   |
|                               | Screw Cups                               | 72   |
|                               | Wall Plugs                               | 72   |

# + INDEX

| Category                      | Description                   | Page      |
|-------------------------------|-------------------------------|-----------|
| <b>Plumbers Goods</b>         | Grease                        | 208       |
|                               | Keys                          | 208       |
|                               | Pipe Cutters                  | 208       |
|                               | Soldering                     | 208       |
| <b>Power Tool Accessories</b> | Bi-Metal Wood / Metal Cutting | 183       |
|                               | Coarse Wood / Plastic Cutting | 183       |
|                               | Fine Wood / Plastic Cutting   | 183       |
|                               | Grit Masonry                  | 183       |
|                               | HSS Wood / Metal Cutting      | 183       |
|                               | Multi Blade Sets              | 184       |
|                               | Starlock Wood                 | 185       |
|                               | Starlock Metal                | 185       |
|                               | Starlock Sets                 | 185       |
| <b>PPE</b>                    | Coveralls                     | 302       |
|                               | Dust Mask                     | 289       |
|                               | Dust Mask With Filters        | 290       |
|                               | Ear Defenders                 | 284       |
|                               | Ear Plugs                     | 283       |
|                               | Ear Plugs c/w Strap           | 283       |
|                               | Eye Care Station / Refills    | 288       |
|                               | Eye Protection - Glasses      | 286 - 287 |
|                               | Eye Protection - Goggles      | 285       |
|                               | Eye Protection - Overspecs    | 285       |
|                               | Eye Wash Station / Refills    | 288       |
|                               | First Aid                     | 307 - 309 |
|                               | Footwear - Safety Boots       | 300       |
|                               | Gloves                        | 292 - 299 |
|                               | Hard Hat Accessories          | 281 - 282 |
|                               | Hard Hats                     | 280       |
|                               | Harness - Fall Arrest         | 313       |
|                               | Harness - Full Body           | 311       |
|                               | Harness - Restraints          | 312       |
|                               | Harness - Tool Lanyards       | 310       |
|                               | Hi-Viz Clothing               | 303 - 306 |
|                               | Knee Pads                     | 301       |
|                               | Lens Spray                    | 287       |
|                               | Lens Wipes                    | 287       |
|                               | Overshoes                     | 302       |
|                               | Respirator                    | 291       |
| <b>Protection</b>             | Antinox                       | 272       |
|                               | Bubble Wrap                   | 271       |
|                               | Butyl Rubber                  | 271       |
|                               | Carpet Film                   | 272       |
|                               | Correx                        | 272       |
|                               | Damp Proof Course             | 271       |
|                               | Dust Sheet                    | 272       |
|                               | Hessian Roll                  | 272       |

| Category                                        | Description                              | Page      |
|-------------------------------------------------|------------------------------------------|-----------|
|                                                 | Housewrap                                | 270       |
|                                                 | Membrane EPDM                            | 270       |
|                                                 | Pallet Wrap                              | 271       |
|                                                 | Polythene Sheeting                       | 271       |
|                                                 | Tarpaulin                                | 272       |
|                                                 | Vapour Barrier                           | 270       |
|                                                 | Window Protection Film                   | 272       |
| <b>PTS Insulation Fixings - Fire Protection</b> | Insulation Fixings Self Adhesive Hangers | 43        |
|                                                 | Spiral Pigtail Screws                    | 43        |
| <b>Pulsa Gas Technology</b>                     | Pulsa 27E Accessories                    | 135       |
|                                                 | Pulsa 27E Attachments                    | 138 - 140 |
|                                                 | Pulsa 27E Tool                           | 135       |
|                                                 | Pulsa 40E Attachments                    | 138 - 140 |
|                                                 | Pulsa 40P+ Accessories                   | 136       |
|                                                 | Pulsa 40P+ Tool                          | 136       |
|                                                 | Pulsa 65 Accessories                     | 137       |
|                                                 | Pulsa 65 Tool                            | 137       |
| <b>Reciprocating Saw Blades</b>                 | Universal for Metal                      | 181       |
|                                                 | Universal for Wood                       | 181       |
|                                                 | Universal for Wood & Metal               | 181       |
| <b>Restraint Straps</b>                         | Heavy Duty                               | 131       |
|                                                 | Light Duty                               | 131       |
| <b>Riveter</b>                                  | Hand                                     | 198       |
|                                                 | Heavy Duty                               | 198       |
|                                                 | Lazy Tong                                | 198       |
|                                                 | Long Arm                                 | 198       |
|                                                 | Nut Riveters                             | 198       |
| <b>Rivets</b>                                   | Aluminium Steel Dome Head                | 50        |
|                                                 | Aluminium Steel Dome Head White          | 50        |
|                                                 | Aluminium Steel Large Flange             | 50        |
|                                                 | Aluminium Steel Multi Grip               | 50        |
|                                                 | Stainless Steel Dome Head                | 50        |
| <b>Router Bits</b>                              | Straight 2 Flute                         | 182       |
| <b>Saws</b>                                     | Blades                                   | 194       |
|                                                 | Compass                                  | 195       |
|                                                 | Coping                                   | 195       |
|                                                 | Hacksaw                                  | 194       |
|                                                 | Hand Saw                                 | 194       |
|                                                 | Jabsaw                                   | 195       |
|                                                 | Junior Hacksaw                           | 194       |
|                                                 | Mini Hacksaw                             | 195       |



| Category                       | Description                       | Page |
|--------------------------------|-----------------------------------|------|
|                                | Saw Horses                        | 195  |
|                                | Tenon                             | 194  |
| <b>Screwdriver Insert Bits</b> | Hexagon Drive Adaptors            | 155  |
|                                | Hexagon Drive Adaptors Impact     | 155  |
|                                | Magnetic Bit Holders              | 155  |
|                                | Phillips Drive Insert Bits        | 154  |
|                                | Phillips Drive Insert Bits Impact | 154  |
|                                | Phillips Insert Bit Square Drive  | 155  |
|                                | Pozi Drive Bits                   | 154  |
|                                | Pozi Drive Insert Bits Impact     | 154  |
|                                | Security Insert Bit Set           | 155  |
|                                | Torx Drive Insert Bits            | 155  |
|                                | Torx Drive Insert Bits Impact     | 155  |
| <b>Screwdrivers</b>            | Bolster Sets                      | 197  |
|                                | Insulated Sets                    | 197  |
|                                | Magnetic Bit Holder               | 197  |
|                                | Magnetic Bit Holder Set           | 197  |
|                                | Mixed Sets                        | 197  |
|                                | Precision Sets                    | 197  |
| <b>SDS Max Drill Bits</b>      | Drill Bits                        | 160  |
| <b>SDS+ Drill Bits</b>         | Angled Chisel                     | 159  |
|                                | Bull Point                        | 159  |
|                                | Flat Bolster                      | 159  |
|                                | Flat Chisel                       | 159  |
|                                | Mortar Rake Chisel                | 159  |
|                                | SDS+                              | 158  |
|                                | Spade Chisel                      | 159  |
|                                | Trijet SDS+                       | 159  |
| <b>Sealants</b>                | Acoustic                          | 78   |
|                                | All Weather                       | 79   |
|                                | Decorator Caulk                   | 81   |
|                                | Decorator Filler                  | 78   |
|                                | Duct                              | 78   |
|                                | Intumescent                       | 78   |
|                                | Lead                              | 79   |
|                                | Multi-Purpose                     | 81   |
|                                | Polyurethane                      | 79   |
|                                | Remover                           | 80   |
|                                | Roof & Gutter                     | 79   |
|                                | Silirub                           | 80   |
| <b>Security</b>                | Bike Stand                        | 252  |
|                                | Cable Locks                       | 252  |
|                                | Cash Boxes                        | 252  |
|                                | Chain                             | 253  |

| Category                   | Description                              | Page      |
|----------------------------|------------------------------------------|-----------|
|                            | Digital Doorlock                         | 253       |
|                            | Hasp & Staples                           | 253       |
|                            | Key Cabinets                             | 252       |
|                            | Key ID Tags                              | 252       |
|                            | Padlocks                                 | 251 / 253 |
| <b>Self Tapping Screws</b> | Hex Head Self Tapper AB Point            | 51        |
|                            | Hex Head Self Tapper c/w Washer AB Point | 51        |
|                            | Pozi Countersunk AB Point                | 52        |
|                            | Pozi Pan AB Point                        | 53        |
| <b>Signage</b>             | Various                                  | 314 - 317 |
| <b>Silicones</b>           | Fire Retardant                           | 77        |
|                            | Food Grade                               | 77        |
|                            | General Purpose                          | 76        |
|                            | High Modulus                             | 76        |
|                            | High Temperature                         | 77        |
|                            | Low Modulus Neutral                      | 76        |
|                            | Sanitary                                 | 77        |
| <b>Site Equipment</b>      | Adblue                                   | 231       |
|                            | Barrier Fence Pins                       | 234       |
|                            | Brooms                                   | 229       |
|                            | Bungees                                  | 234       |
|                            | Bunting                                  | 236       |
|                            | Cable Ties                               | 234       |
|                            | Centre Feed Holder                       | 239       |
|                            | Chairs                                   | 238       |
|                            | Coffee                                   | 239       |
|                            | Cutlery                                  | 239       |
|                            | Debris Netting                           | 234       |
|                            | De-icer                                  | 231       |
|                            | Drip Tray                                | 232       |
|                            | Dustbins                                 | 230       |
|                            | Dustpan                                  | 229       |
|                            | Dustpan & Brush                          | 229       |
|                            | Fridge                                   | 238       |
|                            | Fuel Container                           | 232       |
|                            | Funnels                                  | 232       |
|                            | Hand Brush                               | 229       |
|                            | Hazard Waste Bags                        | 233       |
|                            | Hose Pipe                                | 237       |
|                            | Jerry Can                                | 232       |
|                            | Jumbo Bag                                | 230       |
|                            | Kettle                                   | 238       |
|                            | Microwave                                | 238       |
|                            | Oil Granules                             | 233       |
|                            | Paper Towel                              | 239       |
|                            | Plant Nappy Liner                        | 232       |

# + INDEX

| Category                                        | Description               | Page      |
|-------------------------------------------------|---------------------------|-----------|
|                                                 | Rakes                     | 228       |
|                                                 | Rock Salt Bin             | 231       |
|                                                 | Ratchet Straps            | 235       |
|                                                 | Rock Salt                 | 231       |
|                                                 | Rope                      | 236       |
|                                                 | Rubble Sacks              | 230       |
|                                                 | Sack Truck                | 231       |
|                                                 | Salt Spreader             | 231       |
|                                                 | Sandbags                  | 230       |
|                                                 | Scaffold Sheeting         | 236       |
|                                                 | Screen Washer             | 231       |
|                                                 | Shovels                   | 228       |
|                                                 | Slings                    | 235       |
|                                                 | Snow Scoop                | 231       |
|                                                 | Spill Kits                | 233       |
|                                                 | Sprayers                  | 237       |
|                                                 | Suction Pads              | 235       |
|                                                 | Sugar                     | 239       |
|                                                 | Swing Bin                 | 239       |
|                                                 | Tables                    | 238       |
|                                                 | Tarpaulin Sheet           | 234       |
|                                                 | Tarpaulin Clips           | 234       |
|                                                 | Tea                       | 239       |
|                                                 | Tie Downs                 | 235       |
|                                                 | Toaster                   | 238       |
|                                                 | Toilet Brush              | 239       |
|                                                 | Warning Tape              | 236       |
|                                                 | Water Container           | 237       |
|                                                 | Wheelbarrow               | 231       |
|                                                 | Wheelie Bin Bags          | 230       |
|                                                 | Wheelie Bin               | 230       |
| <b>Sliding Anchor Systems &amp; Accessories</b> | Debonding Sleeves         | 126       |
|                                                 | Insulation Retaining Clip | 126       |
|                                                 | Sow Sliding One Way Tie   | 126       |
| <b>Socket Screws</b>                            | Socket Button             | 66        |
|                                                 | Socket Capscrew           | 67        |
|                                                 | Socket Countersunk        | 66        |
|                                                 | Socket Grubscrew / Sets   | 67        |
| <b>Socket Sets</b>                              | Adaptors                  | 212       |
|                                                 | Extensions                | 212       |
|                                                 | Ratchets                  | 212       |
|                                                 | Socket Sets               | 211       |
|                                                 | Square Drive              | 212 - 214 |
| <b>Spanners</b>                                 | Box Spanner               | 216       |
|                                                 | Box Spanner Set           | 215       |
|                                                 | Combination               | 216       |

| Category                         | Description                                     | Page |
|----------------------------------|-------------------------------------------------|------|
|                                  | Combination Set                                 | 215  |
|                                  | Micro                                           | 215  |
|                                  | Open Ended                                      | 216  |
|                                  | Podger                                          | 217  |
|                                  | Ratchet Fixed Head                              | 217  |
|                                  | Ratchet Set                                     | 215  |
|                                  | Ring                                            | 217  |
|                                  | Scaffold                                        | 217  |
| <b>Spit Consumables</b>          | P370 / P200 Collated Pins                       | 150  |
|                                  | P370 / P200 Collated Pins Substrate             | 150  |
|                                  | P370 / P200 SC9 Single Shot Pins                | 150  |
|                                  | P370 / P200 Single Shot Pins c/w Plastic Washer | 150  |
|                                  | P370 / P200 Single Shot Pins c/w Washer         | 150  |
|                                  | P370 / P200 Single Shot Pins Substrate          | 150  |
|                                  | P370 Single Shot Pins c/w Tube Washer           | 150  |
| <b>Squares</b>                   | Combination                                     | 196  |
|                                  | Rafting                                         | 196  |
| <b>Staplers</b>                  | General Purpose                                 | 219  |
|                                  | Hammer Tacker                                   | 219  |
|                                  | Heavy Duty                                      | 219  |
|                                  | Plier                                           | 219  |
|                                  | Staples                                         | 219  |
| <b>Storage</b>                   | Organiser Case                                  | 218  |
|                                  | Shelving                                        | 218  |
|                                  | Stackable Boxes                                 | 218  |
|                                  | Tool Bag                                        | 218  |
|                                  | Tool Boxes                                      | 218  |
|                                  | Totes                                           | 218  |
| <b>Straight Shank Drill Bits</b> | Masonry                                         | 162  |
|                                  | Tile Arrow Head                                 | 162  |
|                                  | Tile Diamond Grit                               | 162  |
|                                  | Tile Porcelain                                  | 162  |
| <b>Super Screws</b>              | Pozi Countersunk                                | 60   |
| <b>Supertek Screws</b>           | Hex Head Tek 6                                  | 15   |
|                                  | Hex Head Tek 7                                  | 15   |
|                                  | Hex Head Tek 8                                  | 15   |
|                                  | Q10 Hex Head X                                  | 15   |
|                                  | Wing Drill Countersink Tek 7                    | 15   |
| <b>Tape Measures</b>             | 3 Metre                                         | 196  |
|                                  | 5 Metre                                         | 196  |
|                                  | 8 Metre                                         | 196  |

| Category          | Description                                                          | Page      |
|-------------------|----------------------------------------------------------------------|-----------|
|                   | 10 Metre                                                             | 196       |
|                   | 50 Metre                                                             | 196       |
| <b>Tapes</b>      |                                                                      |           |
|                   | Acrylic                                                              | 266       |
|                   | Aluminium Foil                                                       | 266       |
|                   | Double Sided                                                         | 267       |
|                   | Flashing                                                             | 267       |
|                   | Foam Expansion                                                       | 268 - 269 |
|                   | Gaffer                                                               | 266       |
|                   | Hazard                                                               | 267       |
|                   | Insulation                                                           | 266       |
|                   | Kip Masker                                                           | 267       |
|                   | Masking                                                              | 267       |
|                   | PVC                                                                  | 266       |
|                   | RUV                                                                  | 266       |
|                   | Scrim                                                                | 267       |
| <b>Tek Screws</b> |                                                                      |           |
|                   | Countersunk Coarse Thread                                            | 13        |
|                   | Countersunk Coarse Thread Stainless Steel                            | 13        |
|                   | Countersunk Fine Thread                                              | 13        |
|                   | Countersunk Fine Thread Stainless Steel                              | 13        |
|                   | Hex Head Coarse Thread c/w Bonded Washer                             | 9         |
|                   | Hex Head Coarse Thread Stainless Steel                               | 9         |
|                   | Hex Head Coarse Thread Stainless Steel c/w Bonded Washer             | 9         |
|                   | Hex Head Course Thread                                               | 9         |
|                   | Hex Head Fine High Thread                                            | 10        |
|                   | Hex Head Fine High Thread Stainless Steel                            | 10        |
|                   | Hex Head Fine Thread                                                 | 8         |
|                   | Hex Head Fine Thread c/w Bonded Washer                               | 8         |
|                   | Hex Head Fine Thread c/w Bonded Washer Stainless Steel               | 8         |
|                   | Hex Head Fine Thread Stainless Steel                                 | 8         |
|                   | Hex Head High Thread Coarse Thread                                   | 11        |
|                   | Hex Head High Thread Coarse Thread c/w Bonded Washer                 | 11        |
|                   | Hex Head High Thread Coarse Thread c/w Bonded Washer Stainless Steel | 11        |
|                   | Hex Head High Thread Coarse Thread Stainless Steel                   | 11        |
|                   | Hex Head High Thread Fine Thread c/w Bonded Washer                   | 10        |
|                   | Hex Head High Thread Fine Thread c/w Bonded Washer Stainless Steel   | 10        |
|                   | Hex Head Self Tapper Gash Point c/w Bonded Washer                    | 12        |
|                   | Hex Head Stitching Screw c/w Bonded Washer                           | 12        |
|                   | Hex Head Stitching Screw c/w Bonded Washer Stainless Steel           | 12        |
|                   | Low Profile Head Coarse Thread                                       | 14        |
|                   | Low Profile Head Coarse Thread c/w Bonded Washer Stainless Steel     | 12        |

| Category                 | Description                                                                | Page         |
|--------------------------|----------------------------------------------------------------------------|--------------|
|                          | Low Profile Head Coarse Thread 'S' Point c/w Bonded Washer Stainless Steel | 12           |
|                          | Low Profile Head Fine Thread                                               | 12           |
|                          | Low Profile Head Fine Thread                                               | 12           |
|                          | Rock on Screw Heavy Gauge                                                  | 14           |
|                          | Rock on Screw Light Gauge                                                  | 14           |
|                          | Universal Board Screw                                                      | 14           |
| <b>Trowels</b>           |                                                                            |              |
|                          | Brick                                                                      | 199          |
|                          | Bucket                                                                     | 199          |
|                          | Corner                                                                     | 200          |
|                          | Edging                                                                     | 200          |
|                          | Float                                                                      | 200          |
|                          | Flooring                                                                   | 200          |
|                          | Gauging                                                                    | 199          |
|                          | Hawk                                                                       | 200          |
|                          | Notched                                                                    | 199          |
|                          | Plastering                                                                 | 200          |
|                          | Pointing                                                                   | 199          |
|                          | Trade Set                                                                  | 199          |
| <b>Wall Ties</b>         |                                                                            |              |
|                          | Cavity Tie Flat Safety End                                                 | 124          |
|                          | Cavity Tie With Drip Safety End                                            | 124          |
|                          | Heavy Duty Formed Safety Tie                                               | 124          |
|                          | Starter Ties                                                               | 124          |
| <b>Washers</b>           |                                                                            |              |
|                          | Form A Flat Washers                                                        | 68           |
|                          | Repair Washers / Mudguard Washers                                          | 68           |
|                          | Shakeproof Washers                                                         | 68           |
|                          | Spring Washers                                                             | 68           |
|                          | Square Plate Washers                                                       | 68           |
| <b>Wood Drilling</b>     |                                                                            |              |
|                          | Auger Bits                                                                 | 169          |
|                          | Flat Wood Bits                                                             | 169          |
| <b>Woodscrews</b>        |                                                                            |              |
|                          | Decking Screw Square Drive Countersunk                                     | 56 / 57      |
|                          | Pozi Countersunk Head                                                      | 56 / 57 / 61 |
|                          | Pozi Round Head                                                            | 56 / 57      |
|                          | Slot Countersunk Head                                                      | 61           |
|                          | Slot Round Head                                                            | 61           |
| <b>Woodworking Tools</b> |                                                                            |              |
|                          | Carpenters Pincers                                                         | 205          |
|                          | Chisels                                                                    | 205          |
|                          | Files                                                                      | 205          |
|                          | Glue Bottle Kit                                                            | 205          |
|                          | Profile Gauge                                                              | 205          |
|                          | Surface Plane                                                              | 205          |
| <b>Zip Clip</b>          |                                                                            |              |
|                          | Hanger Systems                                                             | 111          |
|                          | Loop It                                                                    | 112          |

## **+ NOTES**

---

FP  
FIXINGS  
PLUS



**IF YOU CAN'T FIND WHAT  
YOU'RE LOOKING FOR**  
CONTACT OUR SALES OFFICE

**t** 0121 333 7288  
**e** [sales@fixingsplus.co.uk](mailto:sales@fixingsplus.co.uk)



1. The sellers conduct business only upon and subject to the terms and conditions printed below, which shall be deemed to be incorporated in any order received or accepted to the exclusion of all other terms except those specifically accepted by Sellers in writing and not inconsistent with these terms. All printed Price Lists, Quotations and Estimates are subject to alteration without notice, and all orders are subject to the Seller's acceptance.
2. If the Sellers shall be prevented from or delayed in carrying out their obligations hereunder by Act of God, Government restriction or any trade dispute (whether or not such dispute involves the Sellers' employees or not) or by reason of any other matter beyond the reasonable control of the Sellers then the Seller shall have the option to suspend or cancel any obligation then unperformed, upon giving written notice to that effect to the Purchaser.
3. Any time or date named by the Sellers for delivery is intended as an estimate only and the Sellers shall not be liable in damages or otherwise for any loss occasioned by delivery after such estimated date nor shall delay in delivery give the Purchaser any right to rescind the Contract.
4. Unless otherwise agreed in writing payment shall be made by the Purchaser net cash on or before the end of the calendar month following the date of delivery. Should the Purchaser fail to pay on such date then the Seller shall be entitled to charge interest at 3% per annum above the Bank of England base rate; such interest will accrue on a daily basis. While any account of a Purchaser is overdue the Sellers are entitled to suspend performance of any of their obligations to such Purchaser whether arising under the same Contract or otherwise.
5. When goods are made to Purchaser's pattern or specification, the Sellers have the right to supply 10% more or less than the exact quantity ordered. Any such excess or shortage will be charged for or deducted pro rata. Once the manufacture of such special goods is commenced, cancellation cannot be accepted.
6. If the goods are made to the Purchaser's pattern or specification, no responsibility can be accepted for the infringement of any Patent and the Purchaser agrees to indemnify the Sellers against any loss in respect of any proceedings or otherwise resulting from the execution of the Purchaser's orders.
7. All quotations are given and goods sold subject to the conditions that the Sellers' liabilities are limited to the replacement of goods proved to have been defective in material or workmanship when they left the Sellers' Works, provided that no work has been carried out on them after they left the Sellers' Works. Save as aforesaid any condition of warranty implied by law or statute is excluded and no liability whatsoever in damages or otherwise is accepted for goods proving to be defective in design, material or workmanship or otherwise to have been delivered in a defective condition.
8.
  - (a) The property of the goods remains in the Sellers and does not pass to the Purchaser until such time as the Sellers have received payment for the said goods.
  - (b) The Sellers shall not be liable to insure the goods against Damage (or any other risk) howsoever and by whomsoever effected or caused after delivery of the goods to the Purchaser except as otherwise provided herein.
9. The Sellers will, unless express arrangements to the contrary are previously made, forward the goods upon the following terms:
  - (a) All consignments of a net value of £50.00 or over will be forwarded free by the Sellers' choice of transport to any destination in the United Kingdom of Great Britain. Tolls / Taxes / Timed Deliveries / Saturday Deliveries will be payable by the purchaser.
  - (b) Subject as aforesaid, all goods will be forwarded by road, rail or water at Purchaser's risk and expense.
  - (c) No allowance can be made for Carriage where goods are collected from the Sellers' warehouse by the Purchaser or where goods are delivered to Purchaser's local depots.
  - (d) Notice of any damage, pilferage or non-delivery must be given by the Purchaser to the Sellers within the period allowed for making claims by the Carriers' Conditions or Regulations. The Purchaser shall indemnify the Sellers against any loss due to failure to give such notice in due time.
10. If the purchaser shall commit any act of bankruptcy or being a Limited Company if any Resolution of Petition to wind up such a Company's business shall be passed or presented or a Receiver be appointed of its undertaking property or assets or any part thereof or if, the Purchaser, whether an individual or Company shall have any execution or distress levied upon any of his or its goods or property the Sellers shall have the right to determine any Contract then subsisting, without prejudice to any claim or right the Sellers might otherwise make or exercise.
11. These Conditions and any Contract between the Sellers and the Purchaser shall in all respects be construed and operate as an English Contract and in conformity with English Law.

## **DISCLAIMER**

All information provided in this publication is accurate to the best of our knowledge at the time of printing. However, specifications, availability are subject to change without notice. We recommend verifying details with our team prior to purchase. If you notice any errors please email us at

**[sales@fixingsplus.co.uk](mailto:sales@fixingsplus.co.uk)**



1 Mill Street  
Aston  
Birmingham  
B6 4BS

**TO PLACE YOUR ORDER CALL**  
(0121) 333 7288

**EMAIL**  
sales@fixingsplus.co.uk

**OUR OPENING HOURS ARE**  
Mon - Fri | 8.00am - 5.00pm  
Sat | 8.00am - Noon



 Fixings Plus  
 @fixingsplusltd

[www.fixingsplus.co.uk](http://www.fixingsplus.co.uk)



APPROVED DISTRIBUTOR OF

